

Records of wells in Boone County, Indiana--Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Casing (inches)	Aquifers			Depth to bedrock (feet)	Water level (feet) above land surface (feet) or below surface (feet)	Yield		Quality of water	Water temperature (F)	Notes
									Depth to top of bed (feet)	Thickness (feet)	Materials			Yield (g.p.m.)	Date			
BoE34-1	NE1/4	Charles Routh	-	About 1910+	900	D, S	50	2	(10)	-	Gravel	-	6	-	-	-	-	-
BoE35-1-1	NW1/4	Ira Shockley	-	About 1907	915	(D, S) Aban	110	2	-	-	Sands	-	8.12	-	-	-	-	-
BoE36-1-2	NW1/4	do.	Ray Lister	June 1947	915	D, S	230	4	(120) (135)	-	(Sand) (Sand, gravel) (Limestone) (Blue shale)	190	-	-	-	-	53 June 1947	13
BoF5-1	NE1/4NW1/4	Benny Cook	do.	April 1946	880	D	187	4	185+	2+	Gravel	-	18	April 1946	-	-	-	-
BoF5-2-1	NW1/4	Claude Potts	Harold Lister	1943	895	-	175±	4	None	-	-	-	-	-	-	-	-	-
BoF5-2-2	NW1/4	do.	do.	1945	895	D, S	165 or 132	-	-	-	-	-	-	8± or 36±	About 1945	-	-	4.17
BoF8-1	NE1/4	do.	do.	-	909	S	80±	4	-	-	-	-	-	-	-	-	-	-
BoF9-1-1	Near center S1/4	Rachel Coone Runyon	?	-	928	Aban	40±	4	-	-	-	-	7.53	Apr. 9, 1947	-	-	-	-
BoF9-1-2	Near center S1/4	do.	James Kersey	-	926	D, S	185	3	-	-	-	-	-	-	Good well	-	-	-
BoF9-2-1	SW1/4	Virgil Smith	Clyde Kersey	About 1944	926	-	350	4	None	-	-	250	-	Dry hole	-	-	-	11- (100) 17
BoF9-2-2	SW1/4	do.	do.	do.	930	-	224	-	None	-	-	224±	-	do.	-	-	-	4.17
BoF9-2-3	SW1/4	do.	Flem Boyd	1944 or 1945	930	-	87	-	-	-	Sand and clay	-	-	-	-	-	-	17
BoF9-2-4	SW1/4	do.	do.	do.	928	-	200	-	None	-	-	200	-	Dry hole	-	-	-	11, 17
BoF9-2-5	SW1/4	do.	Harold Lister	-	928	-	100	-	None	-	-	-	-	-	-	-	-	17
BoF9-2-6	SW1/4	do.	James Kersey	-	915±	Aban Capped	100±	-	-	-	Probably gravel	-	-	-	-	-	-	-
BoF11-1	NE1/4	James Lemallen	Flem Boyd	-	919	-	45	-	-	-	Sand and gravel	-	15±D	-	-	-	-	-
BoF12-1	W1/4	Dr. H.E. Whiffing	?	-	931	D, S	125 or 150	4	123± or 148±	-	-	-	-	-	-	-	-	4
BoF13-1	W2 N. E. of Lebanon on Frankfort Road	D. M. Burns	-	-	940±	-	112	-	9	2	Gravel, sand Gravel?	-	-	-	-	-	-	1, 47
BoF13-2	SW1/4	Kern	Claude Kersey	1945	937	D, S	100	4	98	2	Gravel	-	18±	1945	Good well	-	-	-

Records of wells in Boone County, Indiana-Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Above (+) or below surface (feet)	Water level Date	Yield (g.p.m.)	Yield Date	Amount (feet)	Rate (g.p.m.) and Time (hr.)	Quality of water	Water temperature (°F)	Notes
									Depth to top of bed (feet)	Thickness (feet)	Materials										
BoF13-3-1	S4S4S4S4	W. and Euren Crato	Ray Lister	Sept. 1946	937	-	100	4	-	-	-	-	-	-	-	-	-	-	-	-	17
BoF13-3-2	S4S4S4S4	do.	do.	do.	937	-	180	4	(80)	-	-	-	-	-	-	-	-	-	-	-	17
BoF13-3-3	S4S4S4S4	do.	do.	do.	937	S	80	4	-	-	-	18+	-	Sept. 1946	-	-	-	-	-	-	-
BoF14-1	N4N4N4	Jeddie Couger	Willard English	About 1945	931	D,S	50	4	47	3	Black gravel	-	18+	About 1945	-	-	-	-	-	-	1
BoF18-1	N4N4N4	Dr. Ernest Kline	do.	Fall 1945	899	D,S	105	4	103	2	Gravel	-	30	Fall 1945	-	-	-	-	-	-	1
BoF18-2	N4N4N4	Shannon	Claude Kersey	About 1945	897	D,S	105	4	101	4	do.	-	-	-	-	-	-	-	-	-	-
BoF19-1	N4N4N4	Big four Railroad	Moyle Higer	About 1927	917	(D,RR) Aban	60	2	-	-	do.	-	16+	About 1927	-	-	-	-	-	-	-
BoF19-2	N4N4N4	Walter Green	Mollie Higer	1945	915	D	85	4	-	-	do.	-	13	1945	-	-	-	-	-	-	-
BoF20-1	N4N4N4N4	Hazeltine Tele-Phone Co.	Frank Stewart	1896	915	D	74	2	-	-	do.	-	15	April 1947	-	-	-	-	-	-	-
BoF20-2	NW tip NW1/4NW1/4	Joe Schaffner	Powers and Son	About 1940	915	Aban	40	2	38+	2+	Sand (23+)(Sand)	-	1.20	Apr. 11 1947	-	-	-	-	-	-	17
BoF21-1-1	S4S4N4	Sam Miller	Jeese Kersey	1914	929	D,S	40	4	-	-	Gravel	-	12	-	"Good up to well" present	-	-	-	-	-	-
BoF21-1-2	S4S4N4	do.	-	1917	923	Aban Plugged	175	4	-	-	-	175	-	-	-	-	-	-	-	-	17
BoF21-1-3	S4S4N4	do.	Hobbs	1937	923	D,S	62m	4	-	-	Gravel	-	3.05	Apr. 11, 1947	"Good up to well" present	-	-	-	-	-	-
BoF21-1-4	S4S4N4	do.	-	-	922	Aban	23 1/2m	4 to 2	-	-	-	-	+	do.	-	-	-	-	-	-	-
BoF21-1-5	S4S4N4	Sam Miller	James Kersey	-	922	S	30	3	-	-	-	-	+	About 1947	-	-	-	-	-	-	-
BoF22-1-1	SE1/4NW1/4	do.	Kersey	-	925	Aban	50	4 1/2	-	-	Gravel	-	4D	1930	-	-	-	-	-	-	-
BoF22-1-2	SE1/4NW1/4	do.	Jesse Kersey	-	925	D,S	55	4 1/2	51 1/2	7 1/2	do.	-	2 to 3	About 1946	-	-	-	-	-	-	-
BoF23-1-1	N4S4S4	Earl G. Henry	-	-	927	D,S	35	2 1/2	-	-	Probably gravel	-	16+	1947	-	-	-	-	-	-	-
BoF23-1-2	N4S4S4	do.	-	-	927	S	60	2 1/2	-	-	-	-	12+	About 1947	-	-	-	-	-	-	-
BoF23-2-1	Near center 1/2SW1/4	Clifford Daugherty	C. Kersey	-	928	D,S	80	2 1/2	77+	3+	Gravel	-	-	-	"Peak up to well" present	-	-	-	-	-	-

Records of wells in Boone County, Indiana-Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet, above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Above (+) or below (-) surface (feet)	Water level Date	Yield (g.p.m.)	Yield Date	Amount (feet)	Rate (g.p.m.)	Time (hr.)	Quality of water	Water temperature (°F)	Notes	
									Depth to top (feet)	Thickness (feet)	Materials												
BoF23-2-2	SE $\frac{1}{4}$ SW $\frac{1}{4}$	Clifford Daugherty	-	-	934	Aban	18m	24 to 30	-	-	-	2.86	Apr. 11, 1947	-	-	-	-	-	-	-	-	-	
BoF23-2-3	SE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$	do.	C. Kersey	-	934	Aban	78m	4	75+	3+	Gravel	-	12.96	do.	Poor up to well present	-	-	-	-	-	-	-	
BoF23-3-1	Near center SE $\frac{1}{4}$ NW $\frac{1}{4}$	Earl Wynkoop	-	-	917	D,S Aban	25+	36+	-	-	Probably gravel	-	12+	About 1945	-	-	-	-	-	-	-	-	
BoF23-3-2	SE $\frac{1}{4}$ NW $\frac{1}{4}$	do.	Clyde (?) Kersey	-	917	-	175	4	-	-	None	-	Dry	-	-	-	-	-	-	-	-	16,17	
BoF23-3-3	SE $\frac{1}{4}$ SE $\frac{1}{4}$ NW $\frac{1}{4}$	do.	-	About 1923	922	D,S	100+	4	-	-	-	-	20 to 25	About 1946	-	-	-	-	-	-	-	-	
BoF23-4	SE $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$	Frank Nelson	Noble Higer	About 1942	919	D,S	54	2	-	-	Gravel	-	15	About 1942	-	-	-	-	-	-	-	-	
BoF23-5-1	SW $\frac{1}{4}$ NW $\frac{1}{4}$	Charles Nelson	Willard English	1947	927	-	200	4	-	-	None	-	Dry	-	-	-	-	-	-	-	-	-	
BoF23-5-2	SW $\frac{1}{4}$ NW $\frac{1}{4}$	do.	do.	1947	930	D	57	4	-	-	Gravel	-	15.20	1947	-	-	-	-	-	-	-	-	
BoF24-1	NW corner NW $\frac{1}{4}$ NW $\frac{1}{4}$	R. A. Pollard	-	"Long ago"	935	D,S	113	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
BoF24-2	SW $\frac{1}{4}$ SW $\frac{1}{4}$	S. O. Nelson	Earl Merritt	About 1945	920	D,S	40	-	37	5+	Gravel	-	6	About 1945	-	-	-	-	-	-	-	-	
BoF24-3-1	NE corner NE $\frac{1}{4}$ NW $\frac{1}{4}$	Joseph Bowles	Willard English	Jan. 1946	931	-	230	4	-	-	"None"	-	109	18.30	Apr. 9, 1947	-	-	-	-	-	-	-	1,17
BoF24-3-2	NW corner NE $\frac{1}{4}$ NW $\frac{1}{4}$	do.	do.	do.	934	D	84	4	82	2	Gravel	-	16.60	Apr. 9, 1947	-	-	-	-	-	-	-	-	1
BoF24-4	NW corner NW $\frac{1}{4}$ NE $\frac{1}{4}$	M. L. Fruits	-	-	940	D	25+	36+	-	-	Probably gravel	-	4+	Winter, spring, summer, autumn	-	-	-	-	-	-	-	-	-
BoF24-5	Near center NE $\frac{1}{4}$ NW $\frac{1}{4}$	Clint Perkins	Willard English	Jan. 1946	937	D,S	43	4	41	2	Gravel	-	18	Jan. 1946	-	-	-	-	-	-	-	-	6(417)
BoF24-6	SW $\frac{1}{4}$ NE $\frac{1}{4}$	Omer Dale	Claude Kersey	About 1945	937	D,S	123	-	118	5	Gray lime-stone	-	118	About 1945	-	-	-	-	-	-	-	-	-
BoF24-7-1	NW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$	Dr. Donald A. Laird	-	-	930+	Irr	21m	60 to 72	-	-	Probably gravel	-	2.62	Apr. 9, 1947	-	-	-	-	-	-	-	-	-
BoF24-7-2	NW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$	do.	Rollie and Noble Higer	1930 or 1935	940+	D	42+	2	40	2+	Gravel	-	100	18+	1930 or 1935	-	-	-	-	-	-	-	11- (1227)
BoF24-8-1	SE $\frac{1}{4}$ NW $\frac{1}{4}$	Al Akers	-	-	935	S	109	-	-	-	-	-	0.62	Apr. 9, 1947	-	-	-	-	-	-	-	-	-
BoF24-8-2	SE $\frac{1}{4}$ NW $\frac{1}{4}$	do.	-	-	928	S	20m	1+	11	7	Gravel	-	4.79	do.	-	-	-	-	-	-	-	-	-
BoF24-9	SW $\frac{1}{4}$ SE $\frac{1}{4}$	Joseph Trobridge	-	-	937	D,Irr	25	4	-	-	do.	-	10	1945	-	-	-	-	-	-	-	-	-

Records of wells in Boone County, Indiana-Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Depth to top of bed (feet)	Thickness (feet)	Aquifers		Depth to bedrock (feet)	Water level	Yield		Quality of water	Water Temperature (°K)	Notes	
											Material	Depth to top of bed (feet)			Amount (feet)	Date				Rate (g.p.m.)
BoF24-10-1	NW1/4SE4	William Maudlin	Claude (T) Kersey	1946	948	D	203	4	(135) (155) (180)	-	(Sand, gravel) do. do.	195	-	-	-	-	-	-	-	17
BoF24-10-2	NW1/4SE4	do.	Clyton W. Rayburn	1946	948	D	36	4	-	-	Gravel	-	12	1946	-	-	-	-	-	-
BoF24-11	NW1/4NE4	James Gowrie	Claude Kersey	Summer 1945	940	D	112	4	-	-	do.	-	2.4	Summer 1945	10	Summer 1945	-	-	-	-
BoF25-1	E1/2NE4SE4	Lebanon	-	Long ago	934	(PS) Aban	20m	5	-	-	Probably gravel	-	8.07	Apr. 10, 1947	-	-	-	-	-	-
BoF25-2	NW corner Zephanade and Coulson Sts., Lebanon	Albert Kramer	Flem Boyd	-	930	D, Irr	96	3	(45) 90	(5) 6	(Sugar sand) Gravel	-	18	1940 or 1945	-	-	-	-	-	-
BoF25-3	Lafayette Ave., Lebanon	Jennie Cassidy	-	-	932	D	85	3	-	-	-	-	-	-	-	-	-	-	-	-
BoF25-4	NW tip NW1/4SE4	Fred Jaques	Omer Kersey	1911	924	D, S	85	-	-	-	-	-	-	-	-	-	-	-	-	-
BoF25-5	E1/2SE4NE4	Fern Shelburne	Nert and Jess Kersey	1908	922	D, S	118	3	-	-	Probably sand and gravel	-	28+	About 1940	-	-	-	-	-	-
BoF25-6	Center E1/2SE4	Pleasant Shoemaker	-	-	932	S	12.3m	36+	-	-	do.	-	3.90	Feb. 14, 1947	-	-	-	-	-	-
BoF25-7	NW1/4SE4	Gus Chambers	Claude Kersey	1944	932	D, S	105	3	(58) 100+	(2+) 5+	(Quick sand) Gravel	-	15	1944	-	-	-	-	-	-
BoF25-8-1	720 N. Camp St., Lebanon	R. Adney	-	Long ago	929	S	28 1/2 12m	1 1/2 30	-	-	Probably gravel	-	2.17	Apr. 2, 1947	-	-	-	-	-	-
BoF25-8-2	do.	do.	Edwin Walls	1925	929	D Little used	100+	4	-	-	-	-	10+	About 1945	-	-	-	-	-	-
BoF25-9	740 N. Camp St., Lebanon	Claude Potts	Kersey	About 1943	929	S	18	1 1/2	-	-	Gravel	-	-	-	-	-	-	-	-	-
BoF25-10	1018 N. Lebanon St., Lebanon	Mrs. S. T. Willhoite	-	Long ago	938	Aban	100	1 1/2	-	-	-	-	-	-	-	"Was good well"	-	-	-	-
BoF25-11	SE1/4NE4	Frank Rader	Willard English	1946	933	D, S	42	4	39 1/2	2 1/2	Black gravel	-	10+	1946	-	-	-	-	-	-
BoF25-12	SE1/4NE4	Louis Learkamp	-	About 1942	933	D, S	65	4	-	-	-	-	-	-	-	-	-	-	-	-
BoF25-13	800+ Lafayette Ave., Lebanon	Ray Worrell	Kersey ?	About 1923	932	Aban	8m	4	-	-	-	-	28.48	Apr. 14, 1947	-	-	-	-	-	-
BoF26-1	SE tip NW1/4SE4	Kaliph Roans	Kersey	-	942	D, S	80	4	-	-	-	-	18+	About 1945	-	-	-	-	-	-
BoF26-2-1	SE1/4NE4	Nolan Lee Endicott	James Kersey	1887	941	D, S	100+	2	-	-	Gravel	-	-	-	-	-	-	-	-	-

Records of wells in Boone County, Indiana--Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Apifers			Depth to bedrock (feet)	Water level	Yield	Date	Yield (g.p.m.)	Date	Water temperature (°F)	Notes
									Depth to top of bed (feet)	Thickness (feet)	Materials								
Bof26-2-2	S4E4	Nolan Lee Bridcott	Claude Kersey	June 1945	937	D,S	230	4	(115) (123) (123)	(5) (5) (6)	(Gravel) do. do.	222	-	-	-	-	-	1,4,11,17	
Bof26-2-3	SE tip NW4SE4	do.	Kenneth Chathan	April 1947	939	Aban	184	4	(92) (123) 180	(2+) (4) 4	(Med. sand) (Sand) Gravel and sand	-	24	April 1947	-	-	-	4,17	
Bof27-1	SW4SE4	Anna Richman	-	-	942	D,S	185	4	-	-	Probably sand and gravel	-	207	About 1945	-	-	-	Pumps little sand	17
Bof27-2	SE4SW4	Mrs. S. T. Reynolds	Kersey	-	942	S	29m	4	-	-	do.	-	4.2	Mar. 6, 1947	-	-	-	-	17
Bof27-3	W4NE4NW4	Sam Miller	-	-	935±	S	30 20m	40±	29	1	Gravel	-	10,17	Apr. 14, 1947	1,000 g.p.d.	-	-	-	-
Bof28-1-1	SW4SE4	Gertrude Utker	Flem Boyd	Long ago	941	D,S	(150) 48	3	42± (190)	5+	Sand, gravel (Sand, gravel)	200	0 to 3±	About 1945	-	-	-	-	11
Bof28-1-2	SW4SE4	do.	Willard English	Summer 1946	941	Aban	230	4	-	-	-	130	-	-	-	-	-	-	11,17
Bof28-2	E4SW4SW4	Ralph C. Goodwin	Ed Walls	About 1912	947	D,S	150	3	-	-	-	-	17	1945	-	-	-	-	-
Bof29-1-1	SE corner NE4SE4	do.	Mobile Riger	About 1932	932	-	140	2	-	-	-	-	-	-	-	-	-	-	17
Bof29-1-2	SE corner NE4SE4	do.	do.	1932	932	D,S	67	2	60	7	Gravel	-	17	1932	-	-	-	-	-
Bof31-1	SE4SE4	Katie Pauley	James and Claude Kersey	Fall 1945	921	S	163	4	138	5	Limestone	158	10±	1945 and 1946	-	-	-	-	13
Bof34-1	NW4NW4SW4	Al Laughlin	-	-	938	(D), Aban	65 or 60	3	-	-	Gravel	-	-	-	-	-	-	-	-
Bof34-2	SW corner SE4NE4	Mrs. S. T. Reynolds	-	-	928	D,S	198	2	-	-	-	-	-	-	-	-	-	-	-
Bof34-3	NE corner NW4SE4	Mr. Curwell	-	About 1913	926	(Oil tank) D,S	300 (1,500)	8	150	150	Limestone	150	3 to 4 11	About 1913 About 1945	-	-	6 1,300	-	13
Bof34-4	NE corner NE4SE4	James Limp	Kersey	-	930	D,S	96	-	-	-	Probably gravel	-	9±	do	-	-	-	-	-
Bof34-5	S4SE4NE4	J. O. Adair	do.	-	930	D,S	97	4	-	-	do.	-	9±	do	-	-	-	-	-
Bof34-6	SE corner SE4NE4	Mr. Souders	James Kersey	-	937	D,S	55	4	-	-	Sand and gravel	-	-	-	-	-	-	-	-
Bof34-7-1	NE corner NE4SW4	Morris Updike	Cloverdale	-	928	D	116	6	-	-	-	-	-	-	-	-	-	-	17
Bof34-7-2	NE corner NE4SW4	do.	-	-	928	S	75±	-	-	-	-	-	-	-	-	-	-	-	-
Bof34-8	SE4NW4NW4	Olema Hughes	Willard English	March 1947	943	D	74	4	70±	3±	Black gravel	-	3.0	Apr. 15, 1947	-	-	-	-	1

Records of wells in Boone County, Indiana--Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Water level		Yield		Drawdown	Quality of water	Water temperature (°F)	Notes
									Depth to top of bed (feet)	Thickness (feet)	Materials		Depth to surface (feet)	Date	Field (g.p.m.)	Date				
BoF34-9	SW 1/4 SW 1/4	Guy Artmann	Willard English	Sept. 1946	937	D	145	4	132	13	Yellow lime-stone	132	17.29	Apr. 15, 1947	10	Sept. 1946	-	-	-	13
BoF34-10	NE 1/4 NW 1/4	Dodd	do.	1946	940	D	150	4	130	20	do.	130	20±	1946	-	-	-	1,2	-	-
BoF35-1-1	NE 1/4 NE 1/4	Dan Fresser	Flem Boyd	About 1940	937	(Ind) Aban	215	3	(70) 210	(52) 5	(Sand) Fine red gravel	-	42.42	Feb. 12, 1947	10	About 1940	-	-	-	4, 17
BoF35-1-2	NE 1/4 NE 1/4	do.	Clyde Kersey	do.	937	(Ind) Aban	100	6	-	-	Sand	-	-	-	Very low	do.	-	-	-	17
BoF35-1-3	NE 1/4 NE 1/4	do.	do.	do.	937	(Ind) Aban	40	6	33	7	Sand and gravel	-	-	-	6 to 7	do.	-	-	-	17
BoF35-1-4	NE 1/4 NE 1/4	do.	do.	About 1946	937	(Ind) Aban	15	8	(45) (80) (184) 212	(15) (20) 3	(Sand) do. do. Gravel	215	12.50	Feb. 12, 1947	20	About 1946	-	-	-	2(184) 4, 16, 17
BoF35-1-5	NE 1/4 NE 1/4	do.	Kersey or Boyd	-	937	(Ind) Aban	100±	3	-	-	-	-	20.0±	Feb. 12, 1947	Very low	do.	-	-	-	17
BoF35-1-6	NE 1/4 NE 1/4	do.	Earl Merritt	About 1945	937	(Ind) Aban	175±	4±	-	-	None	-	-	-	-	-	-	-	-	17
BoF35-1-7	NE 1/4 NE 1/4	do.	do.	do.	937	(Ind) Aban	40	4	33	9	Gray gravel	-	12	1946	80	About 1946	-	-	-	17
BoF35-2-1	NW 1/4 NE 1/4 SW 1/4	Joe Woodard	-	-	927	D, S	90±	3	-	-	Probably sand and gravel	-	-	-	-	-	-	-	-	17
BoF35-2-2	NW 1/4 NE 1/4 SW 1/4	do.	-	-	927	S	18m	3±	-	-	-	-	4.70	Mar. 7, 1947	-	-	-	-	-	1, 2
BoF35-3	NE 1/4 SW 1/4	Byron L. Jones	-	-	937	D, S	65	3 or 4	-	-	-	-	-	-	-	-	-	-	-	-
BoF35-4	NW 1/4 SW 1/4	Druley Parker	Flem D. Boyd	-	927	S	66m	3	-	-	Gravel	-	5.18	Apr. 15, 1947	Very low	Up to present	-	-	-	-
BoF36-1-1	SW corner lot W. Chicago and Kersey Sts., Lebanon	Lebanon Utilities, Inc.	Charles Krenus and Sons.	-	926	PS	104	12	-	-	Sand and gravel	-	46.1	Sept. 1943	215	July 10, 1943, Sept. 1943	10	215	4	-
BoF36-1-2A	do.	do.	do.	-	926	(PS) Aban	47	10	-	-	do.	-	21	1938	-	-	-	-	-	-
BoF36-1-2	do.	do.	do.	Nov. 3, 1944	926	PS	53m	8	40	13	do.	-	30.80	Mar. 23, 1945	90	Nov. 1944	3	90 "wide-open"	4	-
BoF36-1-3	do.	do.	A. L. Winkle	1928	927	PS	104	12	64 or 94	40 or 10	do.	-	67	Sept. 27, 1944	400	1928	-	-	-	-

Records of wells in Boone County, Indiana-Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Water level (feet) below land surface (±) or bedrock (±)	Date	Yield (g.p.m.)	Yield (g.p.m.)	Date	Amount (feet)	Rate (g.p.m.)	Time (hr.)	Quality of water	Water temperature (°F)	Notes	
									Depth to top of bed (feet)	Thickness (feet)	Materials													
Bof 36-1-4	SW corner lot, W. Chicago and Kersey Sts., Lebanon	Lebanon Utilities, Inc.	-	-	927	PS	47 41m	360	-	-	-	32+	July 1947	35	-	-	-	-	-	-	-	-	-	-
Bof 36-1-5	do.	do.	Charles Krauss and Sons.	-	927	(PS) Aban	59	12	38	21	do.	28	June 10, 1944	120	120	June 10, 1944	12	120	60	60	A	-	-	
Bof 36-1-6	do.	do.	-	-	927	(PS) Aban	97 104m	8	-	-	do.	68.72	May 24, 1944	-	-	-	-	-	-	-	-	-	-	
Bof 36-1-7	do.	do.	James Kersey	1928?	928	PS	105½	12	8½	22	do.	43	Aug. 3, 1943	75	75	Before Aug. 14, 1943	33	33	-	-	A?	-	-	
Bof 36-1-8	do.	do.	do.	-	928	PS	104	8	(65)	(39)	do.	63.5	-	60	60	June 19, 1944	3	-	-	-	A	-	-	
Bof 36-1-10a	½ block S. of Chicago and King Sts., Lebanon	do.	do.	-	926	(PS) Aban	224 216m	12 to 10	212	12	Gravel	33.92	May 29, 1945	-	-	-	-	-	-	-	A?	-	-	
Bof 36-1-10	SW corner lot, W. Chicago and Kersey Sts., Lebanon	do.	Charles Krauss and Sons	1941	927	PS	220	10	212	8'	Sand and gravel	30.60	May 25, 1945	100	100	-	-	-	-	-	A	-	11	
Bof 36-1-11	do.	do.	James Kersey	Before 1907	928	(PS) Aban	230 193m	8	-	-	Gravel	36.54	Apr. 24, 1947	-	-	-	-	-	-	-	A?	-	1	
Bof 36-1-12	SW corner, Franklin and Klutz Sts., Lebanon	do.	do.	-	926	(PS) Aban	145, 185, 142m	8	-	-	(Gravel)	27.56	do.	-	-	-	-	-	-	-	-	-	-	
Bof 36-2-1	320 N. "C" St., Lebanon	U. S. Machine Corp.	?	1945?	933	(Ind) Aban	78m	(6 in) 12	-	-	Gravel	42.98	Feb. 12, 1947	Small	1945?	-	-	-	-	-	-	-	17	
Bof 36-2-2	do.	do.	?	1945?	933	Ind	847	12	-	-	do.	-	-	-	-	-	-	-	-	-	-	-	-	
Bof 36-2-3	do.	do.	?	Long ago	933	(Ind) Aban	32m	4	-	-	do.	26.83	Feb. 12, 1947	-	-	-	-	-	-	-	-	-	17	
Bof 36-2-4	do.	do.	Kersey	1941	933	Ind Aban	144	6 to 4	132	12	do.	-	-	No good	1941	-	-	-	-	-	-	-	17	
Bof 36-2-5	600 block W. South St., Lebanon	do.	James Kersey	Long ago	934	Ind Aban	175f	6	-	-	Sand?	-	-	-	-	-	-	-	-	-	-	-	17	
Bof 36-2-6	320 N. "C" St., Lebanon	do.	Clyde Kersey	About 1930	933±	Test	140	6	-	-	-	-	-	80	80	Long ago	20	80	80	6±	-	-	17	
Bof 36-3-1	"C" St. and Central Indiana Hts., Lebanon	Laboga Canning Co.	do.	do.	935	Ind Aban	140	10	130	10	Sand	140	-	150	150	do.	-	-	-	-	-	1, 11 (607)	17	
Bof 36-3-2	do.	do.	Herb Lamb	Aug. 1931 or '34	935	Ind	180 or 185	10	170±	-	Gravel	-	-	300	300	1931 or 1934	-	-	-	-	-	-	-	

Records of wells in Boone County, Indiana--Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Lae	Depth (feet)	Diameter (inches)	Aquifers			Water level Date	Yield (g.p.m.)	Date	Drawdown		Quality of water	Water temperature (F.)	Notes
									Depth to top of bed (feet)	Thickness (feet)	Materials				Amount (feet)	Rate (g.p.m.)			
BoF36-3-3	W St. and Central Indiana RR., Lebanon	Ladoga Canning Co.	Herb Lamb	Aug. 1933	935	Ind	173	13	-	-	Gravel	-	150	Aug. 1933	-	-	-	-	-
BoF36-4	600+ Lafayette Ave., Lebanon	Standard Mfg. and Sales Corp.	James and Cliff Kersey	1925	929	Ind	165 or 96	4 or 3	-	-	do.	-	-	-	-	-	-	-	-
BoF36-5	1561+ N. Lebanon St., Lebanon	Arvon Theatre	Cliff Kersey	About 1940	934	AC	216 or 229	6	208 or 221	8	do.	-	-	About 1940	30	-	-	-	3,117
BoF36-6	Pa. RR block office between W. Main and W. South Sts. ?	Penn. RR.	Layne-Ohio Co.	March 1925	937	Ind	107	-	75	20	Sand	-	-	-	-	-	-	-	1
BoF36-7	SW corner Pearl and Camb St., Lebanon	Boone County Farm Bureau	Jess and Jim Kersey	Long ago	932+	D	75 or (60)	3	70+	5+	Sand and gravel	-	-	Jan. 29 1947	21+	-	-	-	-
BoF36-8	SWNW¼	Mr. Virtue	-	do.	936+	D	20+	30+	-	-	-	-	-	do.	3.64	-	-	-	-
BoF36-9	SEHW¼	Miss Frazier and Mr. Kneever	-	do.	935+	(S) Aban	62	2 to 2½	-	-	Probably Gravel	-	-	do.	28.35	-	-	-	-
BoF36-10	130+ N. B St., Lebanon	Moore Coal Co.	James Kersey	do.	933	Ind Aban	60	6	52	8	Gravel	-	-	Long ago	35 to 40	-	-	-	-
BoF36-11	360+ S. Coomb St., Lebanon	Nelson Sales	-	do.	933	D	26m	3	-	-	-	-	-	Apr. 22 1947	9.61	-	-	-	-
BoD2-1	In and around Elizaville	-	-	-	940+	D,S	190 to 210	4+	-	-	Sand and gravel	-	-	-	-	-	-	-	-
BoD2-2	NW¼E¼	Dr. Tucker	-	About 1920	937	D	212	3	(18±) to 205±	(1 to 2+)	(Gravel)	-	-	About 1930	96+	-	-	-	-
BoD4-1	SE corner SE¼SW¼	Ouy Davis	A. R. Kelly	About 1940	941	D,S	211	4	201	10	Gray gravel	-	10	About 1940	30	-	-	-	1
BoD4-2-1	NW¼E¼	Paul and Kendall Norton	do.	About 1942	933	D,S	80	4	75+	5+	Gravel	-	-	About 1942	8	-	-	-	1
BoD4-2-2	NE corner SE¼NW¼	do.	do.	do.	931	D,S	235	-	230	5	Gray gravel	-	-	do.	30	-	-	-	1
BoD5-1	NW¼NE¼S¼	Lyle Neal	do.	About 1942	937	D,S	214	4	210±	4±	Fine sand, gravel, and limestone	-	20	About 1942	40	10	5	-	5,6,9
BoD5-2	SW corner NE¼NE¼	Paul Norton	do.	do.	907	D,S	140	4	135	5	Gravel	-	-	do.	20	-	-	-	1,3,5,6
BoD8-1	E½E¼	Lyle Neal	do.	do.	940	D,S	304	4	300	4	Gray gravel	-	-	do.	30 or 51	-	-	-	52 1945
BoD8-2-1	SE corner SW¼SW¼	Mrs. Edward Henderson	Willard English	1946	947	-	187 to 175m	4	-	-	None	-	-	June 12, 1947	18.96	-	-	-	17

Records of wells in Boone County, Indiana—Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers		Depth to bedrock (feet)	Water level		Yield		Drainage	Quality of water	Water temperature (°F)	Notes
									Thickness (feet)	Depth to top of bed (feet)		Above (+) or below (-) surface (feet)	Date	Yield (g.p.m.)	Date				
Bo08-2-2	SE corner SW1/4SE1/4	Mrs. Edward Henderson	Willard English	1946	942	-	115 109m	4	113	2	Black gravel*	18.96	June 12, 1947	-	-	-	-	1,17	
Bo09-1	SW1/4NW1/4	Mrs. Ryan	A. R. Kelly	About 1942	951	D,S	105	4	100	5	Gray gravel	18	About 1942	-	6	-	-	1,5,6	
Bo09-2	SE1/4NE1/4NW1/4	Guy Davis	do.	do.	947	D,S	160	-	136	4	do.	-	-	-	-	-	-	1,5,7	
Bo012-1	NE1/4SE1/4	Ora Graham	-	Long ago	952	D,S	20m	12	-	-	-	6.14	June 25, 1947	-	-	-	-	51 June 1947	
Bo013-1	SW1/4NE1/4	George Carneck	Flem Boyd	About 1937	951	D,S	80±	4±	-	-	Gravel	10	1946	-	-	-	-	-	
Bo014-1	SE1/4NE1/4NW1/4	C. F. Malin	Kemp Lonax	Long ago	947	D,S	186	-	182±	4±	do.	30 to 40	-	-	-	-	-	-	
Bo014-2	NE1/4NW1/4	-	do.	do.	948±	D,S	120	-	115±	5±	do.	18	-	-	-	-	-	-	
Bo016-1	SW1/4SW1/4NW1/4	Brown's Wonder Church	-	About 1920	959	D	100	4	-	-	-	-	-	-	-	-	-	-	
Bo017-1	SE1/4SE1/4	Jeanette Jaques	Higer	About 1932	954	D,S	86	3	-	-	Gravel	20	About 1945	-	-	-	-	-	
Bo017-2	SW1/4SE1/4NW1/4	Harry L. Lennox	-	-	943	D,S	72	4	-	-	-	-	-	-	-	-	-	-	
Bo017-3	NE1/4NW1/4	Anna E. Jones	Willard English	About 1945	943	D,S	232	4	-	-	-	55 or 40	-	-	-	-	-	-	
Bo018-1-1	SW1/4SE1/4	W. F. Hughes	-	Long ago	944	(D,S) Abn	300	-	-	-	"Sand"	-	-	-	-	-	-	-	
Bo018-1-2	SW1/4SE1/4	do.	A. R. Kelly	About 1942	941	D,S	75	6	70	5	Gray gravel	20 to 25	About 1942	10	-	-	-	53 1942	
Bo018-2-1	NE1/4SW1/4NW1/4	Harry Lennox	-	-	945	D,S	21	3±	-	-	-	5.66	Apr. 9, 1947	-	-	-	-	-	4
Bo018-2-2	NE1/4SW1/4NW1/4	do.	-	-	945	S	-	3	-	-	-	8.07	do.	-	-	-	-	-	6
Bo018-3	SE1/4NE1/4	Bert Maddala	Ray Lister	Fall 1946	950	D,S	78m	4	(40) (55) 75	5	(Sand) do. Gravel	17.46	Apr. 8, 1947	-	40	-	-	-	-
Bo019-1	SW1/4SE1/4	Mrs. John Reynolds	Taylor	1941	941	S	55	4	-	-	-	-	-	-	-	-	-	-	-
Bo019-2	SW1/4SE1/4SE1/4	Paul R. Honan	do.	do.	949	D	42	4	-	-	Fine gravel	20±	1941	-	-	-	-	-	-
Bo020-1	Center NE1/4SW1/4	Sarah and Jennie Bryan	-	-	954	S	14m	48±	-	-	Gravel	8.4	Apr. 2, 1947	-	-	-	-	-	-
Bo020-2-1	SE corner SE1/4NW1/4	John Fowell	Flem Boyd	About 1936	950	D,S	74	3	70±	4±	Sand	-	-	-	-	-	-	-	5
Bo020-2-2	SW1/4NE1/4	do.	Amos Huston	1895	944	D,S	114	2	-	-	-	-	-	2	About 1945	-	-	-	-

Records of wells in Boone County, Indiana—Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Above (+) or below land surface (feet)	Water level Date	Yield (g.p.m.)	Yield (g.p.m.)	Date	Amount (feet)	Rate (g.p.m.)	Time (hr.)	Quality of water	Water temperature (°F)	Notes	
									Depth to top of bed (feet)	Thickness (feet)	Materials													
Bo020-3	S1/2NW1/4E2	Clarence Dentley	-	Long ago	944	D, S	90	2	-	-	-	Gravel	-	20	About 1945	-	-	-	-	-	-	-	-	-
Bo021-1	SW corner SW1/4SW1/4	H. S. Cole	-	-	949	D, S	85 or 178	4	-	-	-	-	-	17+	-	-	-	-	-	-	-	-	-	-
Bo021-2	E1/4SW1/4	Fred Roe	-	-	943	D, S	90	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bo021-3	N1/4SE1/4	Dorothy Flanagan	-	-	945	D, S	160+	2	-	-	-	-	-	7+	About 1945	-	-	-	-	-	-	-	-	-
Bo022-1-1	W. end NW1/4SW1/4	do.	A. R. Kelly	Spring 1945	944	D, S	38 or 67	4	-	-	-	Red gravel	-	12 or 8	-	7	Spring 1945	-	-	-	-	-	-	-
Bo022-1-2	E. end NW1/4SW1/4	do.	do.	do.	944	S	171	4	168	3	-	Fine gravel	-	35 or 20	-	6	do.	15	6	-	-	52 Apr. 1945	5	
Bo022-2	SW1/4SW1/4	Noble Solider	Ruston Weaver	1911	946	D, S	28	2 1/2	22+	6+	-	Gray gravel	-	+(Over flow) 12	Spring Fall	-	-	-	-	-	-	-	-	-
Bo024-1	SW1/4SW1/4	Frank W. Abke	-	-	946	D	30	4	-	-	-	Gravel	-	-	-	-	-	-	-	-	-	-	-	
Bo026-1	SE1/4SW1/4	Helen Eisenhoner	Harold Lister	Dec. 1944	962	D, S	120	4	110	30	-	"Sand"	-	11	Jan. 1945	-	-	-	-	-	-	-	-	-
Bo026-2	SW1/4SE1/4	Frank Hackett	-	-	958	D, S	200	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bo027-1	SW1/4SE1/4	Fred Bartlett	-	-	961	D, S	40+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bo027-2	SW1/4SW1/4	J. E. Bart	Harold Lister	-	957	D, S	92	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bo028-1	SW1/4SW1/4	Edward L. Cooke	-	1940	947	D	160	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bo028-2	SW corner NW1/4SW1/4	H. W. Scott	- and Flen Boyd	-	947	D, S	134+	-	-	-	-	"Sand"	-	25 to 30	About 1940	-	-	-	-	-	-	-	2(130)	
Bo028-3	N1/4NW1/4	John Lovingsfos	-	-	945+	(S) Aban	134	3/8	-	-	-	-	-	2.10	Apr. 2, 1947	-	-	-	-	-	-	-	-	-
Bo028-4	NW1/4NE1/4	Isaac Miller	-	-	943	D	17	4	0	17+	-	Gravel	-	-	-	-	-	-	-	-	-	-	-	
Bo028-5	N1/4NE1/4	Roy Shephard	-	-	946	D, S	225	2	-	-	-	-	-	40+	1947	-	-	-	-	-	-	-	-	
Bo029-1-1	SW1/4NE1/4SE1/4	Fred Roe	-	-	947	(D, S) Aban	21	2	-	-	-	Probably gravel	-	4.52	Apr. 3, 1947	-	-	-	-	-	-	-	-	-
Bo029-1-2	SW1/4NE1/4SW1/4	do.	Harold Lister	Spring 1945	947	D, S	145	4	(70) 140+	-	-	(Dirty Sand) Sand and gravel	204+	-	-	-	-	-	-	-	-	-	-	-
Bo029-2	SE corner SW1/4NE1/4	John Lovingsfos	-	-	949	D, S	55	1 1/2	-	-	-	Gravel	-	11	Summer 1943	-	-	-	-	-	-	-	-	-

Records of wells in Boone County, Indiana-Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Water level below land surface (feet) or above (+) or bedrock (feet)	Yield (g.p.m.)	Yield (g.p.m.)	Date	Amount (feet)	Date and (g.p.m.)	Notes
									Depth of bed (feet)	Thickness (feet)	Materials								
Bo029-3	S4NW4	A. L. Lafaverf	-	-	948	D,S	56	4	-	-	-	10±	-	-	-	-	-	-	-
Bo029-4-1	SW corner NW1SW4	Nelson Eisenhouer	Clyde Kersey	1947	946	D,S	132	4	-	-	-	12.40	-	-	-	-	-	-	-
Bo029-4-2	NW corner NW1SW4	do.	-	-	951	S	1607	4	-	-	-	-	-	-	-	-	-	-	-
Bo029-4-3	SE1SW4	do.	James Kersey	"Long ago"	939±	S	260	2	-	-	-	-	-	-	-	-	-	-	-
Bo029-5	S4NW4	Charles Bowman	R. A. Holt and Sons	1936	941	D,S	194	47	-	-	-	12	-	-	-	-	-	-	-
Bo030-1	SE1NW4	City of Lebanon	Charles Krauss and Sons	-	943±	PS	50	8	-	-	-	-	-	-	-	-	-	-	-
Bo031-1	100± E. Main St., Lebanon	-	-	Before 1887	940±	-	18±	-	(14) 18	(4) -	-	-	-	-	-	-	-	-	-
Bo031-2	300± SW of Junc. of Elm St. and Indpls. Ave., Lebanon	Industrial Land Co. of Indpls. Lebanon	James and Cliff Kersey	About 1917	936	(Ind) Aban	230	8	220 (212) 3)	10 (18)	230	18	-	-	-	-	-	-	-
Bo031-3	300 E. Elm St., Lebanon	Lebanon Utilities, Inc.	-	-	948	(PS) Aban	143±	6	-	-	-	37.64	-	-	-	-	-	-	-
Bo031-4-1	NW corner Meridian and Elm Sts., Lebanon	Lebanon Ice and Storage Co.	James Kersey and Sons	About 1910	949	Ind	156±	6	150	6	17	17	-	-	-	-	-	-	-
Bo031-4-2	NE corner Meridian and Elm Sts.	do.	do.	-	949	-	175	8	-	-	175	-	-	-	-	-	-	-	-
Bo031-4-3	do.	do.	do.	-	949	Ind	156	-	-	-	-	-	-	-	-	-	-	-	-
Bo031-5	E. Walnut St. and Indpls Ave., Lebanon	Indiana Condensed Milk Co.	Charles Krauss and Sons	1928 or 1930	942	(Ind) Aban	87 130±	6 10	(30) (102)	(12) (3)	130	11.27	-	-	-	-	-	-	-
Bo031-6	719 Indpls. Ave., Lebanon	Pleasant Shoemaker	-	"Long ago"	935	S	30±	36±	-	-	-	9±	-	-	-	-	-	-	-
Bo031-7	632± Indpls. Ave., Lebanon	-	-	do.	939±	(D) Aban	110	2 or 3	-	-	-	-	-	-	-	-	-	-	-
Bo031-8	59± Indpls. Ave., Lebanon	Homan-Grans Co.	Harry Fox	1943 or 1945	933	(Ind) Aban	108	6 or 8	(60) 103±	5±	-	-	-	-	-	-	-	-	-
Bo031-9-1	NE1W4	Mrs. Harry Bohannon	-	-	936	S	13	30±	-	-	-	3.06	-	-	-	-	-	-	-

Records of wells in Boone County, Indiana-Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Depth to top of bed (feet)	Aquifers		Depth to bedrock (feet)	Water level		Yield (g.p.m.)	Date	Amount (feet)	Rate (g.p.m.)	Time (hr.)	Quality of water	Water temperature (°F)	Notes
										Thickness (feet)	Material		Above (+) or below (-) surface (feet)	Date								
Bo031-9-2	N ¹ W ¹ E ¹	Mrs. Harry Bohannon	-	About 1925	936	D,S	65	4	60+ (75) (150)	5±	230	13±	1920 or 1935	-	-	-	-	-	-	-	-	11
Bo031-9-3	N ¹ W ¹ E ¹	do.	A. R. Kelly	1939	936	S	64m	4	-	-	-	4.60	Apr. 8 1947	-	-	-	-	-	-	-	-	-
Bo032-1	SE ¹ SW ¹	Vendie Stark	Thomas Walton and Flam Boyd	"Long ago"	937	D,S	58	3	50	8	-	9	"Origin- al"	7	"Long ago"	-	-	-	-	-	-	1
Bo032-2	SW ¹ NW ¹	Curt Ayers	-	-	945	D,S	170±	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bo032-3	SW ¹ NW ¹	Lumie Cannidy	-	-	941	D	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bo032-4	SE ¹ NW ¹	Edith Deer	-	1907	941	D,S	134	2±	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bo032-5	NW corner NW ¹ NW ¹	Joseph Hart	Flam Boyd	1935	949	D,S	140 or 125	3	-	-	-	25±	About 1945	-	-	-	-	-	-	-	-	-
Bo032-6	Center SE ¹ NW ¹	Ira Bradley	-	1912	950	D,S	246	4	-	-	-	45±	1941	-	-	-	-	-	-	-	-	2
Bo032-7	SE ¹ SE ¹	J. A. Beaty	-	-	937	D,S	146	-	-	-	-	20	About 1945	-	-	-	-	-	-	-	-	-
Bo033-1	NW corner SE ¹ NW ¹	H. C. Cooke	-	-	967	D,S	75	4	-	-	-	10±	When drilled	-	-	-	-	-	-	-	-	-
Bo033-2	SE ¹ NW ¹	Clayton Sicks	Flam Boyd	About 1935	954	D,S	57	-	52	5	-	20	About 1945	-	-	-	-	-	-	-	-	-
Bo033-3	SW corner NW ¹ NW ¹	Igile Cason	Rudolph Erler	About 1936	953	D,S	73	3 or 4	72	1	-	20	"Weak well"	Up to present	-	-	-	-	-	-	-	4
Bo033-4	SW corner NE ¹ NE ¹	El Adair	James Keezey and Son	About 1933	956	D,S	97	3±	(50) 93	4	-	6	-	-	-	-	-	-	-	-	-	-
Bo033-5	SE ¹ SE ¹	T. L. Short and C. R. McCain	-	-	958	D,S	200±	4	-	-	-	55	About 1946	-	-	-	-	-	-	-	-	-
Bo033-6	SW ¹ SW ¹	Wm. Beatty	-	-	949	D,S	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bo034-1	W ¹ SW ¹ SW ¹	C. R. Riddle	-	-	955	D,S	18	-	18	-	-	-	-	6±	1945	40m	-	-	-	-	-	-
Bo034-2	W ¹ SE ¹	Sylvester O'Brien	-	-	960	D,S	24	-	-	-	-	-	-	"Low"	Up to present	-	-	-	-	-	-	-
Bo034-3	W ¹ NE ¹	A. F. Bart and F. Hedge	-	-	961	D,S	100	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bo034-4	NW corner SW ¹ NW ¹	Charles R. Jenkins	-	-	956	D,S	140	4	-	-	-	35±	-	-	-	-	-	-	-	-	-	-
Bo035-1-1	NW ¹ NE ¹	W. H. Peterman	-	-	963	D,S	140	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bo036-1-2	NE ¹ NW ¹	do.	-	-	957	D,S	35	-	-	-	-	-	-	High	Up to present	-	-	-	-	-	-	-
Bo036-1	SW corner SE ¹ SE ¹	Carl Bratton	-	-	953	D,S	19m	12	-	-	-	1.21	Apr. 2, 1947	-	-	-	-	-	-	-	-	-
Bo036-2	SE ¹ NE ¹	John Parkins	-	-	963	D	195	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Records of wells in Boone County, Indiana—Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Water level		Yield (g.p.m.)	Yield Date	Amount (feet)	Rate (g.p.m.)	Time (hr.)	Quality of water	Water temperature (°F)	Notes	
									Depth to top of bed (feet)	Thickness (feet)	Materials		Above (+) or below land surface (feet)	Date									
Bo036-3	N ¹ E ¹ 1/2S ¹ W ¹ 1/2E ¹ 1/2	B. A. Arnold	Kemp Lomax	-	956	D, S	95	4	-	Sand and gravel	-	16	-	-	-	-	-	-	-	-	-	-	4
Bo036-4	N ¹ W ¹ 1/2E ¹ 1/2S ¹ W ¹ 1/2E ¹ 1/2	Martin Nolte	Claude Kersey	-	959	D, S	120±	4	-	Probably gravel	-	-	-	-	-	-	-	-	-	-	-	-	-
Bo036-5	N ¹ W ¹ 1/2E ¹ 1/2	Frank Hackett	-	-	965±	-	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BoH1-1	2 miles W. and 1 mile S. of Sheridan	-	Kemp Lomax	1929	938±	D, S	135	3	130	Gravel	-	17	1929	-	-	-	-	-	-	-	-	-	-
BoH1-2	S ¹ W ¹ 1/2S ¹ W ¹ 1/2E ¹ 1/2	Leon Snow	Kemp Lomax and Son	1933	938	D, S	157	4	137	do.	-	17±	1933	-	-	-	-	-	-	-	52 June 1947	-	
BoH1-1	N ¹ W ¹ 1/2E ¹ 1/2	Edward Padgett	Blaine Rader	About 1917	949	D, S	200	3	-	do.	-	30 35	About 1917 1947	-	-	-	-	-	-	-	-	-	-
BoH14-1	S ¹ W ¹ 1/2S ¹ W ¹ 1/2E ¹ 1/2	Thompson Jones	Burton	Sept. 1911	956	D, S	215±	4	198	Limestone	198	38±	Sept. 1911	-	-	-	-	-	-	-	54 June 1947	13	
BoH16-1	S ¹ E ¹ 1/2W ¹ 1/2E ¹ 1/2	Frank Smith	Kenny Harfner	Fall 1946	967	D, S	216	4	-	do.	216	21	Fall 1946	-	-	-	-	-	-	-	57 June 1947	13	
BoH19-1	N ¹ E ¹ 1/2W ¹ 1/2E ¹ 1/2	Anthony Kincaid	Claude Kersey	1941 or 1942	954	D, S	57	4	-	Gravel	-	18	1941 or 1942	-	-	-	-	-	-	-	-	-	-
BoH19-2	S ¹ E ¹ 1/2W ¹ 1/2E ¹ 1/2	E. Clarence Kincaid	Vernon Carlin	Fall 1946	951	D, S	40m	3	32	do.	-	6.90	June 23 1947	-	-	-	-	-	-	-	-	-	-
BoH20-1	S ¹ E ¹ 1/2E ¹ 1/2W ¹ 1/2E ¹ 1/2	Lydia Bell	Clyde Kersey	-	957	D, S	212	3 or 4	200	Limestone	-	29	When drilled	-	-	-	-	-	-	-	-	-	13
BoH21-1-1	S ¹ W ¹ 1/2E ¹ 1/2	Jay Burns	-	-	962	(S) Aban	21m	36	-	Probably gravel	-	4.94	June 25 1947	-	-	-	-	-	-	-	-	-	-
BoH21-1-2	S ¹ W ¹ 1/2E ¹ 1/2	do	Lari Merritt	Spring 1947	963	D, S	45m	4	"35"	Gravel	-	11.42	do.	50	Spring 1947	0.04	5	-	-	-	51± Apr. 1947	-	
BoH21-2	NW corner N ¹ W ¹ 1/2E ¹ 1/2	George Whaley	Vernon Carlin	Winter 1946	963	D	68	3	(42) 65±	(Sand, gravel) Gravel	-	8	Winter 1946	-	-	-	-	-	-	-	-	53 June 1947	
BoH26-1	N ¹ E ¹ 1/2E ¹ 1/2W ¹ 1/2E ¹ 1/2	Howard and Owen Richardson	-	-	931	S	20	-	-	do.	-	3±	1947	-	-	-	-	-	-	-	-	-	-
BoH28-1	S ¹ E ¹ 1/2S ¹ W ¹ 1/2E ¹ 1/2	Roy Artman	Herb Lamb	1941	948	D, S	178±	4	173	do.	-	36	1941	13	1941	0"	13	-	-	-	-	-	-
BoH29-1	NW corner S ¹ W ¹ 1/2E ¹ 1/2	Edward Jackson	Willard English	About 1945	942	D, S	183	4	180±	"Sand"	-	40	1947	-	-	-	-	-	-	-	-	-	-
BoH31-1	"At Sheridan"	-	-	Before 1908	956±	D, S	14 to 150	-	-	Gravel	-	12	1907	-	-	-	-	-	-	-	-	-	-

Records of wells in Boone County, Indiana—Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Above (+) or below (-) surface (feet)	Water level Date	Yield (g.p.m.)	Yield Date	Amount (feet)	Rate (g.p.m.)	Time (hr.)	Quality of water	Water temperature (°f)	Notes
									Depth to top of bed (feet)	Thickness (feet)	Material											
BoH31-2-1	S42NE4	William Atkins	Ray Lister	Summer 1946	956	-	393	4	-	-	210+	-	-	-	-	-	-	-	-	-	-	1,17
BoH31-2-2	S42NE4	do.	do.	Summer 1946	956	D	61	4	(57) 59	(2) Gravel	-	-	12±	Summer 1946	6+	Summer 1946	0"	-	-	-	-	-
BoH31-3	S42NE4	Marion Swinford	do.	Oct. 1945	956	D	149	4	-	-	-	-	45±	Oct. 1945	-	-	-	-	-	1	-	-
BoH31-1	S42SE4	C. T. Moreland	Earl Merritt	About 1945	942	D, S	157	-	154	3	-	-	55	About 1945	-	-	-	-	-	-	-	1
BoH34-1	"Section of average wells at Houston"	-	-	Before 1908	940±	D, S	15 to 175	-	-	-	-	-	1 to 10	1907	-	-	-	-	-	-	-	1,87
U-LoH34-2	100 ft. S of north line 150 ft. E of west line N42E4	Henry A. Marshall	N. M. Smith et al	Aug. 21 1940	928	Use sand and oil test	1,825	8 to 5/8	(69) (176) (215) (67)	(5) (Sand) (Limestone)	197	-	-	-	-	-	-	-	-	-	-	1
BoH34-3-1	N42E4SE4	Indiana Condensed Milk Co.	Kemp Lomax	-	922	Aban	184	2 1/2	-	-	-	-	25.5	Feb. 14 1947	-	-	-	-	-	-	-	-
BoH34-3-2	N42E4SE4	do.	Kemp Lomax ?	-	922	D, S	200+	6 or 8	-	-	-	-	20 to 40	-	-	-	-	-	-	-	-	-
BoH34-4	N42SE4	Fayes	Willard English	About 1946	929	D	95	4	90	5	-	-	19	About 1946	-	-	-	-	-	-	-	1
BoI2-1-1	N42SW4SE4	Jens Emerts	Claude Kersey	About 1940	920	(D, S) Aban	38	2	-	-	-	-	8±	About 1940	-	-	-	-	-	-	-	-
BoI2-1-2	N42SW4SE4	do.	Ray Lister	About 1942	920	D, S	136	3	150	6	150	-	14	About 1942	-	-	10"	-	-	-	52± July 1947	11
BoI3-1	S42N4SE4	Jesse Wills	-	-	918	D, S	38	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BoI4-1	S42SW4SE4	Albert Garner	-	-	859	D, S	60±	2	-	-	-	-	6±	About 1946	-	-	-	-	-	-	-	-
BoI6-1	N42SE4	H. Cecil Brezhar	Claude Kersey	About 1940	887	D, S	53	-	40	13	40	-	3 to 4	About 1940	Good well	About 1940	-	-	-	-	-	-
BoI12-1	SE4SE4	Robert Reagan	Willard English	About 1945	933	D	146	4	119	27	119	-	30	About 1945	-	-	-	-	-	-	-	6(119T)
BoI12-2	SE4SE4	-	Flem Boyd	About 1930	932	D, S	106	-	100±	6±	100±	-	10±	About 1930	-	-	-	-	-	-	-	-
BoI13-1	N42N4NE4	Mark Beck	James Kersey	Before 1919	929	D, S	93±	3	-	-	-	-	4	About 1920 1947	-	-	-	-	-	-	-	-
BoI14-1	SW4SW4SE4	Advance Lumber Co.	Willard English	About 1946	920	D	75	4	67	8	67	-	9±	About 1946	-	-	-	-	-	-	-	-
BoI16-1	S42SE4	Baxter Road	-	Before 1938	921	D, S	75±	4	-	-	-	-	8	About 1940	-	-	-	-	-	-	-	-

Records of wells in Boone County, Indiana-Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Depth to top of bed (feet)	Aquifers		Depth to bedrock (feet)	Above (+) or below (-) surface (feet)	Water level Date	Yield (g.p.m.)	Yield Date	Amount (feet)	Rate (g.p.m.)	Drawdown Time (hr.)	Quality of water	Water temperature (° F.)	Notes
										Thickness (feet)	Material											
Bo118-1-1	N½NW¼	Everett Smith	-	-	896	D, S	65	2	50±	15	Rock*	-	11.9	July 1, 1947	-	-	-	-	-	-	52½ July 1947	-
Bo118-1-2	N½NW¼	do.	-	-	896	S	65	2	50±	15	do.	-	-	-	-	-	-	-	-	-	-	-
Bo118-1-3	NW corner SW¼NW¼	do.	Willard English	About 1945	896	S	52	4	47	5	*Yellow open-pored rock*	47	9±	About 1945	Very Up to good well	1±	4	-	-	-	-	-
Bo118-1-4	N½NW¼	do.	Roy A. Holt and Son	1947	896	D	90±	4	50±	40±	White and blue rock	50±	16	Spring 1947	-	25±	-	-	-	-	-	1
Bo122-1	N½NE¼	-	Flem Boyd	About 1930	930	D	96	-	32±	4±	Limestone	32±	10±	About 1930	-	-	-	-	-	-	-	1
Bo122-2	NE corner NE¼NE¼	Town of Advance	Beaver and Caldwell	-	930	D	66m	2	64±	2±	do.	64±	6.66	July 1, 1947	-	-	-	-	-	-	-	-
Bo123-1	NW corner NE¼NW¼	do.	-	Before 1907	930	-	90	2	60 to 65	30 to 25	do.	60 to 65	8	1907	-	-	-	-	-	-	-	-
Bo123-2-1	N½SW¼NE¼	do.	Beaver and Caldwell	About 1910	926	D, S	45	2	-	-	Gravel	-	6	About 1945	8½± About 1910	6	8½±	-	-	-	-	-
Bo123-2-2	NE corner SW¼NW¼	do.	Willard English	About 1946	926	D, S	40	4	38	2	do.	-	10	1946	-	-	-	-	-	-	-	-
Bo123-3-1	NE½SW¼NW¼	Town of Advance	Holt Brothers	May 1947	926	PS	38	10	(15) 28	(1) 10	(Sand) Gravel	-	3.00	July 1, 1947	74	May 1947	23	74	24	A	-	1
Bo123-3-2	NE½SW¼NW¼	do.	do.	do.	926	PS	45±	10	30	5±	Sand and fine gravel	-	-	-	-	-	-	-	-	-	-	17
Bo123-4	NW½NE¼NW¼	Mr. Canada	Willard English	-	930	D	95	4	67	28	Blue shale	67	-	-	-	-	-	-	-	-	-	-
Bo124-1-1	SE corner SW¼SE¼	Bert Cook	-	"Long ago"	939	S	90 to 100	2	-	-	Rock	-	10±	About 1942	-	-	-	-	-	-	1, 2	-
Bo124-1-2	E½NW¼SE¼	do.	-	About 1937	939	S	49	4	-	-	Gravel	-	10	About 1937	-	-	-	-	-	-	4	-
Bo124-1-3	SE corner SW¼SW¼	do.	Roy A. Holt	Winter 1942	939	D	99	4	89±	10±	Rock	89±	10±	Winter 1942	Weak well	Up to present	-	-	-	-	-	-
Bo125-1	NW corner NE¼NE¼	Mrs. H. Shelly and Wm. Pratt	Beckelhammer	About 1893	942	(D, S) Abun	200± 177m	5 5/8	-	-	Gravel	-	10.70	July 2, 1947	-	-	-	-	-	-	-	-
Bo129-1	NW¼NW¼	George Canada	Willard English	Summer 1946	912	D	112	-	70	42	Hard white limestone	70	18	Summer 1946	-	-	-	-	-	-	-	-
Bo130-1	W½SE¼NE¼	Dan F. Roberts	Earl Merritt	1945	934	S	60	-	55	7	Gravel	-	15	1945	Very good well	About 1945	-	-	-	-	-	-
Bo131-1-1	NW¼NW¼SW¼	Dr. Kiggins	Flem Boyd	-	956	-	100±	-	-	-	-	-	-	-	-	-	-	-	-	-	11, 17	
Bo131-1-2	NW¼NE¼SW¼	do.	do.	-	956	-	100±	-	-	-	-	-	-	-	-	-	-	-	-	-	11, 17	

Records of wells in Boone County, Indiana-Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Water level	Yield		Quality of water	Water temperature (°F)	Notes
									Depth to top of bed (feet)	Thickness (feet)	Materials			Amount (feet)	Time (hr.)			
BoJ1-1-3	NW1/4SW1/4	Dr. Higgins	Flem Boyd	-	956	-	160	-	-	-	100+	-	-	-	-	-	11(607) 17	
BoJ1-1-4	NW1/4SW1/4	do.	do.	-	956	D,S	70	3+	-	-	-	-	-	-	-	-	-	
BoJ1-1-1	SW1/4	Granville Wells	Claude Kersey	-	958	-	200	-	-	-	200	-	-	-	-	-	-	11,17
BoJ1-1-2	SW1/4	do.	do.	-	958	D,S	50	4	40+	10	Gravel	-	-	-	-	-	-	
BoJ1-1-1	SW corner NW1/4	William E. Huffman	Ed Walls	July 1919	966	D,S	118	3	100	18	Limestone	19	1942 to 1945	Weak well	41	-	-	
BoJ1-1	NW1/4NE1/4	Joe LaBolle	Claude Kersey	Spring 1945	938	D,S	113	4	(75) 109	(18) 4	(Quicksand) Gravel	307	Spring 1945	-	-	-	-	
BoJ1-2-1	NE1/4NW1/4	Jean Grindley	-	Long ago	947	D,S	119	3	-	-	-	20	Long ago	-	-	-	-	
BoJ1-2-2	Center SW1/4	do.	-	do.	931	S	105	3	-	-	-	7	-	-	-	-	-	
BoJ1-3-1	NE1/4NE1/4	Pennsylvania RR.	Layne-Northern Co.	Mar. 2, 1925	947+	-	109	-	175	14	Cemented gravel	20	-	-	-	-	-	1,17
BoJ1-3-2	NE1/4NW1/4	do.	James Kersey	About 1930	945+	-	135	-	120	15	do.	-	-	.65	-	-	-	17
BoJ1-4	Center NE1/4SE1/4	Hazel Ruth Powell	James and Cliff Kersey	About 1928	957	D,S	218	4	200	18	Hard limestone or green shale	60+	About 1928	-	-	-	-	13 or 16
BoJ2-1-1	NW1/4NE1/4	Wilbur A. Small	Ed Walls	1917	938	(D,S) Aban	48	3	-	-	-	16	1917	-	-	-	-	
BoJ2-1-2	NW1/4NE1/4	do.	Flem Boyd	Summer 1946	937	D,S	92	3	(48) 907	(2) 27	"Sand" Gravel and sand	22	Summer 1946	-	-	-	-	
BoJ2-2-1	NW1/4SE1/4	U. W. Pennington and Son	Ed Walls	1917	943	(S) Aban	46	3	-	-	-	7.87	Mar. 6, 1947	-	-	-	-	
BoJ2-2-2	NE1/4SW1/4	do.	do.	1907	943	D,S	48	3	-	-	-	12	About 1945	-	-	-	-	
BoJ2-3	NE corner NE1/4NE1/4	Henry Wallerke	-	-	936	D,S	33	1+	-	-	-	8.40	Apr. 18, 1947	-	-	-	-	50 Apr. 1947
BoJ2-4	NW1/4NE1/4	Fritz Richman	?	"Long ago"	942	S	40	3	-	-	-	19.81	July 18, 1947	-	-	-	-	
BoJ3-1-1	NW tip NW1/4SE1/4	Harry McHains	-	do.	935	D,S	55	2	-	-	-	-	-	-	-	-	-	
BoJ3-1-2	SW tip SW1/4NE1/4	do.	Rudolph Krier	1943	935	S	78	3	-	-	-	-	-	-	-	-	-	
BoJ3-1-3	Center NE1/4SE1/4	do.	-	-	936	S	130	2	-	-	-	-	-	-	-	-	-	
BoJ3-2	NE1/4SE1/4	Raymond Goff	-	-	931	D,S	79	2	-	-	-	9	1945	-	-	-	-	

Records of wells in Bone County, Indiana-Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Above (+) or below land surface (feet)	Water level Date	Yield (g.p.m.)	Yield Date	Amount (feet)	Rate (g.p.m.)	Time (hr.)	Quality of water	Water temperature (°F.)	Notes
									Depth to top of bed (feet)	Thickness (feet)	Materials											
BoJ4-1	N4E3S4	Raymond Coff	Ed Walls	About 1920	926	S	81	3	-	-	-	2.0	June 27, 1947	Very good well	Up to present	-	-	-	-	-	-	-
BoJ5-1	N4E corner S4N4E4	Bill Nicholson	-	Before 1910	941	D,S	190+	4	-	-	-	25	About 1945	-	-	-	-	-	-	-	-	-
BoJ5-2	SE corner SW4NE4	Lester Curwell	-	-	934	D,S	175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BoJ6-1	SE corner SE4NE4	John Price	Ed Walls	About 1907	933	D,S	93	2	-	-	-	8	Summer 1947	-	-	-	-	-	-	-	-	-
BoJ7-1	SW corner SW4SE4	John Adams	Ray Hister	About 1946	932	D	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BoJ7-2	SE4SW4SE4	Willard Copeland	do.	Summer 1946	932	D,S	80+	4	-	-	73+	2+	Summer 1946	-	-	-	-	-	-	-	-	13
BoJ8-1	SW corner N4E3SE4	Cyrus Cressey	Shopstone Hillis	About 1910	952	D,S	115	-	103	12	-	15	1910	About 1930	-	-	-	-	-	-	-	-
BoJ8-2	NW corner SE4NE4	Lloyd Hopkins	Willard English	1946	943	D,S	58+	4	-	-	-	-	Less than 20	1946	-	-	-	-	-	-	-	-
BoJ10-1	Center N4E3NE4	Kenneth Dale	-	-	929	D,S	28	2 1/2	-	-	-	6	June 1942	-	-	-	-	-	-	-	-	-
BoJ10-2-1	SW4NE4	Howard Beamington	-	-	932	S	26	24	-	-	-	-	6	1947	-	-	-	-	-	-	-	-
BoJ10-2-2	SW4NE4	do.	Rudolph Krier	About 1936	932	D	88	4	(51) (80) (88)	(4) (3) 2	-	-	12	1947	-	-	60	-	1	-	-	-
BoJ11-1-1	SE4NE4NE4	Earl Linton	Seth Agan	About 1915	943	D,S	149	2	147	2	147	184	About 1915	-	-	-	-	-	-	-	-	15
BoJ11-1-2	SE4NE4NE4	do.	Seth Agan (?)	About 1890	943	S	135	3	7	3	-	-	6	About 1945	-	-	-	-	-	-	-	-
BoJ11-2-1 to 3	SW4NE4	Squire E. Leo	-	1920 or 30	942	D,S	22 or 33	-	-	-	-	-	101	About 1930	-	-	-	-	-	-	-	-
BoJ11-3	SW4SE4SW4	Frank Kelly	Flem Boyd	1940	941	D,S	136	3	-	-	-	-	134	1940	-	-	-	-	-	-	-	-
BoJ12-1-1	N4E4NE4NE4	T. W. Saltmarsh	Claude Kersey	1943	950	D,S Irr.	80	3	72+	8+	-	-	164	1943	-	-	-	-	-	-	-	-
BoJ12-1-2	N4E4NE4NE4	do.	-	-	955	(S) Aban	21	1 1/2	-	-	-	-	10.85	Apr. 17, 1945	-	-	-	-	-	-	-	-
BoJ12-2	N4E4SE4	Smart Thompson	Cecil Holt	1941	954	D,S	233	4	(95) 250	(1) 3	-	-	36	1941	15+	1941	15	8	-	-	-	1
BoJ12-3	N4E4SE4	Charles Hines	Flem Boyd	1930 or 1935	962	S	282	3	(225) (260) 276 281	(5) (6) 5 1	281	37	1930 or 1935	18	1930 or 1935	-	-	-	-	-	-	1,4(225)

Records of wells in Boone County, Indiana-Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Water level	Yield		Quality of water	Water temperature (°F)	Notes
									Depth to top of bed (feet)	Thickness (feet)	Materials		Amount (feet)	Rate (g.p.m.)			
BoJ12-4	S ₂ E ₂ N ₂ W ₂	Ray Qualtrout	-	-	942±	D, S	22±	3	-	-	Gravel	-	-	-	-	-	Pumps a little sand
BoJ13-1	* 3 mi. S. of Lebanon	-	Flem Boyd	-	946±	-	-	-	-	-	Limestone	-	-	-	-	-	13
BoJ13-2	N ₂ E ₂ SW ₂	John E. Leadley, Jr.	-	About 1940	956	D, S	198	4	-	-	Gravel	20±	1940	-	-	-	-
BoJ13-3-1	N ₂ E ₂ S ₂ SW ₂	C. G. Antcliff	-	-	956	S	9m	30±	-	-	do.	2.13	Apr. 17, 1947	-	-	-	-
BoJ13-3-2	N ₂ E ₂ S ₂ SW ₂	do.	-	-	959	(D) Aban	36m	14	-	-	do.	4.90	do.	-	-	-	-
BoJ14-1-1	S ₂ E ₂ N ₂ W ₂	Earl Miller	-	-	948	(D) Aban	27m	30±	-	-	do.	3.50	do.	-	-	-	-
BoJ14-1-2	S ₂ E ₂ N ₂ W ₂	do.	Flem Boyd	-	948	(D) Aban	45m	2	-	-	do.	6.51	do.	-	-	-	-
BoJ14-1-3	S ₂ E ₂ N ₂ W ₂	do.	Raymond Liater	Spring 1946	948	D, S	172	4	-	-	do.	18	Spring 1946	-	-	-	-
BoJ14-1-4	NW corner S ₂ E ₂ W ₂	do.	Claude Kersey	1942	948	S	50 42m	3	-	-	do.	4.76	Apr. 17, 1947	-	-	-	-
BoJ15-1	N ₂ E ₂ NE ₂	Charles Pearl	do.	1942	947	D, S	105	3 or 4	101	4	do.	16	About 1942	-	-	-	4(101) 165
BoJ15-2-1	N ₂ E ₂ S ₂ W ₂	Charles E. Powell	Armstrong and Sutton	About 1927	946	D, S	129	4	114	15	Limestone	13±	About 1927	-	-	-	-
BoJ15-2-2	N ₂ E ₂ N ₂ W ₂	do.	do.	-	946	D, S	34± or 3	2½ or 3	-	-	Gravel	10 to 15	About 1945	-	-	-	-
BoJ16-1-1	S ₂ E ₂ N ₂ SE ₂	Mr. D. D. Budd	-	Long ago	953	D, S	30	1½	-	-	do.	10±	1945 or 1947	-	-	-	-
BoJ16-1-2	SE corner N ₂ E ₂ SE ₂	do.	James Huston?	About 1912	940	S	160	3	100	60	Limestone	100	do.	-	-	-	-
BoJ17-1	N ₂ N ₂ SE ₂ SE ₂	J. O. Creamy	James Kersey	-	952	D, S	90±	6	70±	20±	do.	70±	About 1945	-	-	-	-
BoJ21-1	N ₂ SE ₂ SW ₂	Claud Williams	Flem Boyd	About 1912	939	D, S	71	4	70	1	Rock	70	About 1930	-	-	-	-
BoJ22-1	E ₂ SW ₂ W ₂	do.	do.	About 1925	949	D, S	63±	4	-	-	Gravel	-	-	-	-	-	-
BoJ23-1-1	N ₂ W ₂ SE ₂	Lealand N. Dale	-	-	952	(D) Aban	16m	36	-	-	-	1.66	June 1946	-	-	-	-
BoJ23-1-2	N ₂ W ₂ SE ₂	do.	-	-	952	(S) Aban	19m	40	-	-	-	5.10	August 1946	-	-	-	-
												0.56	Apr. 21, 1947	-	-	-	-
												5.70	Sept. 13, 1947	-	-	-	-

Records of wells in Boone County, Indiana—Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet, above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Water level		Yield (g.p.m.)	Yield (feet)	Date	Drainage Rate (g.p.m.)	Amount (feet)	Time (hr.)	Quality of water	Water Temperature (°F)	Notes
									Depth to top of bed (feet)	Thickness (feet)	Material		Above (+) or below (-) surface (feet)	Date									
BoJ26-1	"½ W. S. of Lebanon"	-	Flem Boyd	-	952±	-	-	-	-	-	200	-	-	-	-	-	-	-	-	-	-	-	11
BoJ26-1	Center sec. 27, at Milledgeville	"Average section of wells"	-	Before 1887	967±	D	12 to 42	-	-	6 to 12	1 to 10	Gravel and sand	-	-	-	-	-	-	-	-	-	-	1,47
BoJ26-4	W4N2E4	Herman Easex	-	-	952	D, S	87	3	-	-	-	Gravel	12	About 1946	Good	-	-	-	-	-	-	-	-
BoJ26-5	W4N2E4	William Shirley	Flem Boyd	-	955	D, S	60	-	-	-	10±	Sand and gravel	-	-	-	-	-	-	-	-	-	-	-
BoJ26-6	SE corner Sec. 26, Milledgeville	Milledgeville Church	do.	-	964	D	65±	-	50	15±	Limestones	50	10±	-	-	-	-	-	-	-	-	-	-
BoJ26-7	SW¼SW¼	Milledge General Store	do.	About 1905	967	D	64	-	60±	4±	do.	60±	10±	-	-	-	-	-	-	-	-	-	-
BoJ26-8	Near center sec. 26	Mr. Fulwider	do.	-	958	D, S	90	2½	38	2	do.	88	-	-	-	-	-	-	-	-	-	-	-
BoJ26-7	Near center sec. 26	-	Flem Boyd or Seth Agan	-	954	S	70	2½	68	2	do.	68	-	-	-	-	-	-	-	-	-	-	-
BoJ27-1	SE corner W4N2E4	Claud Williams	Flem Boyd	-	947	S	20r	4	-	-	Probably gravel	-	9.97	July 2, 1947	Poor well	-	-	-	-	-	-	53±	13, 17
BoJ31-1-1	N4N4S4	James Martin	Willard English	Aug. 1946	966	-	178	4	-	-	-	-	80	-	-	-	-	-	-	-	-	-	-
BoJ31-1-2	N4N4S4	do.	Kenny Haffner	1946	966	-	270	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
BoJ31-1-3	N4N4S4	do.	do.	1947	966	D	40	-	-	-	Sand, gravel	-	-	-	Very poor well	-	-	-	-	-	-	-	17
BoJ31-2-1	S4S4N4	J. V. Jackson	Becklenhamer	About 1900	957	(D, S) Aban	70	2 or 3	-	-	Quick sand and gravel	-	10±	About 1900	-	-	-	-	-	-	-	-	-
BoJ31-2-2	S4S4N4	do.	Ed Walls	June 1919	957	D, S	145	3	143½	1½	Limestone	143½	20	June 1919	-	-	-	-	-	-	-	-	-
BoJ31-2-3	NW corner N4N4S4	do.	Birch Brothers	About 1944	948	S	70	4	-	-	Gravel	-	10	1944	-	-	-	-	-	-	-	-	-
BoJ33-1	S4N4E4	John H. Kennedle	Flem Boyd	About 1942	950	D, S	110	3±	(60) 105	(2) 5	(Gravel) Gravel	-	-	-	-	-	-	-	-	-	-	-	1
BoJ33-2	N4N4E4	Claud Williams	do.	-	941	D, S	80	-	10	70	Sand	-	-	-	-	-	-	-	-	-	-	-	-
BoJ34-1	N4N4E4	Omer Green	-	Before 1930	975	D	30	36	-	-	Probably gravel	-	-	-	-	-	-	-	-	-	-	-	-
BoK2-1	W4N2E4	Arthur Fullner	Amos Huston	1914	957	D, S	150	2	-	-	Gravel	-	16	-	Good	-	-	-	-	-	-	-	do.
BoK3-1	SE corner N4N4E4	W. J. Metzger	-	-	976	D, S	132	4	-	-	-	-	-	-	do	-	-	-	-	-	-	-	-
BoK3-2	SW¼SW¼	L. O. Slagle	-	-	969	D, S	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BoK3-3	SE¼SW¼	Glenn Scott	-	-	976	D, S	187	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Records of wells in Boone County, Indiana-Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to top of bed (feet)	Thickness (feet)	Materials	Depth to bedrock (feet)	Above (+) or below land surface (feet)	Water level Date	Yield (g.p.m.)	Date	Drawdown:		Quality of water	Water temperature (°F)	Notes
									Depth to top	Thickness	Materials									Amount (feet)	Rate (g.p.m.)			
BoK6-1-1	N42E1/4	Wilbur Whitehead			957	D,S	25a	36	-	-	-	-	-	-	3.00	Apr. 17 1947	-	-	-	-	-	-	-	-
BoK6-1-2	SE corner N42E1/4	do.	Seth Agan		957	-	400±	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,317
BoK6-2	N42E1/4	J. R. McCann			960	D,S	130	-	-	-	-	-	-	-	12	About 1945	Good up to present	-	-	-	-	-	-	1
BoK5-1	E1/2NE1/4	do.			942	D,S	124	4	-	-	-	-	-	-	12	do.	-	-	-	-	-	-	-	-
BoK5-2	N1/4NE1/4	V. R. Stark			937	S Aban	12r Bm	24±	-	-	-	-	-	-	2.15	Feb. 13 1947	-	-	-	-	-	-	-	-
BoK5-3-1	S1/2SW1/4	Boone Co. Farm			956	(S) Aban	95m	4	-	-	-	-	-	-	16.34	Apr. 21 1947	-	-	-	-	-	-	-	-
BoK5-3-2	SW1/4S1/4	do.			952	S	-	4	-	-	-	-	-	-	11.30	do.	-	-	-	-	-	-	-	-
BoK5-3-3	SW1/4SW1/4	do.	Flem Boyd		946	D	185	3±	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BoK5-3-4	Near center SE1/4SW1/4	Boone Co. Farm (C.O.C. Camp)	do.	About 1935	946	(D) Aban	(180) 37	3 to 2	33	4	-	-	-	180±	4.68	Apr. 18 1947	-	-	-	-	-	-	-	17
BoK5-3-5	Near center SE1/4SW1/4	do.	Clyde Kersey		946	(D) Aban	135	6	120	15	-	-	-	135±	-	-	90	Original	-	-	-	-	-	1
BoK5-4-1	SE1/4SW1/4	Raymond Lawler (Hollingsworth)	Shopstone Hillis	1910	940	D,S	180	5- 5/8	-	-	-	-	-	180±	12	About 1945	-	-	-	-	-	-	-	-
BoK5-4-2	E1/2NE1/4	Raymond Lawler (D. T. Moore)	Ollie J. Titus	1948	940	D,S	(300 or 350) 200m	4	-	-	-	-	-	300 or 350	15.45	Apr. 18 1947	-	-	-	-	-	-	-	10 or 11
BoK6-1	N. E. 1/4 S. Meridian St. Lebanon	Ed Piercol	Flem Boyd	1914	951	D	80	2	(60 or 70 or 80)	(10) 10+	-	-	-	-	10±	1914	10	1914	-	-	-	-	-	-
BoK6-2-1	0.1 mi. S. of Lebanon on S.E. St. Road	Joseph Tyre	do.	About 1907	947	D,S	190	3	180	10	-	-	-	-	7	-	-	-	-	-	-	-	-	-
BoK6-2-2	0.04 mi. S. of Lebanon on S.E. St. Road	do.	do.		948	(S) Aban	215	3 to 2	205	10	-	-	-	-	28	When drilled	-	-	-	-	-	-	-	-
BoK6-3	Near center SE1/4 1 mi. SSE. of Lebanon	Boone Co. Farm	do.	About 1930	948±	S	85 or 185	4	80±	5±	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BoK6-4	S. side E. Noble St., 1/2 way between East St. and U. S. 52, Lebanon	Paul R. Tauer	Seth Agan	About 1915	945±	-	250	7	24±	7±	-	-	-	-	-	-	-	-	-	-	-	-	-	1,4 (243)

Records of wells in Boone County, Indiana—Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Above (+) or below (-) surface (feet)	Water level Date	Yield (g.p.m.)	Yield Date	Amount (feet)	Rate (g.p.m.)	Drawdown Time (hr.)	Quality of water	Temperature (°F)	Notes	
									Depth to top (feet)	Thickness (feet)	Materials												
BoK6-5	E. Side S. end of back St., Lebanon	Virgil Metzger	-	-	950±	D	30±	14	-	-	-	6±	About 1947	-	-	-	-	-	-	-	-	-	-
BoK6-6	W. side S. Meridian St., Lebanon	-	Flem Boyd	About 1925	951	(D) Abun	92±	-	90	2±	-	10±	About 1925	-	-	-	-	-	-	-	-	-	-
BoK7-1-1	NE 1/4 NW 1/4	H. O. Walker	-	Long ago	952	D, Little use	18m	30±	-	-	-	3.22	Apr. 22, 1947	-	-	-	-	-	-	-	-	-	-
BoK7-1-2	NE 1/4 NW 1/4	do.	Flem Boyd	1941	952	D, S Irr.	156	3	-	-	-	25	1941 or 1946	-	-	65	-	-	-	-	-	-	-
BoK7-2	E 1/4 NW 1/4	O. E. Heflin	do.	About 1941	950	D, S	165	3	155	10	-	27±	1941	-	-	-	-	-	-	-	-	-	-
BoK8-1-1	SE 1/4 NW 1/4	Raymond Lawler	-	1915 or 1920	944	(D) Abun	35	2 1/2 to 1 1/2	-	-	-	3.14	Apr. 18, 1947	1915 to 1920	-	-	-	-	-	-	-	-	-
BoK8-1-2	SE 1/4 NW 1/4	do.	Herb Lamb	About 1945	944	D, S	235	4	-	-	-	17 to 20	1945 or 1947	-	-	-	-	-	-	-	-	-	-
BoK8-2	NE 1/4 SE 1/4	Woody Green	-	Long ago	952±	D, S	46±	-	16	40	-	-	-	-	-	-	-	-	-	-	-	-	-
BoK9-1	Near center NW 1/4	Claud Williams	Harold Lister	1945	951	D, S	135	4	124	11	-	19±	About 1945	-	-	-	-	-	-	-	-	-	-
BoK11-1-1	SE 1/4 SE 1/4	Ollie Kimball	-	-	953	D (Little use)	107	3	-	-	-	17±	1947	-	-	-	-	-	-	-	-	-	-
BoK11-1-2	SE 1/4 SE 1/4	do.	-	About 1917	953	D, S	107	4	-	-	-	17	1947	-	-	40 to 50	-	-	-	-	-	-	-
BoK11-1-3	SE corner SE 1/4	do.	-	About 1900	950	S Little use	40	4	-	-	-	9.30	Apr. 22, 1947	-	-	-	-	-	-	-	-	-	-
BoK16-1-1	SE 1/4 NW 1/4	Elia Ward	Flem Boyd	-	942	S	68m	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BoK16-1-2	NE corner SW 1/4	do.	do.	-	948	D, S	125±	4	122±	3±	-	30	About 1945	-	-	-	-	-	-	-	-	-	-
BoK16-1-3	NE 1/4 NW 1/4	do.	-	-	948±	S	21	30±	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BoK17-1	"3 miles south of Lebanon"	-	Kamp Lonax	-	950±	-	361	-	-	-	-	3%	-	-	-	-	-	-	-	-	-	1,127	
BoK18-1	NE 1/4 NE 1/4	Clarence Sutphin	-	-	956	S	19.3	1 1/2	-	-	-	2.60	Apr. 22, 1947	-	-	-	-	-	-	-	-	-	-
BoK18-2	NW 1/4 NW 1/4	Harry Kennen	-	-	968	D, S	87	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BoK18-3-1	SE tip SW 1/4	Seth Agan	Seth Agan	About 1912	956	(D, S) Abun	110	2±	100	10	-	4±	About 1912	-	-	-	-	-	-	-	-	1	
BoK18-3-2	SE tip SW 1/4	do.	do.	About 1915	956	D, S	197	2	195	2	-	195	About 1915	-	-	-	-	-	-	-	-	1	

Records of wells in Boone County, Indiana-Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Above (+) or below (-) land surface (feet)	Water Level		Yield		Quality of water	Water temperature (°F)	Notes	
									Depth to top of bed (feet)	Thickness (feet)	Materials			Amount (feet)	Rate (g.p.m.) and (hr.)	Date	Yield (g.p.m.)				Date
BoK18-4-1	N41°NE1/4S4	Walter Murphy	Flem Boyd	1907	957	S	125	3	120±	5±	Sand and gravel	-	15	1907	-	-	-	-	-	-	
BoK18-4-2	N41°NE1/4SE4	do.	do.	1946	958	D,S	190	3	180	10	Limestone	180	20	1946	-	-	-	-	-	-	
BoK20-1	SE1/4S4	J. A. Sutphin	-	-	953	D,S	117	2	-	-	-	-	13.0	About 1945	-	-	-	-	-	-	
BoK22-1	S4°NE4	Verlyn Mine	Earl Merritt	About 1945	956	D,S	153	4	-	-	Gravel	-	23	do.	-	-	-	-	-	-	
BoK25-1	S4°NE1/4SE4	E. E. Smith	-	Long ago	927	D,S	35	24±	-	-	do.	-	10±	1947	-	-	-	-	-	-	
BoK27-1	"3/4 mi. N. of Perry Central Sch."	-	Flem Boyd	-	950±	-	130	-	(60)	4±	(Sand) Gravel	130	-	-	-	-	-	-	-	4(126), 11	
BoK27-2	NW1/4NE4	Walter Dinamore	do.	-	950	D,S	146	-	106	47	Sand	-	10	-	-	-	-	-	-	4(103 to 153)	
BoK27-3-1	SW1/4SW4	Tyner Bowen	do.	-	958	-	250	-	(160)	(4)	(Sand)	250	-	-	-	-	-	-	-	-	
BoK27-3-2	SW1/4SW4	do.	do.	-	958	-	160	-	160	4	Sand and gravel	-	-	-	-	-	-	-	-	-	
BoK28-1	NE1/4NE4	Mr. Howard	do.	Spring 1946	960	D,S	99	-	877	127	Limestone	877	127	Spring 1946	-	-	-	-	-	-	11,17
BoK29-1	NW1/4SW4	Wiley	do.	About 1935	954	D,S	142±	-	115±	25	do.	90	8	About 1935	-	-	-	-	-	-	1
BoK30-1	"4 miles south of Lebanon"	-	do.	-	944±	-	-	-	-	-	-	200	-	-	-	-	-	-	-	-	13
BoK30-2	NE1/4SE4	Mary Lucas?	do.	About 1935	960	D,S	300	-	230	70	Fine sand	-	28±	About 1935	-	-	-	-	-	-	2 and 4 (230 to 300)
BoK31-1	"5 miles south of Lebanon"	-	do.	-	951	-	-	-	-	-	-	60 to 100	-	-	-	-	-	-	-	-	13
BoK34-1	SW1/4NE4	Perry Central School	do.	-	947	-	61	-	58	3	Limestone	58	+	-	-	-	-	-	-	-	-
BoL2-1	SW1/4SW4	James P. New	-	-	893	D	20	14	16±	4±	Gravel	-	-	-	-	-	-	-	-	-	-
BoL2-2	SW1/4NW1/4SW4	C. C. Madison	Herb Lamb	About 1939	918	D,S, Irr.	186	4	(100)	(1)	(Gravel) Gravel	-	21	1939	-	-	-	-	-	-	-
BoL2-3	S4°NE4	Clasik Shoemaker	Willard English	1946	934	D,S	61	4	99	2	Black gravel	-	12.30	Feb. 14, 1947	-	-	-	-	-	-	Very good well
BoL2-4	NE1/4	Mr. Robinson	Earl Merritt	About 1945	925	D	62	-	60	2	Gravel	15	-	About 1945	-	-	-	-	-	-	-
BoL3-1	"at Northfield"	Section of average well	-	Before 1887	910±	-	22 to 42	-	12 to 22	10 to 20	Sand or gravel	-	-	-	-	-	-	-	-	-	-
BoL3-2	NE1/4SE4	"Old School"	Flem Boyd	About 1910	910	S	65	-	-	-	Gravel	-	15	About 1910	-	-	-	-	-	-	-

Records of wells in Boone County, Indiana—Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Water level		Yield		Drawdown Rate (g.p.m.) and Time (hr.)	Quality of water	Water temperature (°F)	Notes		
									Depth to top of bed (feet)	Thickness (feet)	Materials	Depth to bedrock (feet)	Above (+) or below (-) surface (feet)	Date	Yield (g.p.m.)					Date	
BoL3-3	NE $\frac{1}{4}$ SW $\frac{1}{4}$	Union Township Grade School	-	-	929	D	98+	-	-	-	-	-	-	-	-	-	-	-	-	-	
BoL3-4	SW $\frac{1}{4}$ SW $\frac{1}{4}$	Charles Taylor	-	-	909	D	30	-	-	-	-	-	-	-	-	-	-	-	-	-	
BoL3-5	NE corner SW $\frac{1}{4}$ NE $\frac{1}{4}$	H. Y. Finch	Earl Merritt	1946	916	D	97	4+	92+	6+	do.	-	-	-	-	-	-	-	-	-	
BoL3-6	SE corner NE $\frac{1}{4}$ SE $\frac{1}{4}$	Guy Stewart	do.	Spring 1947	942	S	45m	4	35	14	do.	-	-	-	-	-	-	-	-	-	
BoL4-1	SW $\frac{1}{4}$ SW $\frac{1}{4}$	Claude Crooks Kat.	-	-	942	S	160+	4	-	-	-	-	-	-	-	-	-	-	-	-	
BoL5-1	NE $\frac{1}{4}$ NE $\frac{1}{4}$	Russell Shoemaker	-	About 1917	940	S	22m	48	-	-	Gravel	-	-	-	-	-	-	-	-	-	
BoL6-1	SE $\frac{1}{4}$ NE $\frac{1}{4}$	R. Clinger	Clyde Kersey	1946	948	D, S	85	4	80	5	do.	-	-	-	-	-	-	-	-	-	
BoL7-1	NE $\frac{1}{4}$ NE $\frac{1}{4}$	William A. Cline	Herb Lamb	About 1945	938	D, S	310	4	245	65	Limestone	200	50	25	8	-	-	-	-	1	
BoL10-1-1	Near center E $\frac{1}{2}$ NE $\frac{1}{4}$	Louis Haerle	Herb Lamb or Harry Fox	1941	894	D	89	-	-	-	-	-	-	-	-	-	-	-	-	-	
BoL10-1-2	Near center E $\frac{1}{2}$ NE $\frac{1}{4}$	do.	Herb Lamb	1946	893	D, S	179	4	-	-	Gravel	-	47	1946	-	-	-	-	-	-	
BoL11-1	SE $\frac{1}{4}$ SW $\frac{1}{4}$	H. E. Pyatt	Earl Merritt	Summer 1946	922	D, S, Irr	166	6	160	8+	do.	-	27.63	Feb. 12, 1947	-	-	-	-	B, J	-	
BoL11-2-1	SE $\frac{1}{4}$ SW $\frac{1}{4}$	R. H. Oates	Plem Boyd	About 1920	921	D, S	164	3	-	-	Fine sand	-	30	-	-	-	-	-	-	6	
BoL11-2-2	SE $\frac{1}{4}$ SW $\frac{1}{4}$	do.	-	-	921	S	20 13m	24	-	-	Gravel	-	6.20	Feb. 13, 1947	-	-	-	-	-	-	
BoL11-2-3	NE $\frac{1}{4}$ SW $\frac{1}{4}$	do.	-	-	911	D	55+	3	-	-	-	-	-	-	-	-	-	-	-	-	
BoL11-2-4	N end SE $\frac{1}{4}$ SW $\frac{1}{4}$	do.	-	-	914	S	12m	-	-	-	-	-	-	-	-	-	-	-	-	-	
BoL11-3	Near center W $\frac{1}{2}$	Adrian B. Slumer	Herb Lamb	Sept. 1942	911	D, S, Irr	190	6+	(130) (170)	(5+) (5+)	(Sand) (Gravel)	-	25	Sept. 1942	-	-	-	-	-	-	
BoL13-1	SE $\frac{1}{4}$ SW $\frac{1}{4}$	Columbus Abbott	-	-	910	-	186	-	-	-	Gravel	-	-	-	-	-	-	-	-	-	
BoL14-1	NW corner SE $\frac{1}{4}$ NE $\frac{1}{4}$	Charles E. Davis	-	-	914	D, S	85	4	-	-	-	-	-	-	-	-	-	-	-	-	
BoL14-2	N $\frac{1}{2}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$	G. E. Hutton	Herb Lamb	Aug. 1946	920	D, S	217	4	200	17	Blue lime- stone	200	27	Aug. 1946	1	-	-	-	-	-	1
BoL14-3	SW $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$	Paul Routh	Harry Fox	1942	861	S	102	4	101	1+	Gravel	-	+3.5+	Feb. 12, 1947	-	-	-	-	52 Feb. 1947	-	
BoL15-1-1	NW corner NW $\frac{1}{4}$ SE $\frac{1}{4}$	H. V. Wolfe	Cecil Bolt	1940	908	D	115	4	110	5	do.	-	25+	1940	-	-	-	-	-	-	1
BoL15-1-2	SW $\frac{1}{4}$ SE $\frac{1}{4}$	do.	Willard English	1946	909	D	135	4	-	-	-	-	15	1946	-	-	-	-	-	-	-

Records of wells in Boone County, Indiana—Continued

Well no.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Water level (feet) below surface (feet) or above bedrock (feet)	Yield (g.p.m.)	Yield (g.p.m.)	Date	Amount (feet)	Rate (g.p.m.)	Time (hr.)	Quality of water	Water temperature (°F)	Notes	
									Depth to top of bed (feet)	Thickness (feet)	Materials												
bo116-1-1	Sh ₁ N ₁ S ₁	Dr. Seibert	-	1906	892	-	-	8	-	-	-	-	4 to 4 1/2	June 17, 1947	-	-	-	-	-	-	54	June 1947	-
bo116-1-2	NE ₁ N ₁ E ₁	do.	Claude Kersey	About 1942	916	D, S	185	-	-	-	-	-	10 to 15	About 1942	-	-	-	-	-	-	-	-	-
bo117-1	NE ₁ S ₁ W ₁	James McCann	Flem Boyd	1940	930	D, S	165	3	-	Gravel	-	-	28	1940	-	-	-	-	-	-	-	-	-
bo118-1	S ₁ S ₁ W ₁	A. E. Kendenhall	Claude Kersey	1942	943	D, S	105	3	100+	do.	-	-	3	1941	-	-	-	-	-	-	-	-	-
bo118-2	SW ₁ SE ₁	Pat Pollard	Earl Merritt	About 1945	936	D	84	-	-	-	-	-	20	About 1945	-	-	-	-	-	-	-	-	-
bo118-3	Near center of section	-	do.	do.	933	-	82+	-	-	-	-	-	20	do.	-	-	-	-	-	-	-	-	-
bo119-1	"In Whatstown"	-	Flem Boyd	-	936+	-	38 to 185	-	-	Gravel	200	-	-	-	-	-	-	-	-	-	-	-	10
bo119-2-1	NE ₁ S ₁ W ₁	Whitestown School	James Kersey	About 1939	941	(D) Aban	100+	4	-	"Sand"	-	-	-	-	Pool well	1939	-	-	-	-	-	-	-
bo119-2-2	NE ₁ S ₁ W ₁	do.	R. A. Holt	1941	941	D	150	6	140	Gravel	-	-	50	1941	15	1941	40	-	-	-	-	-	1
bo119-3	NE ₁ S ₁	Big Four railroad	Noble Higer	About 1927	936	D	69	2	-	do.	-	-	18	About 1927	-	-	-	-	-	-	-	-	-
bo119-4-1	NE ₁ S ₁ W ₁	E. C. Scott	Flem Boyd	1946	950	-	165	3	150+	Sand	-	-	35	1946	-	-	-	-	-	-	-	-	17
bo119-4-2	NE ₁ S ₁ W ₁	do.	do.	1947	950	D, S	50	3	47	Sand and gravel	16	-	36	1946	-	-	-	-	-	-	-	-	-
bo122-1-1	SE ₁ SE ₁	F. T. Holliday	Mr. Kersey ?	About 1934	856	Aban	40m	8	-	Probably gravel	-	-	+1.1+	Mar. 12, 1947	-	-	-	-	-	-	-	-	-
bo122-1-2	SE ₁ SE ₁	do.	Mr. Kersey or Harry Fox	do.	872	S	140?	4	-	Gravel	-	-	+	-	-	-	-	-	-	-	-	-	-
bo123-1	NE ₁ W ₁ E ₁	R. H. Joseph	Herb Lamb ?	-	879	D	135	4	-	Probably gravel	-	-	+1.5+	-	-	-	-	-	-	-	-	-	-
bo123-2	NE ₁ W ₁ E ₁	Hannah B. Cohen et al.	Mr. Kersey	-	858	D	100+	-	-	Black sand	-	-	+	-	-	-	-	-	-	-	-	-	-
bo123-3-1	NE ₁ W ₁ E ₁	Dan Presser	-	-	907	(S) Aban	25m	30+	-	Probably gravel	-	-	7.59	Mar. 12, 1947	-	-	-	-	-	-	-	-	-
bo123-3-2	NE ₁ W ₁ E ₁	do.	Flem Boyd	1943 or 1944	907	S	215	3	210+	Sand and gravel	-	-	37	1943 or 1944	-	-	-	-	-	-	-	-	1,6
bo123-4	SE ₁ W ₁ SE ₁	F. T. Holliday	Harry Fox	1942	891	(S) Aban	158m	4	-	Probably gravel	-	-	30.17	Mar. 12, 1947	-	-	-	-	-	-	-	-	-
bo124-1	SE ₁ W ₁ W ₁	Paul Routh	Herb Lamb ?	1944	916	S	66	3	-	Blue clay	-	-	+	1944 to 1947	-	-	-	-	-	-	-	-	-
bo124-2	NE ₁ W ₁ E ₁	F. T. Holliday	Harry Fox	1942	870+	(S) Aban	120+	4	-	-	-	-	4.2+	Mar. 12, 1947	-	-	-	-	-	-	-	-	-

Records of wells in Boone County, Indiana--Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Water level		Yield		Drainage	Quality of water	Water temperature (°F)	Notes
									Thickness (feet)	Depth to top of bed (feet)	Depth to base (feet)		Above (+) or below (-) surface (feet)	Date	Yield (g.p.m.)	Date				
BoL24-3	NE ¹ / ₄ NE ¹ / ₄	D. and E. Dooley	-	-	914	D,S	138	-	-	-	-	-	-	-	-	-	-	-	-	-
BoL24-4	E ¹ / ₂ SE ¹ / ₄ NE ¹ / ₄	C. B. McIlvain	-	-	905	D,S	97	-	-	-	-	-	-	-	-	-	-	-	-	-
BoL25-1-1	S ¹ / ₂ NE ¹ / ₄	Perry Mendenhall	-	-	871	S	16m	-	-	-	-	-	-	5.41	Mar. 12 1947	-	-	-	-	-
BoL25-1-2	SE ¹ / ₄ NE ¹ / ₄	do.	Earl Merritt	1946	889	D	149	4	145	6	Gravel	-	48+	1946	10	1946	2	-	-	-
BoL25-2	N ¹ / ₂ SE ¹ / ₄ SW ¹ / ₄	On R/W Ind. St. Road 29	-	-	837	-	2+	8	-	-	Probably gravel	-	+	Perennial	-	-	-	-	-	51 Mar. 1947
BoL26-1-1	NE ¹ / ₄ NE ¹ / ₄	F. T. Holliday	James Kersey	About 1934	845	D,S	-	-	-	-	-	-	+	Perennial	-	-	-	-	-	-
BoL26-1-2	NE ¹ / ₄ NE ¹ / ₄	do.	do.	do.	840+	S	175	-	-	-	Gravel	-	+	do.	-	-	-	-	-	-
BoL26-2	Near center NE ¹ / ₄ NE ¹ / ₄	W. K. Moore	James Kersey and John Walton	About 1905	899	D,S	70+	2 $\frac{1}{2}$	-	-	Probably gravel	-	3+	About 1942	-	-	-	-	-	-
BoL27-1-1	N ¹ / ₂ NE ¹ / ₄	F. T. Holliday	Mr. Kersey or Harry Fox	About 1934	876	D,S	210	8	200	10	Limestone	200	+	Perennial	-	-	-	-	-	-
BoL27-1-2	NE ¹ / ₄ NE ¹ / ₄	do.	do.	do.	875	S	15+	-	-	-	-	-	4+	do.	-	-	-	-	-	-
BoL27-1-3	NE ¹ / ₄ NE ¹ / ₄	do.	-	-	907	Abm.	42m	4	-	-	-	-	19.42	Aug. 21, 1947	-	-	-	-	-	-
BoL32-1	SE ¹ / ₄ NE ¹ / ₄	Ernest Hammon	Earl Merritt	About 1945	931	D,S	58	5- 5/8	52	8	Gravel	-	4+	About 1945	-	-	-	-	-	-
BoL34-1-1	SE corner NE ¹ / ₄ NE ¹ / ₄	William E. Mohler	Cecil Holt	1945	899	-	150	4	-	-	-	150	-	-	-	-	-	-	-	10,17
BoL34-1-2	SE corner NE ¹ / ₄ NE ¹ / ₄	do.	do.	1945	899	D,S	120	4	115	5	Sand and gravel	-	30	1945	-	-	-	-	-	-
BoL34-2	N ¹ / ₂ SE ¹ / ₄ NE ¹ / ₄	V. W. Shalburne	Willard English	Fall 1946	909	D,S	60	4	-	-	Gravel	-	17+	Fall 1946	-	-	-	-	-	52 June 1947
BoL34-3	N ¹ / ₂ NE ¹ / ₄	Roy Shalburne	do.	1946?	908	D,S	136+	4	-	-	do.	-	27+	1946	-	-	-	-	-	-
BoL36-1	NE ¹ / ₄ SE ¹ / ₄	-	Earl Merritt	About 1945	883	D	45	4	-	-	do.	-	20	About 1945	-	-	-	-	-	-
BoL36-2	N ¹ / ₂ SE ¹ / ₄	Frank Templon	do.	do.	892	D	64	4	60	6	do.	-	25	1945	-	-	-	-	-	-
BoL36-3	N ¹ / ₂ SE ¹ / ₄	Mr. Starkey	do.	do.	889	D	54	4	50	6	do.	-	25	About 1945	-	-	-	-	-	-
BoL36-4	N ¹ / ₂ SE ¹ / ₄	-	do.	Fall 1946	897	D	62	4	58	7	do.	-	25	Fall 1946	-	-	-	-	-	-
BoM1-1	N ¹ / ₂ SE ¹ / ₄ SW ¹ / ₄	Jess Pratt	-	Before 1930	937	D,S	98	6	-	-	Sand and fine gravel	-	9+	Fall 1946	-	-	-	-	-	-
BoM5-1-1	S ¹ / ₂ SE ¹ / ₄ NE ¹ / ₄	Merrin Porter	Ike Brackton	"Long ago"	934	D,S	55	1 $\frac{1}{2}$	-	-	Gravel	-	10+	July 3, 1947	-	-	-	-	-	-

Records of wells in Boone County, Indiana--Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Water level	Field (K.P.M.)	Date	Amount (feet)	Rate (G.P.M.)	Time (hr.)	Quality of water	Water temperature (F.)	Notes
									Thickness (feet)	Depth to top of bed (feet)	Material										
Bom5-1-2	N½SW¼	Marvin Porter	Ive Bracken	"Long ago"	932	S	89m	3	-	-	-	-	-	-	20	-	-	-	-	-	-
Bom5-1-3	N½SW¼	do.	Willard English	About 1945	932	S	91m	4	80	11	80	0.62	July 3, 1947	-	-	-	-	-	52° July 1947	-	-
Bom5-2	NE corner N½SW¼	Herman Brocher	-	About 1917	935	D,S	110±	3	-	-	-	+1.5±	July 8, 1947	-	-	-	-	-	53° July 1947	-	-
Bom5-3	NE corner S½SE¼	William Courtney	-	Aug. 1907	937	D,S	66	4	65	1	65	+1.7±	do.	-	-	-	-	-	-	-	1
Bom6-1	S½SE¼NE¼	Donald Seering	Donald Seering	About 1943	924	D,S	116	-	(45±)	-	-	0	1947	-	-	-	-	-	-	-	-
Bom9-1	Central part S½S¼	Zenith Williams	Willard English	About 1945	960±	D	74	-	72	2	72	9±	About 1945	-	-	-	-	-	-	-	1
Bom9-2-1	SE½SE¼	Eph Willis Eastes	do.	-	966	-	21.3	4	-	-	90	-	-	-	-	-	-	-	-	11- (123±) 17	-
Bom9-2-2	SE½SE¼	do.	do.	-	963	(D,S) Aban	30 21m	4	28	2	28	7.30	July 8, 1947	-	-	-	-	-	-	-	1
Bom9-3	W½NW¼	John Kaniolph	do.	1946	954	D,S	46	4	45 (98)	2	45	10±	1946	-	-	-	-	-	-	-	17
Bom10-1	"Jamestown"	"The saw mill"	-	Before 1886	950±	Ind	90	-	40	2	40	-	-	-	-	-	-	-	-	-	1,87
Bom10-2	"Jamestown"	"The grist mill"	-	do.	940±	Ind	62	-	11	2	11	-	-	-	-	-	-	-	-	-	1,87
Bom10-3	"In Jamestown"	-	-	Before 1907	930 950	-	-	-	40	-	40	-	-	-	-	-	-	-	-	-	-
Bom10-4	NE corner SE¼NW¼	Roy Chamberlin	- and Roy Holt	About 1934	967	(D) Aban	150	4	75 150	-	75 150	-	-	-	-	-	-	-	-	2(150) 4(150) 17	-
Bom10-5-1	N½NW¼	H. Hoover et al.	Flem Boyd	About 1935	953	D	85	-	80±	5±	80±	-	-	-	-	-	-	-	-	-	-
Bom10-5-2	N½NW¼	do.	do.	About 1937	953	D	112	3	93	19	93	10	About 1937	-	-	-	-	-	-	-	-
Bom10-6-1	SE½SE¼	Town of Jamestown	G. C. Stremmel	About 1941	935	PS	56±	8	-	-	-	10	About 1941	-	-	-	-	-	-	-	-
Bom10-6-2	SE½SE¼	do.	Holt Bros.	1941	935	PS	56	10	56	4	56	10	1941	35	30	30	35	-	-	-	1
Bom10-6-3	NE corner NE¼SE¼	do.	do.	About 1942	955±	-	100	-	-	-	100	-	-	-	-	-	-	-	-	-	11,17
Bom10-6-4	SW¼SE¼SW¼	do.	do.	do.	945±	-	185	-	-	-	110	-	-	-	-	-	-	-	-	-	11- (75±) 17

Records of wells in Boone County, Indiana-Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Water level		Yield (g.p.m.)	Yield Date	Amount (feet)	Rate (g.p.m.)	Drawdown Time (hr.)	Quality of water	Water temperature (°F)	Notes
									Depth to top of bed (feet)	Thickness (feet)	Material		Above (+) or below land surface (feet)	Date								
BoM0-6-5	S1/2S1/2	Town of Jamestown	Shaffer	Fall 1946	930±	-	512	-	(42)	(5±)	(Sand and gravel)	100	-	-	-	-	-	-	-	-	-	11- (412P), 1,117
BoM0-6-6	E1/2S1/2E1/2	do.	Roy A. Holt and Sons	July 1947	931	PS	(105) 31	10	(97)	(7)	(Sand and gravel)	105	12	July 1947	65	90	8	-	-	-	-	1,111
BoM0-7	In Jamestown on N. side of State Road 34	-	Flem Boyd	About 1930	940±	D	60	-	57±	3±	Gravel	-	7±	About 1930	Pair	-	-	-	-	-	-	-
BoM0-8	In Jamestown on S. side of State Road 34	-	do.	About 1935	940±	D	94±	-	92±	2±	Limestone	85±	10±	About 1935	Small	-	-	-	-	-	-	1
BoM0-9	NE corner N1/2S1/2E1/2	William Young	-	July 7 1907	953	D	98	2	-	-	Rock	-	7	About 1942	Large	-	-	-	-	-	-	11 (747)
BoN2-1	S1/4S1/2	Harry Romine	Leonard Holt	1940	959	S	233	4	(120) 175	(5) 58	(Dirty sand) Shale	175	40	-	-	60±	-	-	-	-	-	1,111
BoN2-2	S central S1/4	-	Flem Boyd	1940	960±	-	241	4	217	24	Sandstone	-	-	-	-	-	-	-	-	-	-	-
BoN3-1	Central N1/2S1/2E1/2	New Brunswick Telephone Co.	do.	About 1943	952	D	142±	2	138±	4±	Sand	-	-	-	-	-	-	-	-	-	-	2 (138)
BoN3-2	S1/2S1/2E1/2	Horace Smith	Willard English	1946	952	D, S	165	-	164	1	Gravel	-	20	1946	-	-	-	-	-	-	-	1
BoN3-3	SW corner S1/2N1/2E1/2	Harry Pounds	do.	1946	952	D	146	-	142±	4±	Black gravel	-	30	1946	-	-	-	-	-	-	-	6
BoN4-1	N1/2S1/2E1/2	Marion Dinsmore	Flem Boyd	About 1942	944	D	(190) 165	3	160±	5±	Sand	1947	28	About 1942	-	-	-	-	-	-	-	1
BoN5-1-1	N1/2S1/2E1/2	W. D. Miland	Willard English	Spring 1946	932	-	48	4	44±	3±	Gravel	-	-	-	-	-	-	-	-	-	-	17
BoN5-1-2	N1/2S1/2E1/2	do.	do.	do.	935	D	146	4	142	4	do.	-	3±	Spring 1946	Small	20±	-	-	-	-	-	6,27
BoN9-1	S1/2N1/2E1/2	Oscar Nolan	-	-	955	S	20±	30	-	-	Probably gravel	-	2,10	Jan. 27, 1947	-	-	-	-	-	-	-	-
BoN9-2	N1/2S1/2E1/2	Frank E. Randle	Flem Boyd	About 1936	939	D, S	128	2	-	-	Gravel	-	20±	About 1942	Good well	-	-	-	-	-	-	-
BoN10-1	S1/2S1/2E1/2	Everett Dickerson	do.	About 1942	960	D, S	58	3	-	-	Grey gravel	-	10±	do.	-	-	-	-	-	-	-	-
BoN12-1	SW corner S1/2N1/2E1/2	E. S. Walker	George Merritt	"Years ago"	958	D, S	220	4	-	-	Gravel	-	36	do.	-	-	-	-	-	-	-	-
BoO1-1	SE corner N1/2S1/2E1/2	Mr. Scott	Claude Kersey	About 1942	931	D	65	3	-	-	Sand and gravel	-	10±	About 1942	-	-	-	-	-	-	-	-
BoO4-1	N1/2E1/2, NW of Fayette	-	Flem D. Boyd	-	958	-	71	-	68	3	Limestone	68	-	When drilled	-	-	-	-	-	-	-	-
BoO8-1	S1/2S1/2E1/2	Donald Wolfe	Birch Bros.	1947	955	D, S	185	6	(80) 184±	-	(Dry gravel) Gravel	-	25±	1947	-	-	-	-	-	-	-	-
BoO9-1-1	S1/2E1/2, "At White Lick"	RR.	Layne-Northern Co.	Jan. 1925	953±	-	98	-	(19)	-	(Sand, gravel)	-	-	-	-	-	-	-	-	-	-	1,177

Records of wells in Boone County, Indiana-Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Above (+) or below (-) land surface (feet)	Water level Date	Yield (g.p.m.)	Yield (g.p.m.)	Date	Amount (feet)	Time (hr.)	Quality of water	Water temperature (°F)	Notes
									Depth to top (feet)	Thickness (feet)	Materials											
Bo09-1-2	S41N4E4 1 "At White Lick"	Farm, RR.	Layne-Northern Co.	Jan. 1925	953±	-	77	-	(19) (8)	(65) (12)	(Sand, gravel)	-	-	-	-	-	-	-	-	-	-	1, 177
Bo09-2	S41SW4	Dr. Brown	Earl Merritt	About 1945	955±	D, S	154±	-	150±	5±	Gravel	-	-	-	-	-	-	-	-	-	-	-
Bo09-3	"2 mi. NW of Fayette"	DeWitt Brown	do.	1938 or 1939	955±	-	35±	4	-	-	Probably gravel	-	10	1938 or 1939	25	1938 or 1939	-	-	-	-	-	-
Bo010-1	"Whitelick"	-	-	Before 1908	945±	-	10 to 150	-	-	-	Sand and gravel	-	13	Before 1908	-	-	-	-	-	-	-	4
Bo010-2	Id, "At Fayette"	-	Flam Boyd	-	943±	D	175±	-	170	5±	Limestone	170	-	-	-	-	-	-	-	-	-	-
Bo010-3	S41N4 "in north part of Fayette"	-	do.	-	947	D	6±	-	60±	5±	Gravel	-	-	-	-	-	-	-	-	-	-	-
Bo010-4	"In vicinity of White Lick"	-	Earl Merritt	About 1945	940±	D, S	157	-	-	-	do.	-	35	About 1945	13±	About 1945	-	-	-	-	-	-
BoF1-1-1	S41SW4	Pittman-Moore Co.	C. Kraus and Sons	About 1920	860±	Ind	490±	-	210±	240±	Limestone	175±	-	-	100	About 1920	-	-	-	-	-	10- (35ft), 1
BoF1-1-2	S41SW4	do.	do.	1922	853±	Ind	143	10	135±	8±	Gravel	-	40±	1922	150±	1922	-	-	-	-	-	-
BoF1-1-3	S41SW4	do.	do.	1942	865±	Ind	160	10	155±	8±	do.	163±	40±	1942	190±	1942	-	-	-	-	-	10
BoF1-1-4	S41SW4	do.	do.	1946	851	Ind	90	12	80	10	do.	-	30	1946	130±	1946	26	130	6±	-	-	1
BoF1-2-1	N42NW4	James R. Mayfield	Herb Lamb	1936	876	D	-	4	-	-	do.	-	52	1936	-	-	-	-	-	-	-	-
BoF1-2-2	N42NW4	do.	do.	1938	884	D, S	300	4	-	-	Rock	170±	50±	1938	-	-	-	-	-	-	-	-
BoF1-2-3	S41NE4	do.	do.	-	858	S	133±	2	-	-	-	-	15.57	Apr. 15, 1947	-	-	-	-	-	-	-	-
BoF1-3-1	N41NE4	do.	do.	-	882	S	32±	24	-	-	Probably gravel	-	5.07	do.	-	-	-	-	-	-	-	-
BoF1-3	NW4SE4	Russel Fitch	Earl Merritt	About 1943	826	D	70	4	-	-	Gravel	-	-	Apr. 29, 1947	-	-	-	-	-	-	-	-
BoF2-1-1	N41NE4	Zionsville Water Dept.	Flem Boyd	About 1922	840±	PS	110	6	(35±) 100	(5±) 10	(Sand, gravel)	-	-	1922	15	1922-Flowing 1922-	80	28	80	16	A	1
BoF2-1-2	N41NE4	do.	C. Kraus and Sons	1937	842	PS	(150) 70	-	60	10	do.	145	-	-	75	1937	2	-	-	-	-	1, 10- (5ft)
BoF2-1-3	NE4NE4	do.	Layne-Northern Co.	Nov. 10, 1939	833	PS	(111) 74	-	47±	27±	do.	-	19	Nov. 10, 1939	-	-	(1)	20	-	-	-	1
BoF3-1	SE corner NW4NW4	Mr. Lefourneau	Earl Merritt	About 1945	905	D, S	38	4	-	-	do.	-	15	About 1945	25	About 1945	-	-	-	-	-	-
BoF4-1	N42NE4	Kollie Kouns	do.	do.	924	D, S	106	4	-	-	do.	-	20	1945	-	-	-	-	-	-	-	-

Records of wells in Boone County, Indiana-Continued

Well No.	Location	Owner	Driller	Date completed	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Water level		Yield (g.p.m.)	Yield (g.p.m.)	Quality of water	Water temperature (°F.)	Notes
									Depth to top of bed (feet)	Thickness (feet)	Materials		Above land surface (feet) or below land surface (feet)	Date					
BoP5-1-1	SE ¹ / ₄ SW ¹ / ₄	Bender and Lacock	Mr. Hoover	About 1910	929	-	200	-	-	-	200	-	-	-	-	-	-	-	10
BoP5-1-2	SW ¹ / ₄ NE ¹ / ₄	do.	do.	do.	929	D	113	-	-	-	-	-	-	-	-	-	-	-	-
BoP5-2	NE ¹ / ₄ SW ¹ / ₄	Chester Miner	Willard English	About 1945	922	D, S	125	-	(87) 123 ¹ / ₂	-	125	14	About 1945	-	-	-	-	-	11 2(100)
BoP5-3	SW ¹ / ₄ SE ¹ / ₄	Traders Point Hunt Club	Earl Merritt	do.	922	D, S	104	4	-	-	-	20	do.	-	-	-	-	-	-
BoP5-4	NE ¹ / ₄ SE ¹ / ₄	Olive Moore	Ray Master	1947	906	D, S	85	-	-	-	-	-	-	-	-	-	-	-	-
BoP6-1	SW ¹ / ₄ SW ¹ / ₄	Rush Harmon	Earl Merritt	About 1945	926	D, S	86	4	82	5	-	10	About 1945	50	About 1945	-	-	-	-
BoP6-2	NE ¹ / ₄ tip NE ¹ / ₄ SW ¹ / ₄	Leona Hartman	Willard English	do.	928	-	100	-	-	-	100	-	-	-	-	-	-	-	11, 17
BoP7-1	SE ¹ / ₄ , "At Royalton"	-	Flem Boyd	About 1930	930	-	22	-	-	-	-	+	About 1930	-	-	-	-	-	-
BoP7-2	SE ¹ / ₄ SW ¹ / ₄	-	-	About 1925	931	D, S	113	-	-	-	-	-	-	-	-	-	-	-	-
BoP7-3	SE ¹ / ₄ SE ¹ / ₄	Marvel's Grocery	Claude Kersey	-	929	D	105	3	-	-	-	13 ¹ / ₂	When drilled	-	-	-	-	-	-
BoP7-4	SE ¹ / ₄ SW ¹ / ₄	Mr. Olige	do.	About 1942	920	D, S	129	-	(95) 127	(20) 2 ¹ / ₂	-	13	-	-	-	-	-	-	1, 2 (100)
BoP7-5-1	NE ¹ / ₄ SW ¹ / ₄	-	Earl Merritt	About 1945	933	-	120	4	-	-	115	-	-	-	-	-	-	-	11 (57)
BoP7-5-2	NE ¹ / ₄ SW ¹ / ₄	-	do.	do.	933	D, S	40	4	35	7 ¹ / ₂	-	8	About 1945	-	-	-	-	-	-
BoP8-1	"On E. side of US Highway 52 on Boone Co. line	-	Clyde and Claude Kersey	-	880 ⁺	D	140	8	132	8	-	+	When drilled	-	-	-	-	-	-
BoP9-1	SW ¹ / ₄ SE ¹ / ₄ SW ¹ / ₄	T. A. Reseler, Jr.	Earl Merritt	About 1945	912	D, S	97	6	-	-	-	12 ¹ / ₂	About 1945	-	-	-	-	-	-
BoP11-1	SW ¹ / ₄ SW ¹ / ₄	James Roberts	do.	do.	841	D, S	104	8	96	10	-	42 ⁺	do.	-	-	-	-	-	-
BoP12-1	"SE corner of Boone Co."	Mr. Williams	do.	do.	896	D	160	-	118	42	167 ¹ / ₂	40	do.	-	-	-	-	-	2(118)

Records of wells in Hamilton and Hendricks Counties, Indiana

Well No.	Location	Owner	Driller	Date com- pleted	Altitude of land surface, in feet above mean sea level	Use	Depth (feet)	Diameter (inches)	Aquifers			Depth to bedrock (feet)	Above (+) or below land surface (feet)	Water level Date	Yield Field (g.p.m.)	Date	Amount (feet)	Rate (g.p.m.) and Time (hr.)	Quality of water	Water temperature (°F)	Notes
									Depth of bed (feet)	Thickness (feet)	Materials										
HAMILTON COUNTY																					
HA30-1	SW ¹ / ₄ sec 1	Mr. Blagg	Earl Merritt	1947	920±	D, S	142	4	120	22	Limestone	120	20	1947	Low	1947	-	-	-	-	-
HA31-1	"Jolietville"	Leoram Blain	W. R. Moss, Sr.	About 1946	922±	D	235	4	216	19	do.	216	37	About 1946	-	-	-	-	-	-	-
HA47-1	SW ¹ / ₄ sec 1	-	Earl Merritt	About 1945	887	D	182	4	180	2	do.	180	40	About 1945	-	-	-	-	-	-	-
HA47-2	SW ¹ / ₄ sec 1	-	do.	do.	887	D	63	4	58±	8±	Gravel	-	18	do.	33- 1/3	About 1945	-	-	-	-	-
HENDRICKS COUNTY																					
HA16-1	NE ¹ / ₄ sec 1	Ohio Oil Co.	Clyde Kerney	About 1935	927	(Ind) Athen	110	12	95	1.57	do.	-	-	-	Poor well	About 1935	-	-	-	-	17
HA16-1-1	NE corner NW ¹ / ₄ sec 1	Eph Willis Bartee	-	-	963	-	200±	-	(58) (85) (125)	-	Probably gravel	130	-	-	-	-	-	-	-	-	11 or 12(70?) 17
HA16-1-2	NE corner NW ¹ / ₄ sec 1	do.	Earl Merritt	About 1945	963	D, S	58	4	-	-	Sand and gravel	-	10±	About 1945	20	About 1945	-	-	-	-	-
HA16-1-3	SE corner NW ¹ / ₄ sec 1	Lecher Wolfe	Willard English	do.	968	D, S	203	-	(65) 202	(1) 1	(Sand) Black gravel	-	18±	do.	-	-	-	-	-	-	1
HA16-1	NW ¹ / ₄ sec 1	Vera Wolfe	Birch Bros.	1946	955	D, S	80	5	-	-	Gray gravel	-	20	1946	20	1946	-	-	-	-	-

APPENDIX B

LOGS OF WELLS IN BOONE COUNTY,
INDIANA

Note

Information in some of the logs is taken from published reports, as indicated by quotation marks and references in parentheses. The remaining logs were obtained from well drillers in the area.

G-Bo??-1	"At Lebanon" (12, p.44)	Thickness of stratum (feet)	Depth to bottom of stratum (feet)
	Drift	210	210
	Blue and black shales	204	414
	Limestones	401	815
	Shale	412	1,227
	Trenton limestone	373	1,600
G-Bo??-2	"Lebanon, Indiana, gas well" (10, p.16; 11, p.99)		
	Soil, black	2	2
	Till, yellow (Wisconsin)	9	11
	Till, blue, becoming gray toward bottom	15	26
	Sand, with water	2	28
	Till, ash-colored, soft and sticky (probably Wisconsin)	77	105
	Gravel	8	113
	Till, pale, ash-colored, hard and dry (probably Illinoian)	53	166
	Till, dark ash or gray, with some sand interbedded (probably Illinoian, if not older)	176	342
	Shale	108	450
	Limestone	Great thickness	
<p>Leverett "examined a set of samples of drift taken from a gas boring at Lebanon which was of much service in interpreting records in the neighboring districts, and he has little doubt that the change from soft to hard till marks the passage from Wisconsin to pre-Wisconsin drift."</p>			
G-Bo??-3	" $4\frac{1}{2}$ miles northeast of Lebanon" (10, p.17; 11, p.102)		
	Log of drift is similar to that of G-Bo??-2		
G-10??-4	"At Thorntown" (4, p.74; 6, p.263; 12, p.45)		
	Drift	65	65
	Subcarboniferous limestone and shale	238	303
	Hamilton shale	87	390
	Corniferous limestone	37	427
	Niagara limestone	407	834
	Hudson River and Utica	373	1,207
	Trenton limestone	80	1,287

G-Bo??-7	"At Zionsville" (12, p.14)	Thickness of stratum (feet)	Depth to bottom of stratum (feet)
	Drift	160	160
	Black shale	75	235
	Devonian limestone with sandstones at base	75	310
	Lower Helderberg and water lime	50	360
	Niagara limestone	165	525
	Clinton limestone	30	555
	Hudson River and Utica	525	1,080
	Trenton limestone	33	1,113

G-Bo??-8	"At Zionsville" (11, p.100)		
	Sand and gravel with a little clay	30	30
	Gravel, coarse	8	38
	Till, blue	50 _±	88 _±
	Till, yellow and blue, in alternate beds containing pieces of wood	60 _±	148 _±
	Boulder, large	7 _±	155 _±
	Clay, yellow	10	165

"The yellow till at 88 feet may mark the passage from the Wisconsin to the Illinoian till though its low altitude rather favors the view that it is in the midst of pre-Wisconsin drift. The well is in the valley of Eagle Creek and may start at a level as low as the base of the Wisconsin." (11, p.100)

BoE?-11	"Short distance north of Dover" (7, p.173)		
	Soil	1	1
	Yellow clay	6	7
	Blue clay	15	22
	Gravel	$\frac{1}{2}$	22 $\frac{1}{2}$

BoH?-12	"3 miles southeast of Elizaville, on the Michigan Road" (7, p.169; 10, p.15; 11, p.99)		
	Soil and yellow clay	18	18
	Quicksand	3	21
	Blue clay	20	41
	White fine sand with gas	11	52
	Blue clay	6	58
	Swamp muck, leaves, twigs, etc.	7	65
	Blue clay	19	84

Gas at 41 feet flowed strongly for a short time.

BoL?-16	"2 $\frac{1}{2}$ miles north of Jamestown" (7, p.167; 11, p.99)	Thickness of stratum (feet)	Depth to bottom of stratum (feet)
	Soil	2	2
	Yellow clay and sand	28	30
	Quicksand	2	32
	Blue clay	29	61
	Black muck, leaves, twigs and branches of trees	3	64
	Sand and clay	12	76
	Siliceous shale - "Soapstone"	160	236
BoI?-17	"Jackson Township, 4 miles north of Jamestown" (7, pp.166-167; 11, p.98)		
	Soil and yellow clay, mixed with sand	12	12
	Yellow sand	2	14
	Hard gravel	4	18
	Hardpan-gravel	4	22
	White sand	6	28
	Sand and clay, bluish	18	46
	Black muck or loam, with branches of trees and other vegetable matter	12	58
	Blue clay	4	62
	Gray sand, gravel, etc.	26	88
Bo??-19	"Well on Washington St., in Lebanon" (7, p.170; 10, p.16; 11, p.100)		
	Soil	7	7
	Yellow sand	1	8
	Yellow clay	3	11
	Bluish sand and clay	1	12
	Sand	4	16
	Blue clay	3	19
	Sand and gravel	4	23
	Blue clay	2	25
	Gray clay	3	28
	Hardpan-indurated clay	4	32
	Blue (laminated) clay	14	46
	Gray clay	3	49
	Sand and clay	10	59
	Blue clay	23	82
	Coarse gravel	1	83
	blue clay	25	108
Bo??-20	"5 miles west of Lebanon" (7, p.109; 10, p.17; 11, p.103)		
	Soil and yellow clay	17	17
	White quicksand	5	22
	Blue clay	51	73
	Dry gravel - gas seam	5	78
	Blue clay	165	243

		Thickness of stratum (feet)	Depth to bottom of stratum (feet)
Bo??-21	"6 miles west of Lebanon" (7, p.167)		
	Soil	2	2
	Blue clay (containing 5-inch walnut branch)	11	13
	Sand	5	18
Bo??-22	"6 miles south of Lebanon" (7, p.173; 10, p.15; 11, p.99)		
	Soil	2	2
	Yellow clay	18	20
	Blue clay	45	65
	Swamp muck, leaves, twigs, etc.	10	75
	Blue clay	25	100
	Sandstone	9	109
BoN?-24	"Average section of wells at New Brunswick" (7, p.173)		
	Soil	1 to 2	1 to 2
	Yellow clay or gravel	5 to 10	6 to 12
	Sand and gravel	1 to 3	7 to 15
	Blue clay	4 to 20	11 to 35
Bo??-28	"At Royalton" (7, p.172; 10, p.17)		
	Soil	3 $\frac{1}{2}$	3 $\frac{1}{2}$
	Yellow clay	17	20 $\frac{1}{2}$
	Gravel	5	25 $\frac{1}{2}$
	Blue clay with frequent thin layers of sand and gravel	70 $\frac{1}{2}$	96
BoP?-29	"In Royalton, in Fishback Valley" (11, p.102)		
	Blue clay	25 \pm	25 \pm
	Gravel	5	30 \pm
	Blue clay	70 \pm	100 \pm
BoH?-30	"Slabtown" (7, p.171)		
	Soil	2	2
	Blue clay	30	32
	Gravel	$\frac{1}{2}$	32 $\frac{1}{2}$
	Blue clay	14	46 $\frac{1}{2}$
Bo??-31	"At Thorntown" (Driller's log) (7, p.168; 10, p.14)		
	Soil	2	2
	Yellow clay	19	21
	Quicksand	4	25
	Blue clay (cedar tree at 100 feet)	125	150
	Siliceous shale - "soapstone"	193	343

Bo??-31	"At Thorntown" (Mill Engineer's log) (7, p.168)	Thickness of stratum (feet)	Depth to bottom of stratum (feet)
	Soil	2	2
	Yellow clay	13	15
	Gravel	3	18
	Blue clay	82	100
	Cedar tree		
	Blue clay	37	137
	"Soapstone"	60	197
	Gray limestone	136	333
Bo??-34	"1 mile west of Thorntown" (7, p.174; 10, p.15; 11, p.103)		
	Soil and yellow clay	25	25
	Quicksand	3	28
	Blue clay	80	108
Bo??-36	"3½ miles west of Lebanon" (7, p.175; 11, p.103)		
	Soil and yellow clay	18	18
	Fine white sand	55	73
	Blue clay	71	144
	Limestone	3	147
BoF?-37	"1 mile south of Thorntown" (7, p.174; 10, p. 14; 11, p.103)		
	Soil and yellow clay	19	19
	Quicksand	4	23
	Blue clay	103	126
	Cemented gravel	6	132
BoA?-38 and BoA?-39	"3 miles north of Thorntown" (7, p.173; 10, p.14; 11, p.103)		
	Soil and yellow clay	18	18
	Quicksand	12	30
	Blue clay	153½	183½
	Red sandstone	3½	187
Bo B?-42	"3 miles east of Thorntown, near Union Church" (7, p.175; 10, p.14; 11, p.103)		
	Soil and yellow clay	27	27
	Quicksand	9	36
	Blue clay	75	111
Bo??-45	"Average of wells at Zionsville" (7, p.172)		
	Soil	2	2
	Yellow clay	10	12
	Blue clay	4 to 10	16 to 22
	Gravel	1 to 3	17 to 25
	Blue clay	20 to 40	37 to 65

BoA35-1-4	"At Thorntown"	Thickness of stratum (feet)	Depth to bottom of stratum (feet)
	Drift	103	103
	Gravel (hard water)	10	113
	Mostly blue clay	87	200
	Shale (no water)	300	500
	Limestone (no water)	200	700
	Shale (no water)	65	765
BoA35-2	"In Thorntown"		
	Clay	30	30
	Sand	5	35
	Blue clay	10	45
	Sand and dry gravel	10	55
	Blue clay	20	75
	Fine sand	3	78
	Gravel and sand	10	88
BoC33-1-1	"3 miles west of Elizaville"		
	Blue clay	60	60
	Sand	15±	75±
	Gravel	5±	80
BoF13-1	"2 miles north of Lebanon on Frankfort Road"		
	Soil	2	2
	Yellow clay	7	9
	Gravel and sand	2	11
	Blue clay	22	33
	Gravel	2	35
	Gravel and clay	3	38
	Blue clay	50	88
	Boulder	1	89
	Blue clay	23	112
BoF14-1	"3½ miles northwest of Lebanon"		
	Yellow clay	47	47
	Black gravel	3	50
BoF18-1			
	Yellow clay	103	103
	Gravel	2	105
BoF24-3-1			
	Drift, consisting mainly of yellow clay	109	109
	Blue shale or soapstone	121	230

BoF26-2-2	" $\frac{1}{2}$ mile northwest of Lebanon"	Thickness of stratum (feet)	Depth to bottom of stratum (feet)
	Drift	115	115
	Gravel	5	120
	Clay, blue	3	123
	Gravel	5	128
	Shale	48	176
	Clay, gray, hard	40	216
	Gravel	6	222
	Shale, blue, "sticky"	8	230
	Sand, multicolored, fine to medium with gravel (?)	1	231

It is believed that the sand reported at 231 feet came from 6-foot gravel unit above the shale at 222 feet.

BoF34-8	" $2\frac{1}{2}$ miles west of Lebanon"		
	Blue clay	$70\frac{1}{2}$	$70\frac{1}{2}$
	Black gravel	$3\frac{1}{2}$	74

BoF36-1-11	"Lebanon waterworks field"		
	Soil)	43	43
	Clay)		
	Gravel)		
	Stiff clay	54	97
	Gravel		
	Stiff clay	125	222
	Gravel	8	230
	Blue shale	97	327
	Limestone	7	334
	Black shale	75	409
	Limestone ("last, or bottom, 16 feet is soft")	407	816

BoF36-3-1	"In western part of Lebanon"		
	Clay	130	130
	Sand	10	140
	Shale	60	200

BoF36-6	"In western part of Lebanon"		
	Clay	20	20
	Hardpan	25	45
	Mud, blue	15	60
	Sand	5	65
	Clay	10	75
	Sand, water bearing	20	95
	Hardpan	6	101
	Sand, white dry	6	107

		Thickness of stratum (feet)	Depth to bottom of stratum (feet)
BoF36-7	"In southwest Lebanon"		
	Hardpan	70±	70±
	Sand and gravel	5±	75±
	Hardpan	50±	125±
BoG4-1			
	Blue clay
	Quicksand
	Hardpan
	Boulders
	Hardpan	...	201
	Gray gravel	10	211
BoG4-2-1			
	Blue clay	60	60
	Sand	15±	75±
	Gravel	5±	80±
BoG4-2-2			
	Blue clay
	Much hardpan	...	230
	Gray gravel	5	235
BoG5-1			
	Yellow clay
	Blue clay
	Quicksand
	Hardpan	...	313½
	Fine sand and gravel	½	314
	Limestone
BoG5-2			
	Yellow clay
	Blue clay
	Quicksand
	Sud bed
	Hardpan	...	135
	Gravel	5	140
BoG8-1			
	Blue clay
	Sand strip
	hardpan	...	300
	Gray gravel	4	304

	Thickness of stratum (feet)	Depth to bottom of stratum (feet)
BoG8-2-2		
Yellow clay	110	110
Blue clay	3	113
Black gravel	2	115
BoG9-1		
Yellow clay
Blue clay
Quicksand
Hardpan	...	100
Gravel	5	105
BoG9-2		
Blue clay
Sand
Boulders, etc.	...	156
Gray gravel	4	160
BoG31-4-1		
Clay	40	40
Fine sand	10	50
Sand, gravel, and clay	100	150
Gravel	6	156
BoG32-1		
Top soil	14	14
Clay	36	50
Green gravel	8	58
BoG33-2		
Top soil	6	6
Blue clay	24	30
Boulders, rocks, sand, gravel, clay	10	40
Blue clay	12	52+
Sand and gravel	5+	57
BoH31-2-1		
Drift (mostly blue clay)	82	82
Muck	8	90
Gravel	2+	92
Drift	118+	210+
New Albany black shale	90	300
Hard white limestone	93	393

	Thickness of stratum (feet)	Depth to bottom of stratum (feet)
BoH31-2-2		
Blue clay	57	57
Sand	2	59
Gravel	2	61
BoH33-1		
Top soil	6	6
Blue clay	24	30
Hardpan and yellow clay	121	151
Sand	4	155
BoH34-1		
Soil	1½	1½
red clay	8	9½
Sand and gravel	1 to 10	10½ to 19½

G-BoH34-2

"Marshall, Henry A., #1, 300 feet from N. line, 150 feet from W. line, in NW¼NE¼ sec. 34 T. 19 N., R. 2 E. Completed August 21, 1940 by N. N. Smith, et al. Elevation 942 feet. Dry hole."

Clay and hardpan	69	69
Gravel, water	5	74
Clay, rocky	102	176
Sand, fine	11	187
Clay, red	10	197
Slate, black	18	215
Limestone, water	67	282
Shale with layers of stone	101	383
Lime, soft	40	423
Lime, hard	92	515
Lime, soft, gritty, water	47	562
Shale, blue	19	581
Lime, dark, soft	16	597
Shale, blue and lime	190	787
Shale, brown	261	1,048
Lime, hard: Trenton, some gas at 1,146 feet. Est. 5,000 cu. ft. 24 hr.; 10 gal. per hr. salt water at 1,150 feet	94	1,142
Lime, soft	7	1,149
Lime, hard	73	1,222
Shale, blue	2	1,224
Lime, brown, hard	31	1,255
Lime, white	11	1,266
Lime, hard	46	1,314
Lime, medium	68	1,382

B-BoH34-2 (cont'd)	Thickness of stratum (feet)	Depth to bottom of stratum (feet)
Lime, soft	57	1,439
Lime, hard	83	1,522
Slate and shale	62	1,584
Sandstone, St. Peter; mineral water	16	1,600
Sandstone, white, hard	225	1,825

Casino record: 8-inch to 199 feet, 6-5/8-inch to 530 feet.

BoH34-4

Yellow clay	40	40
Blue clay	50	90
Flack gravel	5	95

PoI18-1-4

Drift	50 ⁺	50 ⁺
White rock
Blue rock	...	90 ⁺

PoI22-1

Drift	30	30 ⁺
Shale	1 to 2	31 to 32 ⁻
Limestone	3 to 4	34 to 36

PoI23-3-1

Yellow clay	5	5
Blue clay	10	15
Sand	1	16
Blue clay	12	28
Gravel	10	38

BoJ1-3-1

Top soil	6	6
Clay	7	13
Clay and boulders	39	52
Sand	2	54
Clay and boulders	12	66
Sand and gravel	14	80
Gravel and boulders	60	140
Clay	5	145
Sand, gravel, boulders	10	155
Hardpan	5	160
Sand, gravel, boulders	15	175
Sand and cemented gravel	14	189

	Thickness of stratum (feet)	Depth to bottom of stratum (feet)
BoJ12-2		
Yellow clay	5	5
Blue clay	90	95
Sand	1	96
Blue clay	154	250
Gravel	3	253
BoJ12-3		
Drift (mostly blue clay with some sand and gravel)	225	225
Sand and gravel with gas	5	230
Blue clay	30	260
Sand	6 ₊	266 ₊
Blue clay	10 ₊	276 ₊
Gravel (?)	5 ₊	281 ₊
Limestone	1 ₊	282 ₊
Shale		
EoJ26-1	"Average section of wells at Milledgeville"	
Soil	1 to 2	1 to 2
Yellow clay or gravel	5 to 10	6 to 12
Gravel and sand	1 to 10	7 to 22
Blue clay	5 to 20	12 to 42
EoJ33-1		
Top soil	6 ₊	6 ₊
Blue clay	54 ₊	60 ₊
Gravel	2 ₊	62
Blue clay	43	105
Gravel	5	110
BoK4-1-2		
Drift	330 ₊	330 ₊
Limestone	20 ₊	350 ₊
Black shale	50 ₊	400 ₊
BoK5-1		
Top soil
Blue clay
Hardpan
Gravel	...	124

	Thickness of stratum (feet)	Depth to bottom of stratum (feet)
BoK5-3-5		
Clay	30	30
Sand, no water	10	40
Blue clay	80	120
Gravel, water bearing	15	135
Blue shale
BoK6-4		
Till, with sand and gravel layers	243 ⁺	243 ⁺
Limestone debris and gravel	2 ⁺	245 ⁺
Sand (and gravel)	5 ⁺	250 ⁺
Limestone
PoK17-1		
Drift with some sand and gravel layers	354	354
Limestone, no water	7	361
Shale
PoK18-3-1		
Hardpan	100	100
Gravel	10	110
BoK18-3-2		
Hardpan	195 ⁺	195 ⁺
Limestone	2 ⁻	197 ⁻
FoK29-1		
Drift	90	90
Limestone, alternating blue and gray, pretty hard	50	140
Blue shale	2 ₋	142 ₋
FoL3-1	"Section of average well at Northfield"	
Soil	2	2
Yellow clay	10 to 20	12 to 22
Sand or gravel	10 to 20	22 to 42
PoL7-1		
Drift	200	200
Shale	45	245
Limestone	65	310

	Thickness of stratum (feet)	Depth to bottom of stratum (feet)
PoL14-2		
Yellow and red clay	9	9
Blue clay	181	190
Quicksand	10	200
Limestone, blue	17	217
BoL14-3		
Gravel	12 to 18	12 to 18
Blue clay	89 to 83	101
Gravel, red oak bark at base	1	102
PoL15-1-1		
Hard, sandy clay	110	110
Gravel	5	115
BoL19-2-2		
Blue clay	140	140
Gravel	10	150
BoL23-3-2		
Blue clay and other drift	100	100
Yellow clay and other drift	110+	210+
Sand and gravel	5+	215+
PoL34-1-2		
Clay	10	10
Sand	2	12
Blue clay	60	72
Sand	1	73
Blue clay	42	115
Sand and gravel	5	120
BoM5-3		
Sand	9+	9+
Blue clay	56-	65-
Coarse gray gravel	1	66
BoM9-1		
Yellow clay	67+	67+
Tough blue clay	5+	72+
Gravel	2-	74+
BoM9-2-2		
Blue clay	28	28
Gravel	2	30

	Thickness of stratum (feet)	Depth to bottom of stratum (feet)
Bom10-1		
Soil	3	3
Yellow clay	8	11
Quicksand	1	12
Blue clay	28	40
Gravel	2	42
Blue clay	48	90
Bom10-2		
Soil	1	1
Yellow clay	10	11
Sand	2	13
Blue clay	49	62
Bom10-6-2		
Blue clay	52	52
Gravel	4	56
Bom10-6-5		
Blue clay	42 ⁺	42 ⁺
Sand (and gravel)	5 ⁺	47 ⁺
Till (blue clay)	50 ⁺	97
Sand	3 ⁺	100
Soft blue shale	412	512
Bom10-6-6		
Fill	2	2
Clay	7	9
Hardpan	16	25
Gravel	6	31
Hardpan	9	40
Gravel	2	42
Muddy sand	8	50
Hardpan	55	105
Blue shale		
Bom10-8		
Drift	85 ⁺	85 ⁺
Shale, becoming harder with depth	7 ⁺	92 ⁺
Limestone, not so hard	2 ⁺	94 ⁺
Bom2-1		
Blue clay	120	120
Dirty sand	5	125
Blue clay	50	175
Shale	58	233

	Thickness of stratum (feet)	Depth to bottom of stratum (feet)
BoN3-2		
Clay and sand	150	150
Blue clay	14	164
Gravel	1	165
BoN4-1		
Blue clay with sand, gravel, etc.	160	160
Fine sand	5	165
Blue clay	20	185
Red dirt ("clay")	5	190
Driller believes that lime stone underlies the unit above		
Bo09-1-1		
Cinders, dirt, clay	19	19
Sand and gravel with layers of clay	61	80
Red clay	10	90
Blue clay	8	98
Bo09-1-2		
Clay, yellow	19	19
Sand and gravel	8	27
Sand and clay mixed	33	60
Rock	5	65
Coarse sand	12	77
BoPl-1-1		
Drift	175 ₊	175 ₊
Shale	35 ₊	210 ₊
Limestone	240 ₊	450 ₊
BoPl-1-4		
Fill	7	7
Dry gravel	5	12
Blue clay	53	65
Yellow clay	15	80
Water gravel	10	90
Hardpan		
BoP2-1-1		
Clay	35 ₊	35 ₊
Sand and gravel	5 ₊	40 ₊
Clay	60	100
Gravel	10	110

Another version of the log of this hole follows:

	Thickness of stratum (feet)	Depth to bottom of stratum (feet)
BoP2-1-1 (cont'd)		
Top soil	3	3
Gravel	85	88
Hardpan	18	106
Gravel	7 ₊	113
BoP2-1-2T		
Soil and yellow, dirty gravel	15	15
Dry gravel	12	27
Fine gray sand	10	37
Hardpan	3	40
Yellow water gravel	10	50
Coarse gray water sand	5	55
Water gravel	5	60
Good water gravel	10	70
Blue clay	60	130
Fine sand	10	140
Blue clay	5	145
Shale	5	150
BoP2-1-3T		
Fill and clay	10	10
Gravel	36	46
Gravel, fine sand mixed	9	55
Gravel	21	76
Clay	23	99
Sand, fine muddy	4	103
Sand, fine	8	111
BoP2-1-3		
Fill and clay	4	4
Gravel, fine, dry	5	9
Clay, sandy	2	11
Gravel, dirty	8	19
Gravel, clean, fine	13	32
Gravel, coarse	14	46
Boulders	1	47
Gravel and sand	27	74
BoP7-4		
Till	95	95
Sand, with 4 $\frac{1}{2}$ -foot log at 100 feet	20	115
Till	12	127
Gravel	2	129

HdB13-1

	Thickness of stratum (feet)	Depth to bottom of stratum (feet)
Blue clay	65	65
Sand	1	66
Yellow hardpan	136	202
Black gravel	1	203

APPENDIX C

CHEMICAL ANALYSES OF GROUND WATERS OF BOONE COUNTY, INDIANA

Notes

All those analyses made by H. E. Barnard (Indiana State Board of Health) and Chase Falmer (U. S. Geological Survey) are from Capps' report (4).

I.S.B.H. indicates analyses were made by members of the Indiana State Board of Health.