

**STATE OF INDIANA**  
**INDIANA DEPARTMENT OF CONSERVATION**  
**DIVISION OF WATER RESOURCES**

**BULLETIN NO. 12**

**GROUND-WATER RESOURCES**  
**OF NORTHWESTERN INDIANA**

**Preliminary Report: Porter County**



Prepared by the  
**GEOLOGICAL SURVEY**  
**UNITED STATES DEPARTMENT OF THE INTERIOR**  
In cooperation with the  
**DIVISION OF WATER RESOURCES**  
**INDIANA DEPARTMENT OF CONSERVATION**

1962

## GROUND-WATER RESOURCES OF NORTHWESTERN INDIANA

### Preliminary Report: Porter County

By J. S. Rosenshein

---

#### ABSTRACT

Porter County in northwestern Indiana has an area of about 425 square miles. Glaciofluvial sand and gravel of Pleistocene age are the chief source of ground water for domestic and stock, industrial, and public supplies. Wells in this source generally are less than 150 feet deep and yield from 5 to more than 1,000 gpm. The underlying bedrock is not used as a source of ground water except for the rocks of Devonian age which are utilized in a few places. Field chemical analyses show that the water from the unconsolidated rocks is hard and the hardness of water is generally greater than 200 ppm and less than 500 ppm. In much of the county the concentration of iron exceeds the maximum concentration recommended in the U. S. Public Health Service drinking-water standards for iron and manganese together.

This preliminary report contains tabulated records of about 650 wells and test holes giving information about well construction, water level, condition of occurrence, and characteristics of water-bearing material; selected logs for about 270 wells and test holes giving driller's description of material penetrated and author's interpretation of their geologic age; records of 16 springs giving geologic source, use, water discharged, and other pertinent data; results for 109 field chemical analyses giving hardness of water, the bicarbonate, carbonate, chloride, iron, and sulfate content; and water levels in 9 observation wells indicating the magnitude of short-term and long-term water-level fluctuations in the consolidated and unconsolidated rocks. These basic data include much of the material to be used in an interpretive report on the ground-water resources and geology of the area.

A base map of Porter County shows the location of each well, test hole, or spring listed in this report. Additional maps show the availability of ground water in the county and the distribution of the hardness of water in the unconsolidated rocks of Pleistocene age.

## INTRODUCTION

### Purpose and Scope


An investigation of the ground-water resources and geology of ten counties in northwestern Indiana has been in progress since June 1954. This investigation is being made by the U. S. Geological Survey in cooperation with the Division of Water Resources, Indiana Department of Conservation, as a part of a broad program of these agencies to inventory and evaluate the ground-water resources of Indiana.

This report is the second of a series of preliminary reports to be published on the ground-water resources and geology of northwestern Indiana. The purpose of this report is to make the basic data collected during the investigation available to the public and to provide a preliminary evaluation of the ground-water conditions and geology as an aid to development of ground-water resources. A more detailed and comprehensive analysis is in progress and will be published in an interpretive report on the ground-water resources and geology of the area.

The investigation was made under the general direction of A. N. Sayre and P. E. LaMoreaux, successive Chiefs of the Ground Water Branch of the Geological Survey, and under the immediate supervision of C. M. Roberts, District Geologist.

### Location and Areal Extent

Porter County is in the northwestern part of Indiana (fig. 1). The county is a somewhat elongated rectangle with irregularly shaped northern and southern boundaries and includes about 425 square miles. It is bounded on the north by Lake Michigan, on the south by Jasper County, on the west by Lake County, and on the east by La Porte County.



SEE PAGE 129 FOR LIST OF PUBLISHED REPORTS.

FIGURE 1.-- Map of Indiana showing area covered by this report, areas under investigation and areas covered by reports published under the cooperative program.

Well-Numbering System

A numbering system is used to locate and identify the wells, test holes, and springs in this report. The number that is assigned each well, test hole, or spring indicates its location according to the official rectangular public-land survey. For example, in the number for well 35/5W-26R1 the numbers preceding the hyphen indicates that the well is in T. 35 N., R. 5 W. The first number after the hyphen indicates the section in which the well is located. Each quarter-quarter section (40-acre tract) within a section is assigned a letter symbol as shown on figure 2. Within the quarter-quarter section the wells, test holes, and springs are numbered consecutively. Therefore, well 26R1 is the first well listed in SE $\frac{1}{4}$ SE $\frac{1}{4}$  sec. 26, T. 35 N., R. 5 W.




FIGURE 2.-- Sketch showing well-numbering system.

## Acknowledgments

The author thanks all persons who contributed time, information, and assistance during the collection, tabulation, and processing of data for this report. H. C. Kost of the Indiana Department of Conservation assisted in the processing of data in the field. Well drillers, whose names are listed in the table of well records, furnished much of the information summarized in tables 2 and 3.

The author also thanks the following government agencies which provided information for the report: Divisions of Oil and Gas and Water Resources, Indiana Department of Conservation; Indiana State Highway Department; Indiana Toll Road Commission; Indiana State Board of Health; and U. S. Corps of Engineers.

## DATA COLLECTION AND PROCESSING

The well data were collected from drillers, water-works superintendents, owners, and others. The well records obtained from the drillers were of two types--written records and reports from memory. Tentative driller's locations were checked against the property records in the County Courthouse to verify the location, to locate the property, and to obtain the name of the current property owner. Discrepancies between driller's location and the location of property shown in the plat books were corrected. The locations of wells were checked further in the field if major discrepancies existed between the driller's location and property record as shown in the plat books, if the location given by the driller could not be verified from county records, or if the verified location was not sufficiently accurate to be used.

Plate 1 shows the location of water wells and test holes, test holes drilled for purposes other than water supply, and springs. Most of these locations are shown to the nearest 10 acres. The basic data for the wells and test holes are summarized in table 2. In addition, selected driller's logs of wells and test holes and author's interpretations of the geologic age of the materials encountered are given in table 3. The basic data for the springs are given in table 4.

Samples of water were collected at the time the well sites were visited. These water samples were analyzed in the field office for hardness, alkalinity (carbonate and bicarbonate), chloride, and sulfate content by standard titration methods. The alkalinity is expressed as carbonate and bicarbonate. The total iron content was determined at the well site immediately after the water sample was collected. A visual method was used to determine the iron concentration in parts per million by matching the color of the treated sample to that of liquid-color standards having a known iron concentration. The results of the field chemical analyses (table 5) were used to select sites for collecting larger water samples for more comprehensive and accurate chemical analysis by the laboratory of the Geological Survey.

Observation wells were established prior to and during the investigation in order to determine the factors affecting the changes in storage in the ground-water reservoir. Table 6 contains the water-level data collected from these wells. The observation wells were chosen so as to obtain water-level information from artesian and water-table aquifers. Whenever possible, the wells were established at sites where the factors affecting the water levels in the aquifer were chiefly due to natural causes.

## GENERAL GEOLOGY AND SOURCES OF GROUND WATER

The oldest known consolidated rocks underlying Porter County are of Ordovician age. These rocks consist of dolomitic limestone and shale and are overlain by dolomitic limestone, shale, and dolomite of Middle Silurian age. The rocks of Ordovician and Silurian age are not used as a source of water supply in the county because they generally lie more than 300 to 400 feet below the surface and the water they contain generally has more than 5,000 ppm (parts per million) dissolved solids.

The rocks of Middle Silurian age are overlain by dolomitic limestone of Middle Devonian age. These rocks underlie blue-black bituminous shale of Devonian age (Logan, 1932) or Devonian and Mississippian age (Patton, 1956). This shale is listed as Late Devonian age in table 3. Few water wells have been drilled into the rocks of Devonian and Devonian and Mississippian (?) age, and they are not extensively used as a source of water in Porter County.

The bedrock is overlain by unconsolidated glacial drift of Pleistocene age. The drift forms several prominent topographic features in the county (Leverett and Taylor, 1915; Wayne, 1958), the Valparaiso moraine which trends northeast-southwest across the central and north-central part, the beach-lines and lake bottoms of glacial Lake Chicago in the northern part, and the glaciofluvial plain in the southern part.

The unconsolidated rocks of Pleistocene age range in thickness from about 30 to more than 250 feet. The rocks consist of glaciofluvial sand and gravel, clayey till, and glaciolacustrine clay, silt, and sand. Glaciofluvial sand and gravel underlies most of the county and locally is more than 150 feet thick. The sand and gravel is the chief source of ground water for domestic and stock, industrial, and public supplies. Wells are generally less than 150 feet deep in this aquifer and yield from 5 to more than 1,000 gpm.

The unconsolidated rocks of Pleistocene age are overlain locally by thin alluvium, eolian sand, and organically rich sand, silt, and clay of Recent age. The deposits of Recent age are generally too thin to be a source of ground water.

Plate 2 shows the availability of ground water in the unconsolidated rocks underlying the county. Plate 3 shows the distribution of the hardness of ground water from the sand and gravel deposits of Pleistocene age.

## CONFINED AND UNCONFINED CONDITIONS

Ground water occurs in the consolidated and unconsolidated rocks of Porter County under confined (artesian) conditions or under unconfined (water-table) conditions. Under confined conditions the saturated water-bearing material is overlain directly by relatively impervious material, and the water will rise above the level at which it is encountered in the water-bearing material. Under unconfined conditions the water-bearing material is overlain directly by permeable unsaturated material, and the water will not rise above the level at which it is encountered.

## TYPES OF WELLS

Drilled, driven, and jetted wells are the principal types of water wells used in Porter County. Most water wells 3-inches or more in diameter are constructed by the cable-tool, or percussion, method, but a few wells have been drilled by the rotary and reverse-rotary methods. When the water-bearing material is sand and gravel, the well is generally finished with a well screen set in the aquifer below the bottom of the well casing. (See Rosenshein and Cosner, 1956, for a detailed description of a well screen.) A modification of this type of well, the gravel-packed well, has a gravel lining inserted between the well screen and the water-bearing material. When the aquifer is consolidated rock, the well casing is generally driven a short distance into the rock, and the well is finished as an open hole.

Water wells less than 3-inches in diameter are constructed in unconsolidated material by driving or jetting. The driven well consists of a small-diameter pipe having a drive point attached to the end, which is driven into shallow water-bearing material. The jetted well is constructed by forcing water under pressure out of a hollow-rod or small-diameter drill pipe that is fitted with a jetting bit. As the material is washed out of the hole ahead of the casing, the casing is driven down into the hole. After the water-bearing material is penetrated the well is generally finished with a well-point screen set in the water-bearing material below the bottom of the casing. Table 1 relates the grain-size in inches and millimeters to the slot and the gauze size of screens commonly used in water wells.

Oil or gas test holes in Indiana generally are drilled by the cable-tool method. Structure test holes for foundations and bridges generally are drilled by the wash-boring method. In this method test hole samples usually are collected by driving a sampling tube into the material after specific intervals of boring.



Table 1.--Grain size and equivalent screen openings

Grain size: After Wentworth (1922).  
Equivalent screen openings: From commercial catalogs for water-well supplies.

Slot size: In thousandths (0.001) of an inch.  
Gauze size: Number of wire strands per lineal inch.

Material	Grain size		Equivalent screen opening	
	Inches	Millimeters	Slot size	Gauze size
Gravel-----	>0.08	>2	>80	-----
Very coarse sand-	.04 - .08	1 - 2	40 - 80	>20
Coarse sand-----	.02 - .04	.50 - 1	20 - 40	40 - 20
Medium sand-----	.01 - .02	.25 - .50	10 - 20	60 - 40
Fine sand-----	.005 - .01	.125 - .25	6 - 10	90 - 60
Very fine sand---	.002 - .005	.062 - .125	-----	-----
Silt-----	.00015 - .002	.004 - .062	-----	-----
Clay-----	<.00015	<.004	-----	-----

#### SUMMARY

Preliminary evaluation of the basic data shows that adequate quantities of ground water are available for domestic, stock, and locally for public and industrial supplies from sand and gravel of Pleistocene age. The rocks of Devonian age, underlying the glacial deposits, are used only as a minor source of water, and the older bedrock is not used as a source in the county.

The quality of water from the rocks of Pleistocene age varies. The hardness of water is generally greater than 200 ppm and less than 500 ppm. In much of the county the iron content exceeds the U. S. Public Health Service drinking-water standards for use by interstate carriers for iron and manganese together.

#### RECORDS

The records of about 650 wells and test holes are given in table 2. The table contains information about well construction, water levels, yields and drawdowns, conditions of occurrence, thickness and characteristics of water-bearing materials, type of pump, and other data. The altitude of the land surface at all wells, except test borings, was interpolated from topographic maps. Altitudes of borings were leveled by the Federal or State agency for whom the borings were made.

Table 3 contains the selected logs of about 270 wells and test holes. This table gives the driller's description of the material encountered, pertinent remarks with regard to the material, and the author's interpretation of the geologic age of the material.

The records of 16 springs are given in table 4. The table contains information about the geologic source, use, the quantity of water discharged, chemical quality of the water, and other pertinent data.

The results of about 115 partial chemical analyses of water are given in table 5. Of this number 109 were determined in the field office of the Geological Survey, and 6 were determined by commercial laboratories. This table gives information about geologic source, temperature, concentration in parts per million (ppm) of iron, carbonate, bicarbonate, sulfate, chloride, and hardness of water. The U. S. Public Health Service standards for drinking water are given in the table headnotes for iron and manganese together, sulfate, and chloride. No standards have been established for hardness of water. However, with respect to hardness, water is generally classified as follows: 0-60 ppm, soft; 61-120 ppm, moderately hard; 121-200 ppm, hard; more than 200 ppm, very hard. Water having a hardness of more than 200 ppm requires softening for many purposes.

Table 6 contains the records of nine observation wells of which three were established during the investigation and the rest prior to the investigation. The water levels in the observation wells were obtained either by recording gages installed on the well or by manual measurements made with an engineer's steel tape calibrated to a hundredth of a foot. All water levels are in feet below land-surface datum. Daily highest water levels are given for the observation wells equipped with recording gages, and periodic water levels are given for the observation wells measured manually. Factors affecting the water levels in the observation wells are also indicated. The locations of these observation wells are shown on plate 1.

## SELECTED BIBLIOGRAPHY

- Batchley, W. S., 1897, The geology of Lake and Porter Counties, Indiana: Indiana Dept. Geology and Nat. Resources 22nd Ann. Rept., p. 25-104.
- Gutstadt, A. M., 1958, Cambrian and Ordovician stratigraphy and oil and gas possibilities in Indiana: Indiana Dept. Conserv., Geol. Survey Bull. 14, 103 p.
- Harrell, Marshall, 1935, Ground Water in Indiana: Indiana Dept. Conserv., Div. Geology Pub. 133, 504 p.
- Hem, J. D., 1959, Study and interpretation of the chemical characteristics of natural water: U. S. Geol. Survey Water-Supply Paper 1473, 269 p.
- Keech, C. F., and Dreeszen, V. H., 1959, Geology and ground-water resources of Clay County, Nebr. with a section on chemical quality of the water by F. H. Rainwater: U. S. Geol. Survey Water-Supply Paper 1468, p. 62-86.
- Leverett, Frank, 1899, Wells of northern Indiana: U. S. Geol. Survey Water-Supply and Irrig. Paper 21, 64 p.
- Leverett, Frank, and Taylor, F. B., 1915, The Pleistocene of Indiana and Michigan and the history of the Great Lakes: U. S. Geol. Survey Mon. 53, 529 p.
- Logan, W. N., 1932, Geologic map of Indiana: Indiana Dept. Conserv., Div. Geology Pub. 112.
- Patton, J. B., 1956, Geologic map of Indiana: Indiana Dept. Conserv., Geol. Survey Atlas Mineral Resources Map 9.
- Rosenshein, J. S., and Cosner, O. J., 1956, Ground-water resources of Tippecanoe County, Indiana: Appendix, basic data: Indiana Dept. Conserv., Div. Water Resources Bull. 8, 67 p.
- U. S. Geological Survey, issued annually, Water levels and artesian pressure in observation wells in the United States: U. S. Geol. Survey Water-Supply Papers 817, 840, 845, 886, 906, 936, 944, 986, 1016, 1023, 1071, 1096, 1126, 1156, 1165, 1191.
- Wayne, W. J., 1958, Glacial Geology of Indiana: Indiana Dept. Conserv., Geol. Survey Atlas Mineral Resources Map 10.

Table 2.--Records of wells and test holes in Porter County, Indiana

Well	Owner	Driller	Date completed	Altitude (feet)	Type of well	Depth of well below land surface (feet)	Diameter of well (inches)	Finish	Water-bearing zone				Use	Type of pump and horsepower	Remarks
									Thickness (feet)	Character	Geologic age	Conditions of occurrence			
32/3W-111	J. E. Yergler	E. Hostetler	6-24-38	665	Dr	355	8-5	---	---	---	---	---	---	---	Oil test; water-bearing limestone from 145 to 146 ft; bedrock at 35 ft; L.
1081	P. and V. Goodenator	---	9-7-42	663	Dr	146	---	---	---	---	---	---	---	---	Oil test; bedrock at 35 ft; L.
33/3W-301	F. Hanna	Porter County Well Service	3-31-54	689	J	24	2	S; 4ft, 60g	---	---	---	---	---	---	Oil test; bedrock at 35 ft; L.
1701	---	---	---	684	Dr	45	8	S	---	---	---	---	---	---	Ca.
1702	---	---	---	684	Dr	45	8	S	---	---	---	---	---	---	Ca.
33/6W-1991	J. Fliche	Hub Plumbing Co.	7-24-46	651	J	30	---	S; 12ft, 20w1	---	---	---	---	---	---	Shale at 44 ft; Ca.
1992	---	---	---	651	J	46	---	---	---	---	---	---	---	---	Oil test; bedrock at 136 ft; L.
1993	---	---	---	651	J	44	---	---	---	---	---	---	---	---	Yield about 10 gpm.
1994	---	---	---	651	Dr	14	---	---	---	---	---	---	---	---	---
33/7W-103	P. Deppon	Fitzgerald Well and Pump Co.	4-17-56	685	J	25	2	S; 3ft, 60g, dia 1	---	---	---	---	---	---	---
1101	C. Vander Zoo	---	---	685	J	25	2	S; 3ft, 60g, dia 1	---	---	---	---	---	---	---
1401	Town of Lebanon	---	---	703	Dr	83	---	---	---	---	---	---	---	---	---
1541	---	---	---	718	Dr	01	---	---	---	---	---	---	---	---	---
1542	---	---	---	718	Dr	91	---	---	---	---	---	---	---	---	---
1543	---	---	---	718	Dr	146	---	---	---	---	---	---	---	---	---
34/3W-2021	C. Dall	Beach plumbing and Well Co.	7-13-60	715	J	34	---	S; 4ft, 60g, dia 1	---	---	---	---	---	---	---
34/6W-481	J. Daniels	Westville Well Co.	7-31-59	758	J	75	2	S; 3ft, 60g, dia 1	---	---	---	---	---	---	---
482	C. A. Prentice	Fitzgerald Well and Pump Co.	8-11-59	760	J	60	2	---	---	---	---	---	---	---	---
801	H. Dye	Porter County Well Service	3-18-54	785	J	100	2	S; 4ft, 60g	---	---	---	---	---	---	---
602	W. Dyo	Fitzgerald Well and Pump Co.	9-2-55	782	J	85	2	S; 2 1/2 ft, 60g, dia 1	---	---	---	---	---	---	---
603	E. Harris	Hub Plumbing Co.	8-20-49	787	J	85	2	S; 80g	---	---	---	---	---	---	---
604	C. Starrick	Slicker Well and Pump Service	7-7-59	787	J	83	2	S; 3 1/2 ft, 60g, dia 1	---	---	---	---	---	---	---
1291	L. Allies	Porter County Well Service	6-54	715	J	52	2	S; 4ft, 60g	---	---	---	---	---	---	---
1292	---	---	---	715	J	57	2	---	---	---	---	---	---	---	---
2481	W. Allen	Wm. Ludoko	Spring 1945	674	J	51	2	Co	---	---	---	---	---	---	---
2482	---	---	---	674	J	47	2	Co	---	---	---	---	---	---	---
3201	A. Claus	H. F. Hufflitz	---	715	Dr	26	1 1/2	S; 60g	---	---	---	---	---	---	---
3301	H. Gibson	---	---	702	J	22	2	S	---	---	---	---	---	---	---
34/7W-101	T. Fitzgerald	Fitzgerald Well and Pump Co.	7-7-59	780	J	68	2	S; 3ft, 60g, dia 1	---	---	---	---	---	---	---
1102	---	---	---	782	J	71	2	---	---	---	---	---	---	---	---

Well: See text for description of well-numbering system.  
 Altitude: Altitude of land-surface datum from topographic map, except as noted in text p. 8.  
 Type of well: B, bored; Dr, driven; Dr, drilled; Do, dug; J, jetted.  
 Finish: Gp, gravel pack; Oo, open hole; Oh, open hole; S, screen; dia, diameter in inches; G, gravel; L, limestone; Sd, sand.  
 Character: G, gravel; L, limestone; Sd, sand.  
 Geologic age: B, Devonian; Pl, Pleistocene; S, Silurian.  
 Conditions of occurrence: C, confined; U, unconfined; see text for definitions of terms.  
 S, samples available for inspection.

Water level: In feet below land-surface datum on date of completion of well, except where otherwise noted.  
 Use: D, domestic; Do, destroyed; I, industrial; Ir, irrigation; N, not used; O, observation; P, public supply; S, stock; T, test.  
 Type of pump and horsepower: J, jet; L, lift; P, pitcher; S, submersible; T, turbine; numeral indicates rated horsepower of electric motor.  
 Remarks: Ca, field chemical analysis in table 5; dd, drawdown; gpm, gallons per minute; L, log of well included in report; led, land-surface datum; S, samples available for inspection.

Table 2.--Records of wells and test holes in Porter County, Indiana--Continued

Well	Owner	Driller	Date completed	Altitude (feet)	Type of well	Depth of well below land-surface (feet)	Diameter of well (inches)	Finish	Water-bearing zone				Use	Remarks	
									Depth to top (feet)	Thickness (feet)	Character	Geologic age			Conditions of occurrence
54/78-1B1	O. Ross	Fitzgerald Well and Pump Co.	7-8-59	778 J	J	65	2	S; 3ft., 60g., dia 1	50	18	Sd	P1	U	50	Yield 8 gpm; see log well 1B4.
1B4	T. Fitzgerald	-----do-----	7-8-59	782 J	J	85	2	-----do-----	52	28	Sd,G	P1	U	52	Yield 10 gpm; L.
1B5	-----do-----	-----do-----	7-10-59	785 J	J	80	2	-----do-----	50	38	Sd,G	P1	U	50	Yield 10 gpm; see log well 1B4, Ca. L.
1B6	R. Martine	-----do-----	8-26-59	788 J	J	84	2	S; 6ft., 60g., dia 1	30	50	Sd,G	P1	U	40	Yield 10 gpm; see log well 1B7.
1B7	T. Fitzgerald	-----do-----	7-11-59	788 J	J	90	2	S; 3ft., 60g., dia 1	70	20	Sd,G	P1	U	70	Yield 8 gpm; see log well 1B7.
1B8	T. L. Owens	-----do-----	7-15-59	788 J	J	90	2	S; 4ft., 60g., dia 1	52	38	Sd,G	P1	C	35	Yield 10 gpm; Ca.
1B9	D. L. Hoover	-----do-----	6-22-59	792 J	J	82	2	S; 3ft., 60g., dia 1	52	14	Sd	P1	C	29	White fine sand overlain by 33 ft blue clay; Ca.
1C1	A. Dudok	-----do-----	6-11-59	793 J	J	82	2	S; 2ft., 60g., dia 1	52	14	Sd	P1	C	29	Yield 15 gpm; medium sand overlain by 52 ft blue clay.
1C2	E. and T. Leary	-----do-----	6-30-59	780 J	J	56	2	S; 3ft., 60g.	33	23	Sd	P1	C	26	Fine sand overlain by 42 ft blue clay.
1D1	J. Flood	-----do-----	1-17-56	750 J	J	56	2	S; 3ft., 60g.	52	21	Sd	P1	C	2	Yield 11 gpm; sand overlain by 42 ft clay and sand, mixed.
1D2	B. Mallard	-----do-----	10-20-55	747 J	J	65	2	S; 3ft., 60g., dia 1	42	10	Sd	P1	C	15	Yield 10 gpm; Ca. L.
1D3	H. Denson	-----do-----	2-1-56	740 J	J	45	2	S; 3ft., 60g.	42	10	Sd	P1	C	8	Yield 10 gpm; medium sand overlain by 42 ft blue clay.
1D4	J. Maxie	-----do-----	4-6-56	745 J	J	45	2	-----do-----	42	10	Sd	P1	C	8	Yield 10 gpm; Ca. L.
1E1	A. Fitzgerald	-----do-----	7-13-55	761 J	J	45	2	S; 2ft., 60g., dia 1	---	---	Sd	P1	---	10	Yield 10 gpm; Ca. L.
1E2	E. Ball	-----do-----	7-19-55	742 J	J	59	2	S; 3ft., 80g., dia 1	---	---	Sd	P1	---	8	Yield 15 gpm; Ca. L.
1F1	T. Fitzgerald	-----do-----	1-26-50	780 J	J	73	3	S; 4ft., 80g., dia 2	60	24	Sd	P1	C	38	Yield 20 gpm; medium to coarse sand overlain by 60 ft blue clay.
111	G. Barker	-----do-----	7-14-55	762 J	J	38	2	S; 2ft., 60g., dia 1	---	---	Sd	P1	---	19	Yield 15 gpm; Ca. L.
12A1	P. A. Derry	Porter County Well Service	3-3-56	783 J	J	110	2	S; 4ft., 60g.	65	45	Sd	P1	U	05	Yield 10 gpm; medium sand overlain by 42 ft brown and blue clay.
25E1	T. Briggs	Fitzgerald Well and Pump Co.	1-20-56	723 J	J	37	2	S; 3ft., 60g.	32	13	Sd	P1	C	10	Yield 20 gpm; Ca. L.
26A1	A. Borrior	Porter County Well Service	5-51	732 J	J	55	2	S; 3ft., 60g.	32	23	Sd	P1	C	16	Yield 12 gpm; Ca. L.
27M1	J. Weight	Fitzgerald Well and Pump Co.	6-18-56	753 J	J	64	2	S; 3ft., 60g.	---	---	G,Sd	P1	---	---	Yield 10 gpm; Ca. L.
35A1	E. Frailey	Indiana State Highway Department	3-16-56	724 J	J	41	2	-----do-----	21	31	Sd	P1	C	9	Yield 10 gpm; L.
35/5W-2H1	-----do-----	-----do-----	9-14-56	801 H	H	55	2	-----do-----	---	---	Sd,G	P1	---	---	See log well 2H6.
2H2	-----do-----	-----do-----	9-14-56	800 H	H	50	2	-----do-----	---	---	Sd,G	P1	---	---	Do.
2H3	-----do-----	-----do-----	9-14-56	787 B	B	52	2	-----do-----	---	---	Sd,G	P1	---	---	Do.
2H4	-----do-----	-----do-----	9-14-56	785 B	B	50	2	-----do-----	---	---	Sd,G	P1	---	---	Do.
2H5	-----do-----	-----do-----	9-14-56	785 B	B	50	2	-----do-----	---	---	Sd,G	P1	---	---	Do.
2H6	-----do-----	-----do-----	9-14-56	785 B	B	50	2	-----do-----	---	---	Sd,G	P1	---	---	L.
2H7	-----do-----	-----do-----	9-14-56	805 B	B	55	2	-----do-----	---	---	Sd,G	P1	---	---	See log well 2H6.
2H8	-----do-----	-----do-----	9-14-56	804 B	B	55	2	-----do-----	---	---	Sd,G	P1	---	---	Do.
31A1	City of Valparaiso	Layne Ohio Co.	3-28-33	814 Dr	Dr	167	6	-----do-----	41	111	Sd	P1	C	40	See log well 611.
612	-----do-----	Layne-Northern Co., Inc.	2-17-29	808 Dr	Dr	199	6	-----do-----	53	101	Sd	P1	C	50	See log well 611.
613	-----do-----	-----do-----	2-11-47	810 Dr	Dr	120	8-0	Gp; S; soft, 50ft., dia 16	50	70	Sd	P1	U	50	See log well 611.
614	-----do-----	-----do-----	5-23-47	810 Dr	Dr	128	38	-----do-----	50	78	Sd	P1	U	50	See log well 611.
615	-----do-----	-----do-----	-----	803 Dn	Dn	89	2	-----do-----	---	---	Sd	P1	U	---	Observation well Porter 1; water level measured 51.98 ft below lsd, 10-16-35.
616	-----do-----	Layne-Northern Co., Inc.	1-17-56	805 Dr	Dr	124	---	-----do-----	90	34	Sd	P1	C	39	See log well 611.
617	-----do-----	-----do-----	3-8-56	805 Dr	Dr	128	38	Gp; S; soft, 105ft., dia 16	62	67	Sd	P1	U	62	See log well 611.
6M1	-----do-----	Layne Ohio Co.	4-8-33	803 Dr	Dr	05	---	-----do-----	---	---	Sd	P1	U	---	See log well 611.
6N1	-----do-----	-----do-----	4-7-33	803 Dr	Dr	100	---	-----do-----	---	---	Sd	P1	U	60	See log well 611.

35/58- 581 62	City of Valparaiso do	Layne Ohio Co. Layne-Northern Co., Inc.	2-29 4-21-33	800 Dr 809 Dr	90 122			50 52	40 110	Sd, Sd	Pl Pl	U U	50 52	T P	725	Dd 23 ft after 0.5 hr pumping 780 gpm; L. Observation well Portor 7; water level measured 58.05 ft below 1st, 8-23-54.
623	do	do		800 Dr		11				Sd	Pl	U		O		L. L.
781 1671	do	Layne Ohio Co. Layne-Northern Co., Inc.	4-1-33 2-6-55	822 Dr 773 Dr	201 145	8-1 8		60 21	140 113	Sd Sd	Pl Pl	U U	60 21	I, P I, P	T	Dd 18 ft after 8 hr pumping 340 gpm, see log well 1891; Ca. White sand overlain by 65 ft top soil, yellow sand, and clay.
1872	do	Porter County Well Service	4-29-59 Spring 1954	773 Dr 808 J	131 87	30 2	Op; S; 30ft, 30sa, dia 10 S; 4ft, 60g.	21 65	110 22	Sd Sd	Pl Pl	U U	21 04	I, P D	J1/2	
1873	do	Fitzgerald Well and Pump Co.	3-22-56 8-22-59	812 J 813 J	88 90	2 2	do S; 4ft, 60g, dia 1	67 73	21 17	Sd, Sd	Pl Pl	U C	67 50	D D	J1/2	White sand overlain by 73 ft brown clay, sand, and gravel.
1874	do	Hub Plumbing Co.	3-31-49 11-18-50 5-3-51 8-28-51 5-7-55 10-18-29	815 J 815 J 815 J 815 J 815 J 802 Dr	72 72 70 65 100	2 2 2 2 2 2	S; 60g S; 80g do S; 4ft, 60g, dia 1 do S; 3ft, 60g			Sd Sd Sd Sd Sd	Pl Pl Pl Pl Pl	U U U U U				L. Yield 11 gpm; Ca, L.
1901	City of Valparaiso	Layne-Northern Co., Inc.	9-8-56	811 J	84	2	S; 3ft, 60g	80	14	Sd	Pl	C	33	D	J	Yield 11 gpm; Ca, L.
1901	City of Valparaiso	Fitzgerald Well and Pump Co.	2-8-57	770 Dr	144	7		22	104	Sd, G	Pl	U	22	T		L.
1902	do	Inc.	3-1-57	772 Dr	125	7		25	100	Sd	Pl	U	25	T		See log well 1901.
1903	do	Porter County Well Service	3-7-57	779 Dr	135	7		25	110	Sd, G	Pl	U	30	T		Yield 20 gpm; sand from 0-16 ft.
2041	A. Kobyak	Porter County Well Service	5-4-54	785 J	46	2	S; 4ft, 60g	22	24	Sd	Pl	U	22	D	J1/2	Yield 12 gpm; Ca, L.
2001	V. K. Watson	Fitzgerald Well and Pump Co.	4-3-58	788 J	46	2	S; 3ft, 60g	40	12	Sd	Pl	C	19	D	J1/2	Light-brown sand overlain by 41 ft brown clay and sand; Ca.
2082	R. Britton	do	7-21-50	792 J	48	2	S; 4ft, 60g, dia 1	44	4	Sd	Pl	U	21	D	J3/4	Yield 12 gpm; L.
2083	M. Bessler	Boach Plumbing and Well Co.	1958	792 J	73	2	S			Sd	Pl	U		D	J1/2	
2041	C. and S. Masterson	Fitzgerald Well and Pump Co.	5-11-50	792 J	55	2	S; 3ft, 60g	21	42	Sd	Pl	C	18	D		Yield 22 gpm; yellow sand over- lain by 10 ft yellow and blue clay.
2681	M. L. Green	Porter County Well Service	10-54	732 J	31	2	S; 4ft, 60g	11	63	Sd	Pl	U	11	D	L1/6	Sand from 0-84 ft; Ca.
3061	Puschel Greenhouse	Montville Well Co.	8-11-59	778 J	84	4	S; 1 1/2ft, 10sa, dia 3	40	44	Sd	Pl	U	40	P	S1-1/2	Yield 15 gpm; sand from 0-35 ft.
3041	H. Osborn	Porter County Well Service	3-18-54	763 J	30	2	S; 4ft, 60g			Sd	Pl	U		D	J1/2	Yield 25 gpm; Ca, L.
3471	T. Glesmann	do	10-28-55	746 J	24	2	do	10	45	Sd, G	Pl	C?	9	D	J1/3	L.
35/58- 101	City of Valparaiso	Layne-Northern Co., Inc.	10-32	800 Dr	162	6				Sd, G	Pl	U	50	T		Flows; yield 20 gpm; medium sand overlain by 110 ft blue clay and silt; Ca.
111 561	A. Gustafson A. W. White Lumber Co.	Westville Well Co. Porter County Well Service	8-6-59 7-13-56	845 J 640 J	77 ---	2 2	S; 2 1/2ft, 60g, dia 1 S; 4ft, 60g	47 110	30 14	Sd, G Sd	Pl Pl	C C	19 ---	D D	J1/2	Dd 21 ft after 3.5 hr pumping 20 gpm.
901 1261	L. Graham M. DeGrazin	Montville Well Co. Porter County Well Service	7-2-59 5-50	703 J 833 Dr	45 147	2 4	S; 3ft, dia 1 S; 10ft, 10sa	20 ---	25 ---	Sd, G Sd	Pl Pl	C C	9 91	D D	L J3	Dd 21 ft after 3.5 hr pumping 20 gpm.
1281 1341	City of Valparaiso E. Huff	Layne Ohio Co. Porter County Well Service	4-12-33 6-27-55	820 Dr 806 J	100 87	2 2	S; 4ft, 60g	74 65	26 29	Sd Sd, G	Pl Pl	U U	74 65	T D	J1/2	Sand and gravel overlain by 31 ft yellow and blue clay.
1342	S. A. Krenhook	Fitzgerald Well and Pump Co.	7-21-59	808 J	81	2	S; 4ft, 60g, dia 1	50	34	Sd, G	Pl	U	50	D		Yield 10 gpm; L.
1701	S. Romino	Porter County Well Service	10-3-50	682 J	44	2	do	39	5	Sd	Pl	C	19	D	J1/3	Yield 20 gpm; very coarse sand overlain by 39 ft blue clay; Ca.
2041	A. Howard	Fitzgerald Well and Pump Co.	7-14-55	685 J	36	2	S; 2 1/2ft, 60g, dia 1			Sd	Pl	U	19	P	J1/4	Yield 13 gpm.
2311 2311	M. Carpenter St. Paul's Church	Porter County Well Service	6-28-56 3-16	715 J 702 J	45 51	2 2	S; 3ft, 60g S; 4ft, 60g	42 36	10 15	Sd Sd	Pl Pl	U U	42 36	D D	J3/4 J1/2	Yield 10 gpm; Ca, L. Yield 20 gpm.
2481	City of Valparaiso	Layne-Northern Co., Inc.	9-14-29	803 Dr	180			53	127	Sd	Pl	U	53	T		L.
2481	M. Ponton	Hub Plumbing Co.	4-10-46	769 J	80	2	S			Sd	Pl	U		D		Yield 15 gpm.
2571	E. Johnson	Fitzgerald Well and Pump Co.	11-14-55	700 J	51	2	S; 3ft, 60g, dia 1			Sd	Pl	U	4	D		Yield 12 gpm; sand overlain by 42 ft brown and blue clay; Ca.
2581	J. Atwood	do	10-8-50	733 J	45	2	S; 3ft, 60g			Sd	Pl	C	13	D	1/3	

Table 2.--Records of wells and test holes in Porter County, Indiana--Continued

Well	Owner	Driller	Date completed	Attitude (feet)	Type of well	Depth of well below land-surface (feet)	Diameter of well (inches)	Finish	Water-bearing zone					Water level (feet)	Use	Type of pump and horsepower	Remarks
									Depth to top (feet)	Thickness (feet)	Character	Geologic age	Conditions of occurrence				
35/6W-2011	Farmers State Bank			692	Dr	88	6										
26J1	Fotias Bargain Center	Porter County Well Service	4-54	701	J	35	2	S; 80g									Formerly observation well Porter 4; water level measured 1.41 ft below land, 10-15-35. Yield 20 gpm; Ca, L.
27Q1	E. O'Drion	Fitzgerald Well and Pump Co.	8-5-56	733	J	56	2	S; 3ft., 60g									Yield 13 gpm; L.
27Q2	G. Durca		9-21-56	733	J	52	2	do									Yield 13 gpm; see log well 27Q1.
28N1	C. P. and A. R. Slowsy		9-16-55	740	J	43	2	S; 2 1/2 ft., 60g, dia 1									Yield 10 gpm; flowed; Ca.
29G1	W. Elder	Porter County Well Service	11-1-56	760	J	87	2	S; 4ft., 60g									Ca, L.
30L1	Mr. Glick	Porter County Well and Pump Co.	8-20-56	755	J	67	2	S; 3ft., 60g									Yield 10 gpm; L.
35/7W-1M1	A. Ludwig		5-8-56	672	J	68	2	S; 5ft., 60g									Yield 4 gpm; L.
1M2	Porter County Co-op.		Spring 1956	665	J	68	4	S; 8ft.									Yield 0 gpm; sand underlain by 89 ft silt; Ca.
2J1	Whooier High School	Westville Well Co.	1953	665	Dr	156	6	S; 8ft., 10w1									Sand overlain by 148 ft clay, silt, and marl; shale at 156 ft; Ca.
2J2	Indiana Associated Telephone Co.	V. Walsh		666	Dr		00-1										Observation well Porter 6; water level measured 6.79 ft below land, 6-11-48; well dug to 44 ft; 4-inch pipe driven in well; total depth unknown; Ca, L.
2K1	E. Zale	Bench Plumbing and Well Co.	7-14-59	655	J	114	2	S; 4ft., 60g, dia 1									Yield 12 gpm; L.
24R1	L. Yarnon	Fitzgerald Well and Pump Co.	4-10-56	770	J	66	2	S; 3ft., 60g									Yield 6 gpm; L.
27C1	H. Hull	E. G. Kinnack	1-28-48	684	Dr	379	8-6	Ch									Observation well Porter 9; water level measured 24.03 ft below land, 8-7-57; L.
35/5W-1R1	A. Couk		6-1897	714	--	64											Flowed 6 gpm; water level reported 4 ft above land, 9-10-1897; Ca, L.
3C1	B. Olson		About 1888	872	J	56	2	S; 3ft., 60g, dia 1									Screen changed 8-14-57; Ca.
3H1	New York Central Railroad	Moore and Son	7-48	682	Dr	78	4	S; 12ft., 64g									L.
3K1	E. Anderson		5-7-43	686	Dr	1,125											Oil test; shale at 170 ft; water-bearing zones in dolomitic limestone at 300-316 ft. at 327 ft. and at 636-680 ft. Flow.
3R1	Chesteron Country Club		About 1901	697	--	78	2 1/2	S									See log well 6M2.
6M1	Indiana State Highway Department	Brighton Engineering Co.	3-59	654	D	30	2 1/2										L, S.
6M2	J. Bukovich		3-59	624	D	50	2 1/2										Yield 5 gpm; L.
7M1	J. Bukovich	Slicker Well and Pump Service	8-22-59	665	J	52	2	S; 4ft., 80g, dia 1									Oil test; bedrock at 244 ft; water-bearing zones at 325 ft and at 755-757 ft; L.
9G1	W. Eglanko	W. Adams	1-18-50	698	Dr	1,310	8-6										Yield 20 gpm; coarse sand overlain by 50 ft blue clay; Ca.
10G1	K. Rankman	Porter County Well Service	10-1-58	720	J	76	2	S; 4ft., 60g									
11R1	Indiana Toll Road Commission	Montville Engineering Co.		701	D	45	2 1/2										
11W2			5-12-54	761	B	40	2 1/2										

Well No.	Company	Location	Depth (ft)	Interval	Yield (gpm)	Notes
1184	Indiana Toll Road Commission	Montville Engineering Co.	5-13-54	778 B	52	L.
1185			5-13-54	760 B	42	L.
1186			5-13-54	802 B	30	L.
1187			5-13-54	788 B	35	L.
1188			5-13-54	797 B	31	L.
1189	J. Peterman	Porter County Well	6-54	840 J	147	See log well 14C2.
1190						Yield 18 gpm; sand from 0-147 ft; Ca. L.
1191						See log well 1502.
1502	Indiana Toll Road Commission	Westville Engineering Co.	5-0-54	631 B	40	L.
1501			5-0-54	747 D	20	L.
1502			5-9-54	752 B	36	L.
1501	H. Englehart	Porter County Well	8-4-55	818 J	145	Yield 40 gpm; Ca. L.
1501						J3/4
16E1	Indiana Toll Road Commission	Westville Engineering Co.	6-21-54	750 D	22	L.
16E2			6-14-54	764 B	22	L.
16G1			7-01-54	704 D	20	L.
16J1			5-9-54	754 B	43	L.
16J2			5-9-54	754 D	36	L.
16K1			5-9-54	757 B	42	L.
16K2			5-9-54	757 D	46	L.
16L1			5-7-54	758 B	44	L.
16L2			5-7-54	757 B	50	L.
16M1			7-6-54	670 B	26	L.
17E1			8-13-54	661 D	42	L.
17E2			6-10-54	666 D	62	L.
17E3			6-10-54	664 B	35	L.
17E4			8-15-54	608 B	72	L.
17E5				666 B	26	L.
17E6				667 D	27	L.
17E7				667 B	24	L.
17E8				666 B	11	L.
17E9				667 D	21	L.
17E10				666 D	25	L.
17E11				668 D	28	L.
17E12				666 D	25	L.
17E13			8-10-54	667 D	25	L.
17E14			7-26-54	667 B	59	L.
17E15			7-26-54	668 D	62	L.
17E16						
17E17			7-27-54	670 D	56	L.
17E18			8-3-54	667 D	46	L.
17E19			8-4-54	670 B	56	L.
17E20			8-10-54	668 B	57	L.
17E21			7-28-54	669 B	52	L.
17E22			8-11-54	669 D	52	L.
17E23			7-29-54	671 D	56	L.
17E24			8-11-54	670 B	56	L.
17E25			7-29-54	672 B	55	L.
17E26			8-21-54	672 D	56	L.
17E27			7-30-54	672 B	55	L.
17E28			8-27-54	674 D	28	L.
17E29			8-21-54	674 B	32	L.
17E30			8-20-54	674 D	32	L.
17E31			8-27-54	675 B	26	L.
17E32			6-12-54	679 B	52	L.
17E33			8-27-54	677 B	22	L.
17E34			8-12-54	681 B	52	L.
17E35			8-12-54	681 D	26	L.
17E36			8-12-54	682 D	32	L.
17E37			8-11-54	682 B	46	L.
17E38			7-13-54	678 B	42	L.
17E39			7-13-54	679 D	72	L.
17E40			7-8-54	745 D	22	L.
17E41						
17E42			8-11-54	675 D	52	L.
17E43			8-10-54	669 D	22	L.
17E44			8-12-54	674 D	52	L.
17E45			8-5-54	671 D	22	L.
17E46			8-16-54	711 B	71	L.
17E47			8-12-54	677 D	46	L.



Table 2.--Records of wells and test holes in Porter County, Indiana--Continued

Well	Owner	Driller	Date completed	Altitude (feet)	Type of well	Depth of well below land-surface (feet)	Diameter of well (inches)	Finish	Water-bearing zone			Water level (feet)	Use	Type of pump and horsepower	Remarks
									Depth to top (feet)	Thickness (feet)	Character				
36/SW-17L7	Indiana Toll Road Commission	Westville Engineering Co.	8-14-54	675 B	B	36	24		10	8	Sd, G	P1	C		L.
17L8	-do-	-do-	7-8-54	673 D	D	32	24				Sd, G	P1	C		L.
17L9	-do-	-do-	8-20-54	671 D	D	67	24				Sd, G	P1	C		L.
17L10	-do-	-do-	8-20-54	677 D	D	42	24		17	4	Sd	P1	C		L.
17L11	-do-	-do-	7-9-54	674 D	D	70	24								L.
17L12	-do-	-do-	8-13-54	679 D	D	65	24								L.
17L13	-do-	-do-	8-11-54	667 D	D	62	24								L.
17M1	-do-	-do-	8-20-54	666 B	B	22	24		21	1	Sd	P1	C		See log well 17M8.
17M2	-do-	-do-	8-21-54	668 B	B	22	24								See log well 17M1.
17M3	-do-	-do-	8-23-54	668 B	B	22	24		17	5	Sd, G	P1	C		See log well 17M17.
17M4	-do-	-do-	8-20-54	673 B	B	22	24								L.
17M5	-do-	-do-	8-20-54	671 B	B	22	24		20	2	Sd	P1	C		See log well 17M8.
17M6	-do-	-do-	8-21-54	667 B	B	22	24		19	3	Sd, G	P1	C		See log well 17M14.
17M7	-do-	-do-	8-21-54	673 D	D	22	24								See log well 17M4.
17M8	-do-	-do-	8-23-54	668 B	B	22	24								Do.
17M9	-do-	-do-	8-23-54	668 B	B	22	24		26	6	Sd	P1	C		See log well 17M8.
17M10	-do-	-do-	8-13-54	665 B	B	36	24								L.
17M11	-do-	-do-	8-12-54	673 D	D	20	24		26	6	Sd	P1	C		See log well 17M17.
17M12	-do-	-do-	8-23-54	666 D	D	28	24								L.
17M13	-do-	-do-	8-12-54	674 D	D	32	24		14	8	Sd	P1	C		See log well 17M19.
17M14	-do-	-do-	8-11-54	668 D	D	42	24								Do.
17M15	-do-	-do-	8-11-54	674 D	D	42	24		16	10	Sd, G	P1	C		See log well 17M17.
17M16	-do-	-do-	8-10-54	668 D	D	27	24		40	10	Sd	P1	C		See log well 17M19.
17M17	-do-	-do-	8-10-54	668 B	B	52	24		39	3	Sd	P1	C		L.
17M18	-do-	-do-	7-11-54	670 B	B	52	24		72	18	Sd	P1	C		Do 15 ft after 8 hr pumping 55 GPM; Ca, L.
17M19	-do-	-do-	6-9-55	660 Dr	Dr	00	24								L.
1801	-do-	-do-	6-9-54	702 D	D	42	24								See log well 18F3.
1802	-do-	-do-	5-7-54	697 D	D	26	24		55	5	Sd	P1	C		L.
18E1	-do-	-do-	6-14-54	702 D	D	42	24		66	14	Sd	P1	C		See log well 18E3.
18E2	-do-	-do-	6-14-54	704 D	D	52	24								Do.
18E3	-do-	-do-	6-9-54	703 D	D	22	24								See log well 18E3.
18E4	-do-	-do-	6-14-54	703 D	D	22	24								Do.
18E5	-do-	-do-	6-7-54	701 B	B	26	24								Do.
18E6	-do-	-do-	7-7-54	690 B	B	22	24		10	10	Sd	P1	C		See log well 18M4.
18E7	-do-	-do-	6-10-54	664 D	D	22	24								L.
18G1	-do-	-do-	8-12-54	668 B	B	26	24		22	4	Sd, G	P1	C		L.
18H1	-do-	-do-	8-21-54	666 D	D	26	24								L.
18H2	-do-	-do-	8-13-54	665 B	B	26	24								L.
18H3	-do-	-do-	8-13-54	664 B	B	26	24								L.
18H4	-do-	-do-	6-10-54	668 B	B	42	24								See log well 18H5.
18H5	-do-	-do-	6-10-54	668 B	B	42	24								See log well 18H3.
18H6	-do-	-do-	8-1-54	665 B	B	22	24		21	1	Sd	P1	C		Do.
18H7	-do-	-do-	8-1-54	670 B	B	22	24		21	1	Sd	P1	C		Do.
18J1	-do-	-do-	8-1-54	665 B	B	22	24		40	50	Sd	P1	C		Viol 20 GPM; coarse and medium sand overlain by 40 ft yellow and blue clay.
18J2	-do-	-do-	2-54	702 J	J	57	24								Viol 12 GPM; Ca.
19K1	R. Rhoda	Porter County Well Service	8-3-55	800 J	J	99	24								Ca, L.
19R1	G. Breann	Fitzgerald Well and Pump Co.	7-24-59	822 J	J	129	89		40	89	Sd	P1			Ca, L.
25A1	R. Turner	Westville Well Co.	7-25-59	780 J	J	75	24								L.
25B1	J. Shuey	Bench Plumbing and Well Co.	3-28-55	805 J	J	90	24								Oil test; bedrock at 80 ft; water-bearing shale from 190-193 ft; L.
25D1	D. Barnard	-do-	7-28-40	725 Dr	Dr	284	6-11								
26Q1	W. and H. Nielsen	-do-													

30/5W-30N1	I. Gaines	Becht Plumbing and Well Co.	7- 7-59	850 J	126	2	S; 4ft, 60g, dia 1	---	---	Sd	PI	---	D	J1/2	Ca. L.
31K1	Shaurs Drive-in E. and R. Dotlin	F. Lee Porter County Well Service	6- 2-46	860 Dr	440	8-31	S	---	---	Sd	PI	---	Do	J1-1/2	Oil test; bedrock at 280 ft; L. Yield 20 gpm; yellow medium sand from 44-149 ft overlain by L. yellow and blue clay; Ca.
36/6W- 2E1	E. Dvondt	Westville Well Co.	8-17-59	645 J	88	2	S; 2 1/2 ft, 60g, dia 1	20	60	Sd	PI	U	28	---	Yield 12 gpm; see log well 2E2.
2E2	R. Wallin	J. Eich and Son	7-11-59	639 J	72	2	S; 3 1/2 ft, 60g, dia 1	22	10	Sd	PI	C	16	---	Yield 10 gpm; L.
4N1	A. Gustafson	Porter County Well Service	7-11-59	639 J	76	2	do	27	15	Sd	PI	C	18	---	Yield 20 gpm; yellow and gray medium sand overlain by 10 ft blue clay.
5K1	Harrigan's Gardens	---	6-18-54	636 J	40	2	S; 4ft, 60g	18	32	Sd	PI	U	18	---	Yield 14 gpm; yellow medium sand overlain by 19 ft yellow and blue clay.
5V1	A. A. Moyer	Fitzgerald Well and Pump Co.	5-18-54	676 J	41	2	S; 3ft, 60g	22	19	Sd	PI	U	22	Ir	Yield 15 gpm; brown sand overlain by 43 ft brown and blue clay.
5N1	A. Jorak	Sieckor Well and Pump Service	10-23-56	623 J	48	2	do	43	9	Sd	PI	C	3	---	Yield 12 gpm; Ca, L.
6H1	Indiana State Highway Department	Drighton Engineering Co.	8-20-59	625 J	67	2	S; 3ft, 60g, dia 1	16	61	Sd	PI	C7	15	D	L, S.
6H2	---	---	2-59	598 B	50	2 1/2	---	---	---	Sd	PI	---	---	---	See log well 6H1.
6H3	---	---	2-59	598 B	30	2 1/2	---	---	---	Sd	PI	---	---	---	Do.
6H9	---	---	2-59	598 B	30	2 1/2	---	---	---	Sd	PI	---	---	---	Yield 7 gpm; well originally 67 ft deep; L.
7F1	X. Winckmeyer	Porter County Well Service	1950	658 J	85	2	S; 4ft, 60g	70	15	Sd	PI	C	31	---	Yield 10 gpm.
8L1	Mr. Wagner	Fitzgerald Well and Pump Co.	8-12-59	610 J	40	2	S; 4ft, 60g, dia 1	---	---	Sd	PI	C	7	D	L.
8L2	National Construction Corp.	Layne-Northern Co., Inc.	8-19-58	605 Dr	31	B	---	8	14	Sd	PI	C	2	T	L.
8N1	---	---	9-18-58	633 Dr	87	6	S	19	61	Sd	PI	U	19	F	L.
8N2	---	---	8-4-58	633 Dr	45	8	---	15	26	Sd, G	PI	U	15	T	L.
9E1	Webb's Railroad Co.	Indiana-Michigan Water Development Co.	8-20-58	633 Dr	70	12	---	16	24	Sd	PI	U	16	T	L.
9E2	---	---	5-15-40	635 Dr	123	5	S	---	---	Sd	PI	---	---	---	Do 60 ft pumping 125 gpm; bedrock at 118 ft; see log well 9E2.
9E3	---	---	5-24-40	635 Dr	118	6	S	---	---	Sd	PI	---	---	---	L.
9E4	---	---	6-10-40	633 Dr	80	10	S; 15ft, 18ml	65	15	Sd	PI	C	---	---	Do 20 ft pumping 165 gpm; observation well Porter 8; water level measured 11,28 ft below 198, 11-29-56; L.
11P1	L. Dieckhoff	Westville Well Co.	7-24-55	635 J	38	3	S; 5ft, 10sl, dia 2	10	29	Sd	PI	U	10	D	See log well 9E3; Ca.
11P2	Commission	---	7-30-54	630 B	14	---	---	13	1	Sd	PI	C	2	T	See log well 11P6.
11P3	---	Westville Engineering Co.	7-30-54	635 B	14	---	---	13	1	Sd	PI	C	---	---	Flooded; see log well 11P6.
11P4	---	---	6-4-54	642 B	46	2 1/2	---	6	---	Sd	PI	C	2	T	See log well 11P6.
11P5	---	---	6-17-54	642 B	72	4	---	---	---	Sd	PI	C	2	T	L.
11P6	---	---	6-4-54	642 B	46	2 1/2	---	15	31	Sd	PI	C	4	T	L.
11Q1	---	---	6-3-54	642 B	48	2 1/2	---	15	25	Sd	PI	C	3	T	L.
11Q2	---	---	6-4-54	642 B	40	2 1/2	---	10	10	Sd	PI	C	4	T	L.
13D1	---	---	6-7-54	648 B	46	2 1/2	---	---	---	Sd	PI	---	---	---	L.
13D2	---	---	6-5-54	650 B	58	2 1/2	---	---	---	Sd	PI	---	---	---	See log well 13D2.
13H1	---	---	6-14-54	664 B	52	4	---	---	---	Sd	PI	---	---	---	See log well 13H2.
13H2	---	---	6-8-54	667 D	56	2 1/2	---	50	5	Sd	PI	C	11	T	L.
13H3	---	---	6-8-54	669 D	32	2 1/2	---	---	---	Sd	PI	C	---	---	See log well 13H2.
13H4	---	---	6-8-54	668 D	32	2 1/2	---	---	---	Sd	PI	C	7	T	L.
13H5	---	---	6-8-54	662 D	56	2 1/2	---	35	20	Sd, G	PI	C	4	T	L.
13H6	---	---	6-12-54	659 D	20	4	---	---	---	G, Sd	PI	C	---	---	See log well 13H2.
13N1	W. A. Sanders	Porter County Well Service	8-18-55	661 J	88	2	S; 4ft, 60g	76	14	G, Sd	PI	C	18	D	Ca, L.
13N2	J. A. Kanko	Fitzgerald Well and Pump Co.	9-22-55	662 J	43	2	S; 2 1/2 ft, 60g, dia 1	---	---	Sd	PI	C	10	D	Yield 15 gpm; Ca.
14A1	Indiana Toll Road Commission	Westville Engineering Co.	6- 5-54	650 D	46	2 1/2	---	---	---	Sd	PI	---	---	---	See log well 14A2.
14A2	---	---	6-16-54	656 D	72	4	---	---	---	Sd	PI	---	---	---	L.
14A3	---	---	6-10-54	650 D	82	4	---	---	---	Sd	PI	---	---	---	See log well 14A2.
14A4	---	---	6-8-54	651 B	42	2 1/2	---	---	---	Sd	PI	---	---	---	Do.
14N1	L. Escherman	Westville Well Co.	7- 9-59	648 J	38	2	S; 3ft, dia 1	38	11	Sd, G	PI	C	9	D	L.
14S1	Indiana Toll Road Commission	Westville Engineering Co.	6-18-54	649 B	52	---	---	35	17	Sd, G	PI	C	4	T	L.
15C1	---	---	6- 4-54	640 D	42	2 1/2	---	20	22	Sd	PI	C	3	T	Gray, silty, fine sand overlain by 20 ft brown and gray calcareous clay.
15C2	---	---	6- 4-54	639 D	42	2 1/2	---	15	27	Sd	PI	C	7	T	Gray fine sand overlain by 15 ft gray and brown mottled clay.
15C3	---	---	8-19-54	640 D	96	4	---	---	---	Sd	PI	C	---	---	L.

Table 2.--Records of wells and test holes in Porter County, Indiana--Continued

Well	Owner	Driller	Date completed	Altitude (feet)	Type of well	Depth of well below land surface (feet)	Diameter of well (inches)	Finish	Water-bearing zone				Use	Remarks		
									Depth to top (feet)	Thickness (feet)	Character	Geologic era			Conditions of occurrence	Water level (feet)
36/8W-15C4	Indiana Toll Road Commission	Westville Engineering Co.	6-4-54	640 B	32	2 1/2	---	---	15	17	Sd	Pl	C	5	T	Gray fine sand overlain by 15 ft gray and brown, mottled, sandy clay.
15C5	---	---	4-3-54	640 D	92	---	---	---	---	---	Sd	Pl	C	4	T	See log well 15C3.
15D1	---	Westville Engineering Co.	6-3-54	638 B	42	2 1/2	---	---	---	---	Sd	Pl	C	---	---	Brown fine sand overlain by 7 ft gray dome silt with bedded coarse sand and gravel.
15D2	---	---	8-23-54	639 D	72	4	---	---	---	---	Sd	Pl	C	4	T	See log well 16M4.
16A1	---	---	6-3-54	638 B	40	2 1/2	---	---	---	---	Sd	Pl	C	3	T	See log well 16M4.
16A2	---	---	6-3-54	638 B	42	2 1/2	---	---	---	---	Sd	Pl	C	4	T	See log well 16M4.
16A3	---	---	6-3-54	639 D	42	2 1/2	---	---	---	---	Sd	Pl	C	4	T	See log well 16M4.
16A4	---	---	6-3-54	632 B	88	2 1/2	---	---	---	---	Sd	Pl	C	5	T	See log well 16M4.
16A5	---	---	6-5-54	636 B	48	2 1/2	---	---	---	---	Sd	Pl	C	5	T	See log well 16M4.
16B1	---	---	8-22-54	641 D	80	2 1/2	---	---	---	---	Sd	Pl	C	11	T	See log well 16M4.
16D2	---	---	6-22-54	638 B	72	2 1/2	---	---	---	---	Sd	Pl	C	11	T	See log well 16M4.
16E1	---	---	7-7-54	638 B	52	2 1/2	---	---	---	---	Sd	Pl	C	12	T	See log well 16M4.
16E2	---	---	6-21-54	637 D	71	2 1/2	---	---	---	---	Sd	Pl	C	12	T	See log well 16M4.
16E3	---	---	6-21-54	640 B	62	2 1/2	---	---	---	---	Sd	Pl	C	2	T	See log well 16M4.
16E4	---	---	6-23-54	640 B	62	2 1/2	---	---	---	---	Sd	Pl	C	2	T	See log well 16M4.
16E5	---	---	6-24-54	641 B	66	2 1/2	---	---	---	---	Sd	Pl	C	10	T	See log well 16M4.
16E6	---	---	6-24-54	637 B	56	2 1/2	---	---	---	---	Sd	Pl	C	11	T	See log well 16M4.
16E7	---	---	6-25-54	636 B	62	2 1/2	---	---	---	---	Sd	Pl	C	12	T	See log well 16M4.
16E8	---	---	6-26-54	636 B	56	2 1/2	---	---	---	---	Sd	Pl	C	10	T	See log well 16M4.
17E1	---	---	6-18-54	634 B	80	2 1/2	---	---	---	---	Sd	Pl	C	9	T	See log well 16M4.
17E1	---	---	7-2-54	616 B	44	2 1/2	---	---	---	---	Sd	Pl	C	5	T	See log well 16M4.
17E2	---	---	7-20-54	608 D	18	2 1/2	---	---	---	---	Sd	Pl	C	2	T	See log well 16M4.
17E3	---	---	7-20-54	608 D	20	---	---	---	---	---	---	---	---	---	---	Silty sand overlain by 17 ft peat and clay.
17E4	---	---	7-17-54	610 B	23	---	---	---	---	---	Sd	Pl	C	1	T	Soft clay overlain by 18 ft clayey peat.
17H1	---	Westville Engineering Co.	8-25-54	626 B	58	2 1/2	---	---	---	---	Sd	Pl	C	---	---	Silty sand overlain by 22 ft peat and clay.
17H2	---	---	6-21-54	636 B	50	2 1/2	---	---	---	---	Sd	Pl	C	---	---	See log well 17H1.
17H1	---	---	6-18-54	610 B	42	2 1/2	---	---	---	---	Sd	Pl	C	---	---	See log well 17H1.
17K3	---	---	8-10-54	609 B	32	2 1/2	---	---	---	---	Sd	Pl	C	---	---	Do.
17K4	---	---	6-19-54	611 B	42	2 1/2	---	---	---	---	Sd	Pl	C	4	T	Do.
17K5	---	Westville Engineering Co.	7-17-54	610 D	20	2 1/2	---	---	---	---	Sd	Pl	C	2	T	See log well 17K3.
17K6	---	---	7-6-54	611 D	51	2 1/2	---	---	---	---	Sd	Pl	C	4	T	See log well 17K7.
17K7	---	Westville Engineering Co.	7-17-54	610 D	51	2 1/2	---	---	---	---	Sd	Pl	C	4	T	Do.
17K8	---	---	2-2-54	611 B	58	2 1/2	---	---	---	---	Sd	Pl	C	6	T	Do.
17K9	---	---	7-1-54	610 B	48	2 1/2	---	---	---	---	Sd	Pl	C	4	T	See log well 17K7.
17K10	---	---	7-1-54	610 D	52	2 1/2	---	---	---	---	Sd	Pl	C	2	T	See log well 17K7.
17K11	---	---	6-20-54	610 D	62	2 1/2	---	---	---	---	Sd	Pl	C	2	T	See log well 17K7.
17L1	---	---	7-2-54	612 B	45	2 1/2	---	---	---	---	Sd	Pl	C	5	T	See log well 17K7.
17L2	---	---	6-18-54	626 B	20	2 1/2	---	---	---	---	Sd	Pl	C	---	---	See log well 17L1.
17L3	---	---	6-18-54	632 B	32	2 1/2	---	---	---	---	Sd	Pl	C	---	---	See log well 17L1.
17M1	---	---	6-25-54	624 B	32	2 1/2	---	---	---	---	Sd	Pl	C	18	T	See log well 17M1.
17M2	---	---	6-17-54	620 D	66	2 1/2	---	---	---	---	Sd	Pl	C	12	T	See log well 17M1.
17M3	---	Westville Engineering Co.	8-24-54	635 B	67	2 1/2	---	---	---	---	Sd	Pl	C	12	T	See log well 17M1.
17M4	---	---	8-21-54	634 B	22	2 1/2	---	---	---	---	Sd	Pl	C	15	T	Tan, silty, fine sand overlain by 2 ft top soil and yellow sandy silt.
17M5	---	---	6-18-54	625 D	22	2 1/2	---	---	---	---	Sd	Pl	C	---	---	See log well 17M3.
18C1	---	---	6-16-54	638 D	52	2 1/2	---	---	---	---	Sd	Pl	C	4	T	See log well 18C2.

36/64-18C2	Indiana Toll Road Commission	Westville Engineering Co.	6-16-54	635 D	72	2 1/2	7	50	Sd	P1	U	7	T	---	L.
18C3	-----do-----	-----do-----	5-16-54	536 B	52	2 1/2	5	47	Sd	P1	U	5	T	---	See log well 18C2.
18C4	-----do-----	-----do-----	8-24-54	635 D	72	2 1/2	35	27	Sd,G	P1	C	5	T	---	L.
18D1	-----do-----	-----do-----	6-13-54	638 D	42	2 1/2	6	29	Sd	P1	C	1	T	---	L.
18E1	-----do-----	Porter County Well	6-20-56	632 J	55	2	50	7	G	P1	C	---	D	J1/4	Yield 20 gpm; Ca. L.
18F1	-----do-----	Service	8-15-54	636 D	46	2 1/2	5	41	Sd	P1	U	5	T	---	See log well 18F2.
18F2	-----do-----	Co.	6-15-54	636 B	76	2 1/2	5	65	Sd,G	P1	U7	4	T	---	L.
18F3	-----do-----	-----do-----	6-30-54	638 D	76	2 1/2	7	57	Sd,G	P1	C	5	T	---	See log well 18F2. Do.
18F4	-----do-----	-----do-----	6-29-54	638 B	72	2 1/2	8	57	Sd	P1	C	---	T	---	L.
18F5	-----do-----	-----do-----	6-28-54	638 B	76	2 1/2	---	---	Sd	P1	C	---	T	---	L.
18F6	-----do-----	-----do-----	6-20-54	636 B	60	2 1/2	5	52	Sd	P1	---	6	T	---	See log well 18F2.
18F7	-----do-----	-----do-----	6-25-54	638 B	76	2 1/2	---	---	Sd	P1	C	4	T	---	See log well 18F5.
18F8	-----do-----	-----do-----	6-28-54	630 B	66	2 1/2	---	---	Sd	P1	C	7	T	---	L.
18F9	-----do-----	-----do-----	6-17-55	620 B	66	2 1/2	---	---	Sd	P1	C	---	T	---	L.
18F10	-----do-----	-----do-----	2-24-55	634 B	56	2 1/2	---	---	---	---	---	---	T	---	See log well 18F10.
18F11	-----do-----	-----do-----	2-24-55	635 B	22	---	---	---	---	---	---	---	T	---	L.
18F12	-----do-----	Westville Engineering Co.	3-3-55	634 D	32	---	1	31	Sd	P1	U	1	T	---	L.
18G1	-----do-----	-----do-----	2-25-55	634 B	46	---	1	45	Sd	P1	U	1	T	---	L.
18H1	-----do-----	Westville Engineering Co.	6-19-54	633 B	72	2 1/2	---	---	Sd	P1	---	---	T	---	L.
18J1	-----do-----	-----do-----	6-17-54	630 D	52	2 1/2	---	---	Sd	P1	---	---	T	---	L.
19L1	T. Raoby	Fitzgerald Well and Pump Service	8-12-59	643 J	42	2	36	6	Sd	P1	C	18	D	J1/3	Brown and gray fine sand overlain by 6 ft brown and gray silty clay. Yield 10 gpm; white sand overlain by 36 ft brown and blue clay; Ca.
19P1	J. Javngen	Porter County Well	6-2-55	658 J	46	2	39	23	Sd	P1	C	15	D	P	Fine sand overlain by 38 ft blue clay and silt. Yield 12 gpm; white fine sand overlain by 39 ft top soil and blue clay.
19Q1	S. Granowski	-----do-----	4-54	652 J	46	2	39	7	Sd	P1	C	15	---	---	See log well 20A2.
20A1	Indiana State Highway Department	-----do-----	5-12-54	646 D	35	---	---	---	---	---	---	---	T	---	---
20A2	-----do-----	-----do-----	5-12-54	648 D	53	---	---	---	---	---	---	---	T	---	---
20C1	J. Klich	J. Eich and Son	7-8-59	647 J	40	2	31	15	Sd,G	P1	C	25	D	J1/4	Yield 9 gpm; Ca. L. Yield 13 gpm; gray fine to medium sand overlain by 39 ft blue clay.
22P1	A. Coates	Fitzgerald Well and Pump Co.	---	655 J	40	2	39	24	Sd	P1	C	8	D	---	---
22P2	S. Slak	-----do-----	Summer 1955	655 J	36	2	20	16	Sd	P1	C	10	D	J1/3	Fine sand overlain by 26 ft top soil and clay. Yield 12 gpm; fine to medium sand overlain by 39 ft brown and blue clay.
22P3	E. Ruzloy	-----do-----	11-55	655 J	46	2	30	13	Sd	P1	C	8	D	---	---
22P4	Mr. Garland	-----do-----	5-25-58	660 J	46	2	42	6	Sd	P1	C	10	D	J	Yield 10 gpm; sand overlain by 42 ft brown and blue clay. Flows; discharge 2.5 gpm measured 10-30-58; Ca.
23P1	R. Trumbull	K. and A. Drilling Co.	---	645 J	---	2	---	---	Sd	P1	C	---	---	---	---
23R1	C. Muzio	Porter County Well	5-1-50	700 J	121	2	35	96	Sd,G	P1	C	24	P	J	Yield 15 gpm; sand and gravel overlain by 35 ft blue clay; Ca.
25A1	L. Wehner	Fitzgerald Well and Pump Co.	8-20-59	680 J	69	2	65	5	Sd,G	P1	C	---	D	---	Yield 12 gpm; white sand and gravel overlain by 65 ft brown clay, sand, and gravel. Well deepened in sand and gravel from 55-67 ft. Yield 30 gpm; medium sand overlain by 30 ft blue clay.
26H1	H. Borg	Porter County Well	Sp-155	723 J	67	2	---	---	G,Sd	P1	C	28	D	L3/4	---
27A1	O. Latos	Fitzgerald Well and Pump Co.	1953	670 J	49	3	30	22	Sd	P1	C	20	P	J2	---
31E1	B. T. Gloyenko	Dofero	5-12-54	662 J	163	4	---	---	Sd	P1	---	---	---	L	---
32A1	Indiana State Highway Department	-----do-----	9-8-53	652 J	123	---	---	---	Sd,G	P1	---	---	T	---	Doerock at 123 ft.
32C1	Sevon Dolors	Westville Well Co.	9-15-53	652 Dr	140	---	---	---	G,Sd	P1	C	---	T	---	Doerock at 140 ft; L.
32C2	-----do-----	-----do-----	9-16-53	652	145	---	---	---	G,Sd	P1	C	---	T	---	L.
32C3	-----do-----	-----do-----	9-17-53	653	145	---	---	---	Sd	P1	C	---	T	---	Doerock at 120 ft.
32C4	-----do-----	-----do-----	1-30-54	653 Dr	135	4	85	20	Sd,G	P1	C	10	P,S	T5	Ca. L.
32D1	W. G. Drummond	J. Eich and Son	7-7-59	642 J	97	2	35	52	Sd,G	P1	C	25	D	---	Yield 13 gpm; L.
33D1	Indiana State Highway Department	-----do-----	3-12-54	621 D	42	---	18	6	Sd	P1	C	4	T	---	L.
34F1	Department of Girl Scouts of Chicago	T. Wozniak	7-56	695 J	47	3	15	32	Sd	P1	C	---	P	J1/3	Flowed; sand overlain by 15 ft yellow clay; Ca.

Table 2.--Records of wells and test holes in Porter County, Indiana--Continued

Well	Owner	Driller	Date completed	Altitude (feet)	Type of well	Depth of well below land-surface (feet)	Diameter of well (inches)	Finish	Water-bearing zone				Water level (feet)	Use	Type of pump and horsepower	Remarks
									Depth to top (feet)	Thickness (feet)	Character	Geologic age				
36/6W-30D1	A. Hanrahan	San Juan Oil and Gas Co.	4-4-31	765 Dr	202	10	Oh									Formerly observation well. Porter 5; water level measured 42.17 ft below lhd, 10-15-35; L.
J0E1	P. R. Carter	Porter County Well Service	5-30	735 J	84	2	S; 4ft, 60g							J3/4		Yield 15 gpm; sand and gravel overlain by 21 ft clay and sand; Ch.
36/7W-1F1	Indiana State Highway Department		7-11-38	618 D	30											Brown, wet, fine sand overlain by 4 ft sandy loam.
1F2			7-11-38	614 B	30											Do.
1F3			7-11-38	612 B	30											Do.
1G1			7-11-38	618 D	30											Do.
1G2			7-11-38	612 D	30											Do.
1R1	Mr. Banner	Westville Well Co.	7-1-39	610 J	59	3	S; 5ft, 10gal, dia 2									L.
3E1	Moore Soil Corp.	Mr. Samuelson	1-1933	610 J	30	3	S									Ch.
3P1	Indiana State Highway Department	Indiana State Highway Department	7-10-37	595 D	35											Brown sand overlain by 4 ft loam and sand.
3P2			7-10-37	598 D	35											Do.
10C1			7-10-37	591 D	30											Brown sand overlain by 7 ft loam and muck.
10C2			7-10-37	595 D	45											Brown sand overlain by 4 ft loam and muck.
10C3			7-10-37	597 D	30											See log well 10C5.
10C4			7-10-37	595 B	30											Brown sand overlain by 7 ft loam and muck.
10C5			7-10-37	591 D	30											L.
10D1			7-10-37	594 D	30											L.
10D2			7-10-37	594 D	30											See log well 10D1.
10D3			7-10-37	590 B	30											See log well 10C5.
10D4			7-10-37	592 D	30											Do.
10D5			7-10-37	597 B	30											Do.
10D6			7-10-37	504 B	30											Do.
10D7			7-10-37	595 D	30											Do.
10D8			7-10-37	501 B	30											See log well 10C5.
10E1	Indiana Toll Road Commission	Westville Engineering Co.	6-30-54	556 D	58	2 1/2										L.
10E2			6-28-54	505 B	66	4										L.
10E3			7-1-54	505 B	56	2 1/2										See log well 10E1.
10E4			6-28-54	595 D	55											Gray, silty, fine sand from 0-48 ft with 3 ft soft gray clay at 20 ft.
10K5			7-1-54	595 D	102	2 1/2										L.
10F1			5-29-54	612 D	82	2 1/2										L.
10G1			5-29-54	612 D	52	2 1/2										See log well 10F1.
10G2			5-29-54	612 D	60	2 1/2										Do.
10H1			5-29-54	626 D	62	2 1/2										Do.
10J1			5-29-54	620 B	32	2 1/2										Do.
10L1			5-27-54	611 B	50											Brown and gray fine sand overlain by 15 ft silt and clay.
10L2			4-21-54	611 B	122	2 1/2										L.
11K1			5-28-54	623 B	52											Brown and gray fine sand from 0-52 ft.
11K2			6-0-54	616 B	104	2 1/2										L.
11K3			5-30-54	622 B	90	2 1/2										See log well 11K2.
11K4			5-30-54	617 B	70	2 1/2										L.
11K5			5-30-54	615 B	64	2 1/2										See log well 11K4.
11K6			5-30-54	615 B	68	2 1/2										Do.
11W			5-30-54	615 B	63	2 1/2										See log well 11K6.

38/77-1188	Indiana Toll Road Commission	Westville Engineering Co.	6- 8-54	611 B	106	4	S; 4ft, 60g	---	Sd	Pl	C, U	2 T	---	L.
11N1	M. Harung	Porter County Well Service	7- 3-56	622 J	34	2		26	Sd	Pl C	C	20 D	---	Yield 8 gpm; fine sand overlain by 26 ft yellow sand and blue clay. See log well 11N5.
11N2	Indiana Toll Road Commission	Westville Engineering Co.	8- 1-54	622 D	76	2 1/2		8	Sd	Pl U	U	8 T	---	Do.
11N3	-----do-----	-----do-----	5-18-54	625 B	60	2 1/2		6	Sd	Pl U	U	6 T	---	Do.
11N4	-----do-----	-----do-----	5-17-59	626 B	40	2 1/2		8	Sd	Pl U	U	8 T	---	Do.
11N5	-----do-----	-----do-----	5-28-54	626 B	46	2 1/2		8	Sd	Pl C7	---	8 T	---	See log well 11N5.
11N6	-----do-----	-----do-----	5-18-54	626 B	40	2 1/2		7	Sd	Pl C7	---	4 T	---	Do.
11N7	-----do-----	-----do-----	5-19-54	626 B	40	2 1/2		7	Sd	Pl C7	---	4 T	---	Yield 20 gpm; Ca, L.
11P1	J. M. Plummer	Porter County Well Service	10-25-56	652 J	42	2	S; 4ft, 60g	35	Sd	Pl C	C	12 D	LI/6	
11P2	Indiana Toll Road Commission	Westville Engineering Co.	5-10-54	626 D	55	2 1/2		5	Sd	Pl U7	U7	7 T	---	L.
11Q1	Suburban Home	Layne-Northon Co., Inc.	4- 9-59	630 Dr	55	6		6	Sd	Pl U	U	6 T	---	See log well 11P2.
11R1	Indiana Toll Road Commission	Westville Engineering Co.	6- 1-54	653 B	46	2 1/2		9	Sd	Pl U	U	9 T	---	Brown and gray fine sand from 0-46 ft.
11R2	-----do-----	-----do-----	6- 1-54	633 B	72	2 1/2		3	Sd	Pl U	U	3 T	---	See log well 11R2.
11R3	-----do-----	-----do-----	6- 9-54	633 B	86	4		2	Sd	Pl U	U	2 T	---	L.
12D1	P. A. Spoor	Porter County Well Service	10-27-56	650 J	81	2	S; 4ft, 60g	27	Sd	Pl U	U	27 D	J/4	Yield 15 gpm; yellow medium sand overlain by 24 ft yellow sand and clay. Yield 5 gpm; fine sand overlain by 35 ft yellow sand and blue clay.
12J1	A. L. Brown	-----do-----	9-30-55	640 J	90	2	-----do-----	35	Sd	Pl C	C	10 S	---	L.
12J2	-----do-----	-----do-----	8-55	638 J	94	2	S; 4ft, 80g	---	Sd	Pl U	---	---	---	Gray fine sand overlain by 36 ft gray sandy silt and clay. See log well 12N1.
12N1	Indiana Toll Road Commission	Westville Engineering Co.	6- 2-54	639 B	56	2 1/2		2	Sd	Pl U	---	2 T	---	Yield 10 gpm; see log well 12Q5; Ca.
12N2	-----do-----	-----do-----	0- 1-54	639 B	56	2 1/2		2	Sd	Pl U	---	2 T	---	See log well 12Q5.
12N3	-----do-----	-----do-----	0- 2-54	633 B	52	2 1/2		2	Sd	Pl U	---	2 T	---	Do.
12Q1	R. J. Arnevin	J. Eich and Son	7-13-55	640 J	28	2	S; 3 1/2 ft, 60g, dia 1	21	Sd, G	Pl U	---	17 D	---	See log well 12R4.
12Q2	W. Ward	-----do-----	7-14-58	640 J	38	3	S; 4ft, 60g, dia 2	17	Sd	Pl U	U	17 D	---	Yield 14 gpm; see log well 12Q5.
12Q3	Indiana Toll Road Commission	Westville Engineering Co.	6- 2-54	637 B	42	2 1/2		8	Sd	Pl C	C	5 T	---	See log well 12Q5.
12Q4	-----do-----	-----do-----	8- 2-54	638 B	42	2 1/2		8	Sd	Pl C7	C7	5 T	---	Do.
12Q5	-----do-----	-----do-----	6- 2-54	637 B	96	2 1/2		8	Sd	Pl C7	C7	5 T	---	See log well 12Q5.
12R1	-----do-----	-----do-----	6- 2-54	637 B	42	2 1/2		0	Sd	Pl C	C	5 T	---	See log well 12R4.
12R2	-----do-----	-----do-----	6- 3-54	637 B	42	2 1/2		8	Sd	Pl C	C	5 T	---	Do.
12R3	-----do-----	-----do-----	6-11-54	637 B	86	4		---	Sd	Pl C	C	5 T	---	L.
12R4	-----do-----	-----do-----	6- 2-54	638 B	62	2 1/2		10	Sd	Pl C	C	5 T	---	Yield 15 gpm; coarse sand overlain by 35 ft yellow sand and blue clay.
13A1	J. Oehon	Porter County Well Service	5-19-56	637 J	44	2	S; 4ft, 80g	35	Sd	Pl C	C	17 D	J1/4	Yield 20 gpm; L.
13D1	Mr. Harung	Westville Well Co.	8- 4-59	634 J	39	2	S; 2 1/2 ft, 60g, dia 1	33	Sd	Pl C	C	16 D	---	See log well 12M1; Ca.
13M1	Industrial Lumber Co.	Porter County Well Service	9-21-58	635 J	44	2	S; 4ft, 60g	30	Sd	Pl C	C	12 D	---	Yield 15 gpm; see log well 15J2.
13W2	D. Watson	Westville Well Co.	6-20-59	635 J	45	2	S; 2 1/2 ft, 60g, dia 1	30	Sd	Pl C	C	10 D	---	Yield 30 gpm.
15E1	A. Golts	Fitzgerald Well and Pump Co.	Summer 1955	625 J	40	2	S; 3ft, 60g, dia 1	19	Sd	Pl C	C	0 P	---	Yield 13 gpm; L.
15J1	R. Tonkovich	Porter County Well Service	10-15-55	633 J	52	3	S; 5ft, 60g, dia 2	---	Sd	Pl C	C	21 D	LI/4	Yield 12 gpm; L.
15J1	A. Lightfoot	Porter County Well Service	8-21-56	633 J	45	2	S; 4ft, 60g	28	Sd	Pl C	C	21 D	---	Yield 14 gpm; L.
15J2	F. Page	J. Eich and Son	6- 6-59	632 J	44	2	S; 4ft, 60g, dia 1	21	Sd	Pl C	C	21 D	---	Yield 18 gpm; L.
15K1	A. Jacobs	Porter County Well Service	10-28-58	623 J	53	2	S; 4ft, 80g	44	Sd	Pl C	C	---	J1/3	Yield 5 gpm.
15Q1	P. Beannington	Fitzgerald Well and Pump Co.	12-20-55	633 J	40	2	S; 3ft, 60g, dia 1	21	Sd	Pl C	C	1 D	---	Yield 13 gpm; L.
15R1	W. Rollins	Porter County Well Service	8-21-56	652 J	44	2	S; 4ft, 60g	38	Sd	Pl C	C	18 D	LI/4	Yield 12 gpm; L.
23R1	L. Miller	Fitzgerald Well and Pump Co.	3- 1-56	635 J	24	2	S; 3ft, 60g	---	Sd	Pl C	---	5	---	Yield 13 gpm; white sand overlain by 17 ft brown and blue clay; Ca.
23R2	Mrs. Carr	-----do-----	8-28-50	633 J	21	2	-----do-----	17	Sd	Pl C	---	3 P	---	Yield 7 gpm; fine sand overlain by 63 ft blue clay and marl; Ca.
25F1	M. Hatala	Porter County Well Service	3-25-54	652 J	67	2	S; 4ft, 80g	60	Sd	Pl C	C	35 D, S	J1/2	L.
34F1	C. Riny	Westville Well Co.	7-20-59	635 J	137	3	S; 5ft, 10in, dia 1	114	Sd, G	Pl C	---	7 D	---	Do 53 ft after 23.5 hr pumping 30 gpm.
36A1	U. S. Government	Wohling Well Works	1958	672 Dr	550	10	OK	---	La	D C	---	32 R	---	Do 66 ft after 5 hr pumping 12 gpm; Ca, L.
36A2	-----do-----	Miller Artesian Well Co.	11- 7-56	670 Dr	148	---	S	---	G, Sd	Pl C	---	34 P	---	

Table 2.---Records of wells and test holes in Porter County, Indiana---Continued

Well	Owner	Driller	Date completed	Altitude (feet)	Type of well	Depth of well below land-surface (feet)	Diameter of well (inches)	Finish	Water-bearing zone				Use	Remarks
									Depth to top (feet)	Thickness (feet)	Character	Geologic age		
36/7W-30A3	U. S. Government	Miller Artesian Well Co.	1- 7-57	670 Dr	150	30	Gp; S; 30x1, dia 8					P	Dd 39 ft after 16 hr pumping 28 gpm; Ca, L. Medium to coarse sand overlain by 105 ft blue clay and gravel.	
36D1	J. Giova	Fitzgerald Well and Pump Co.	Summer 1955	642 J	112	2	S; 7ft, 60g					J1/2		
36J1	R. Crisman		Before 1902	682 J	140	2	S; 4ft					D, S		
36P1	A. Baergler		Before 1935	677 --	100	3	S					N		
36P2	U. S. Government	Wobling Well Works	7- 3-56	660 Dr	248	16-10	Oh					P	Dd 43 ft after 22 hr pumping 60 gpm; L.	
36P3		J. P. Miller Artesian Well Co.	11- 2-56	670 Dr	136	5	S					T	Dd 68 ft after 4.5 hr pumping about 25 gpm; bedrock at 139 ft; L.	
36P4			11-13-56	670 Dr	130	4						T	See log well 36P3.	
36P5			12-35	665 Dr	127	8	Gp; S; 30x1					P	Dd 35 ft after 18 hr pumping 60 gpm; see log well 36P3; Ca.	
36Q1	J. Baergler		Before 1935	684 J	110	2	S; 3ft					D, S		
37/5W- 1A1	H. D. Wood		1875	617 Dr	664	10						N	Flow; discharge 30 gpm measured 3-21-58; bedrock at 245 ft; Ca, L. Flowed; L.	
1B1	Ma's Shack	Lakeland Well Driller	7-26-58	620 J	101	2	S; 4ft, 100g, dia 1 1/2					P	Yield 10 gpm; brown sand from 0-38 ft; Ca.	
2Q1	G. Schlundt	Hunt's Hoosier Hardware	7- 8-59	630 J	38	2	S; 3ft, 60g, dia 1 1/2					J1/2	Yield 20 gpm; sand from 0-60 ft; Ca.	
2J1	C. Adamenis	Lakeland Well Driller	8-29-57	640 J	60	2 1/2	S; 6ft, dia 1 1/2					D	Yellow sand from 0-47 ft.	
2G1	C. E. Anderson	Porter County Well Service	9-49	630 J	47	2	S; 4ft, 60g					L		
2L1	R. Christopher	Westville Well Co.	5- 9-56	622 J	31	2	S; 4ft					J	Ca.	
2M1	L. Cipe	Hunt's Hoosier Hardware	5-12-56	662 J	100	2	S; 4ft, 60g, dia 1 1/2					J1/2	Yield 13 gpm; L.	
13H1	Indiana State Highway Department	Brighton Engineering Co.	11-12-56	635 D	30	2 1/2						T	See log well 14X3.	
14M1			11-15-58	655 B	30	2 1/2						T	Do.	
14M2			11-17-58	654 D	30	2 1/2						T	L. S.	
14M3			11-18-58	655 B	50	2 1/2						T	Yield 15 gpm; L.	
16J1	L. Farnoss	Porter County Well Service	8-28-56	676 J	38	2	S; 4ft, 60g					J	Yield 15 gpm; Ca, L.	
16K1	F. Wozniak	Porter County Well Service	4-14-54	650 J	120	2	S; 2ft, 60g, dia 1 1/2					D	Yield 12 gpm; Ca, L.	
10B1	L. E. Stuck	Slicker Well and Pump Service	7-24-56	630 J	25	2	S; 4ft, 60g					D	Yield 15 gpm; L.	
19Q1	A. Clark	Porter County Well Service	4-54	657 J	87	2	S; 4ft, 60g					D	Medium sand and gravel overlain by 64 ft blue clay.	
19Q2	D. Kottler		10-15-56	662 J	78	3	S; 6ft, 60g, dia 1 1/2					J1/4	Yield 50 gpm; very coarse sand overlain by 69 ft blue clay.	
21M1	P. Powell		9-10-55	650 J	46	2	S; 4ft, 60g					J1/2	Yield 20 gpm; yellow and gray sand overlain by 35 ft blue clay; Ca.	
24H1	Indiana State Prison	Indiana-Michigan Water Development Co.	8-10-38	659 Dr	67	4	S; 7ft, 15x1					P	Dd 2 ft pumping 12 gpm; gravel and sand overlain by 61 ft clay.	
24H2			9- 6-41	661 Dr	60	6	S; 10ft, 30x1					T3	Dd 10 ft pumping 150 gpm; gravel overlain by 48 ft clay; Ca.	
28D1	Indiana State Highway Department	Brighton Engineering Co.	2-59	645 B	50	2 1/2						T	L. S.	
28D2			2-59	645 B	30	2 1/2						T	See log well 28D3.	

Well No.	Company	Location	Depth	Drill Date	Drill Bit	Drill Size	Drill Type	Drill Method	Drill Notes	Drill Status	Drill Date	Drill Time	Drill Cost	Drill Yield	Drill Pressure	Drill Temperature	Drill Remarks
28P1	Indiana State Highway Department	M. Dobrowski	644	2-59	644	J	43	2	S; 4ft, 60g, dia 1	39	4	4	4	15	D	L.	Yield 12 gpm; Ca, L.
28R1	J. Pluta	Westville Well Co.	643	5-40	643	Dr	1,105	2	S; 3ft, dia 1	42	3	3	3	10	D	J	Oil test; L. Ca, L. See log well 30N2.
29J1	J. Nemoth	Drighon Engineering Co.	647	3-59	647	A	30	2									L, S. See log well 30R2. Do. Do. L. See log well 30R4. L, S. L. See log well 31C4. Do. L, S. L. Yield 20 gpm; gray coarse sand overlain by 41 ft blue clay. Yield 18 gpm; sand overlain by 38 ft blue clay; Ca.
30N2	Drighon Engineering Co.		646	3-59	646	D	30	2									See log well 31L.
30Q1	Drighon Engineering Co.		648	3-59	648	D	30	2									Do. Do. Do.
30R1	Drighon Engineering Co.		651	3-59	651	D	30	2									Do 21 ft pumping 600 gpm; screen, top 15 ft 20 slot, lower 5 ft 40 slot; see log well 31N2.
30R2	Drighon Engineering Co.		651	3-59	651	D	30	2									Do 23 ft pumping 855 gpm; L. See log well 31P4.
30R3	Drighon Engineering Co.		651	3-59	651	D	30	2									Do. Do. L, S.
30R4	Drighon Engineering Co.		651	3-59	651	D	30	2									Do 5 ft pumping 10 gpm; Ca, L.
31C1	Drighon Engineering Co.		638	3-59	638	B	30	2									Do 34 ft after 8 hr pumping 240 gpm; bedrock at 115 ft; Ca, L. Do 70 ft pumping 25 gpm; L.
31C2	Drighon Engineering Co.		638	3-59	638	B	30	2									Do 105 ft pumping 7 gpm; bedrock at 135 ft, L. Do 50 ft pumping 90 gpm; L. Formerly observation well.
31C3	Drighon Engineering Co.		638	3-59	638	B	30	2									Porter 2; water level measured 13.89 ft below land, 10-18-35; sand from 0-22 ft. Fine to medium sand from 0-18 ft.
31C4	Drighon Engineering Co.		638	3-59	638	B	30	2									Fine to medium sand from 0-18 ft. Sand from 0-17 ft. Sand from 0-20 ft. Sand from 0-19 ft.
31C5	Drighon Engineering Co.		638	3-59	638	B	30	2									Formerly observation well Porter 3; water level measured 15.50 ft below land, 10-18-35; sand from 0-18 ft.
31H1	Porter County Well Service		639	9-8-55	639	J	47	2	S; 4ft, 60g	41	19	19	19	18	D	L, S.	Yield 20 gpm; gray coarse sand overlain by 41 ft blue clay. Yield 18 gpm; sand overlain by 38 ft blue clay; Ca.
31H2	E. A. Roder		639	10-24-56	639	J	48	2									See log well 31L.
31L1	Indiana State Highway Department		642	3-59	642	B	50	2									Do. Do. Do.
31L2	Indiana State Highway Department		642	3-59	642	D	30	2									Do 21 ft pumping 600 gpm; screen, top 15 ft 20 slot, lower 5 ft 40 slot; see log well 31N2.
31L3	Indiana State Highway Department		642	3-59	642	D	30	2									Do 23 ft pumping 855 gpm; L. See log well 31P4.
31L4	Indiana State Highway Department		642	3-59	642	D	30	2									Do. Do. L, S.
31M1	New York Central Railroad		645	10-21-37	645	Dr	62	18									Do 105 ft pumping 7 gpm; bedrock at 135 ft, L. Do 50 ft pumping 90 gpm; L. Formerly observation well.
31M2	Indiana State Highway Department		645	6-16	645	Dr	68	42	Gp; S; 12ft	23	38	38	38	23	N	T	Do 105 ft pumping 7 gpm; bedrock at 135 ft, L. Do 50 ft pumping 90 gpm; L. Formerly observation well.
31P1	Indiana State Highway Department		644	3-59	644	B	30	2									Do 23 ft pumping 855 gpm; L. See log well 31P4.
31P2	Indiana State Highway Department		641	3-59	641	B	30	2									Do. Do. L, S.
31P3	Indiana State Highway Department		641	3-59	641	B	30	2									Do 5 ft pumping 10 gpm; Ca, L.
31P4	Indiana State Highway Department		644	3-59	644	B	30	2									Do 34 ft after 8 hr pumping 240 gpm; bedrock at 115 ft; Ca, L. Do 70 ft pumping 25 gpm; L.
32E1	S. B. Scott	Westville Well Co.	639	7-23-49	639	J	65	2	S; 3ft, dia 1	38	28	28	28	16	D	L	Do 105 ft pumping 7 gpm; bedrock at 135 ft, L. Do 50 ft pumping 90 gpm; L. Formerly observation well.
32E2	D. E. Wall	Deach Plumbing and Well Co.	635	8-1-49	635	J	45	2	S; 4ft, 60g, dia 1	30	15	15	15	10	D	L	Do 105 ft pumping 7 gpm; bedrock at 135 ft, L. Do 50 ft pumping 90 gpm; L. Formerly observation well.
32G1	C. H. Mullan	Indiana-Michigan Water Development Co.	640	8-1-49	640	J	33	2	S; 4ft, 60g, dia 1	30	15	15	15	10	D	L	Do 105 ft pumping 7 gpm; bedrock at 135 ft, L. Do 50 ft pumping 90 gpm; L. Formerly observation well.
30E1	Indiana State Prison	Indiana-Michigan Water Development Co.	602	8-38	602	Dr	27	6	S; 5ft, 30g	5	22	22	22	5	P	T	Do 105 ft pumping 7 gpm; bedrock at 135 ft, L. Do 50 ft pumping 90 gpm; L. Formerly observation well.
30H1	Layne-Northern Co., Inc.	Layne-Northern Co., Inc.	690	6-26-56	690	Dr	115	8	S; 10ft, 20g	91	24	24	24	25	P	T	Do 105 ft pumping 7 gpm; bedrock at 135 ft, L. Do 50 ft pumping 90 gpm; L. Formerly observation well.
30N1	Indiana State Prison	Indiana-Michigan Water Development Co.	678	6-25-38	678	Dr	131	6	S; 10ft, 15g	80	51	51	51	14	P	T	Do 105 ft pumping 7 gpm; bedrock at 135 ft, L. Do 50 ft pumping 90 gpm; L. Formerly observation well.
30N2	Indiana State Prison	Indiana-Michigan Water Development Co.	678	10-14-44	678	Dr	148	6	Ca	135	13	13	13	14	T	T	Do 105 ft pumping 7 gpm; bedrock at 135 ft, L. Do 50 ft pumping 90 gpm; L. Formerly observation well.
30N3	Indiana State Prison	Indiana-Michigan Water Development Co.	668	10-28-44	668	Dr	118	6	S; 10ft, 20g, dia 4	111	7	7	7	7	P	T	Do 105 ft pumping 7 gpm; bedrock at 135 ft, L. Do 50 ft pumping 90 gpm; L. Formerly observation well.
37/6W-13C1	Indiana Department Conservation		615		615	Du	22	21									Porter 2; water level measured 13.89 ft below land, 10-18-35; sand from 0-22 ft. Fine to medium sand from 0-18 ft.
13C2	Layne-Northern Co., Inc.	Layne-Northern Co., Inc.	590	2-18-50	590	Dr	18	4									Fine to medium sand from 0-18 ft.
13C3	Layne-Northern Co., Inc.	Layne-Northern Co., Inc.	590	2-19-50	590	Dr	18	4									Fine to medium sand from 0-18 ft.
13D1	Layne-Northern Co., Inc.	Layne-Northern Co., Inc.	587		587		17	50									Sand from 0-17 ft.
13D2	Layne-Northern Co., Inc.	Layne-Northern Co., Inc.	587		587		20	50									Sand from 0-20 ft.
13D3	Layne-Northern Co., Inc.	Layne-Northern Co., Inc.	587		587		19	50									Sand from 0-19 ft.
13D4	Layne-Northern Co., Inc.	Layne-Northern Co., Inc.	587		587		19	50									Sand from 0-19 ft.
13P1	Layne-Northern Co., Inc.	Layne-Northern Co., Inc.	614		614	Dn	18	14									Formerly observation well Porter 3; water level measured 15.50 ft below land, 10-18-35; sand from 0-18 ft.
14J1	J. Baraz	Porter County Well Service	630	3-52	630	J	31	2									Yield from 0-31 ft; Ca.
14J2	Town of Dune Acres	Porter County Well Service	630	1058	630	J	31	2									Do.
14L1	Town of Dune Acres	R. Pinkham	625	10-23-47	625	Dr	21	10	S; 4ft, 10g	9	12	12	12	9	P	T	Do 5 ft pumping 75 gpm; L. See log well 14N2.
14N1	Town of Dune Acres	Layne-Northern Co., Inc.	625	5-19-53	625	Dr	95	6									Do 5 ft pumping 75 gpm; L. See log well 14N2.



Table 2.--Records of wells and test holes in Porter County, Indiana--Continued

Well	Owner	Driller	Date completed	Altitude (feet)	Type of well	Depth of well below land-surface (feet)	Diameter of well (inches)	Finish	Water-bearing zone					Type of pump and horsepower	Remarks
									Depth to top (feet)	Thickness (feet)	Character	Geologic age	Conditions of occurrence		
37/DW-14N2	Town of Dune Acres	Layno-Northern Co., Inc.	10-10-53	925 Dr	94	26	6P; S; 20ft., 80ml, dia 12								Dd 64 ft pumping 65 gpm; L. Yield 20 gpm; Ca, L.
23R1	E. Schultz	Porter County Well Service	10-20-56	650 J	82	2	S; 4ft., 60g								
23R2	R. Cline	Westville Well Co.	3-28-56	655 J	80	2	S; 4ft								
23R3	-----do-----	-----do-----	3-28-56	655 J	80	2	-----do-----								
23R4	-----do-----	-----do-----	1-28-56	653 J	81	2	-----do-----								
24A1	G. Welsh	Porter County Well Service	10- 5-56	608 J	54	2	S; 3ft., 60g								Flowed 6 gpm; L.
24D1	R. Summers	-----do-----	Spring 1850	598 J	31	2	S; 60g								Yield 14 gpm; gravel overlain by 7 ft blue clay and 18 ft yellow sand; Ca.
24U1	E. F. Eisenhardt	-----do-----	Fall 1950	650 J	87	2	S; 4ft., 60g								Yield 25 gpm; medium to coarse gravel and sand overlain by 34 ft blue clay and 31 ft yellow sand; Ca.
25D1	B. F. Moore	Westville Well Co.	1-19-56	665 J	106	3	S; dia 1 1/2								Yield 35 gpm; medium sand overlain by 55 ft blue clay; Ca.
25E1	E. Hudnuy	Porter County Well Service	6-11-55	680 J	108	4	S; 10ft., 60g, dia 3								See log well 25J2.
25J1	Indiana State Highway Department	Brighton Engineering Co.	3-59	658 B	30	2 1/2	-----do-----								L, S.
25J2	-----do-----	-----do-----	3-59	657 D	60	2 1/2	-----do-----								Ca.
25K1	W. R. Dietz	Westville Well Co.	7- 3-56	685 J	103	2	S; 4ft								L, S.
25M1	V. Gussoway	-----do-----	7-28-59	682 J	38	2	S; 4ft., 60g, dia 1								L, S.
25N1	Indiana State Highway Department	Brighton Engineering Co.	11-22-56	631 D	50	2 1/2	-----do-----								See log well 25N1.
25N2	-----do-----	-----do-----	11-23-58	626 D	30	2 1/2	-----do-----								L.
25Q1	-----do-----	-----do-----	1-55	630 B	30	2 1/2	-----do-----								Brown silty clay with little sand from 0-30 ft.
25Q2	-----do-----	-----do-----	1-59	637 D	30	2 1/2	-----do-----								Gray silty fine sand and clay overlain by 20 ft brown silty clay with sand.
25Q3	-----do-----	-----do-----	1-59	634 B	30	2 1/2	-----do-----								L, S.
25Q4	-----do-----	-----do-----	1-59	625 B	50	2 1/2	-----do-----								See log well 25Q1.
25Q5	-----do-----	-----do-----	1-59	629 D	30	2 1/2	-----do-----								Do.
25Q6	-----do-----	-----do-----	1-59	637 B	30	2 1/2	-----do-----								L.
25R1	U. S. Government	U. S. Corps of Engineers	4-11-56	660 B	50	2 1/2	-----do-----								
26C1	-----do-----	Working Well Works	11-56	685 Dr	111	4	S; 8ft., 250l								Dd 18 ft after 6 hr pumping 30 gpm; Ca, L.
26E1	W. T. Givin	Porter County Well Service	9- 6-55	668 J	75	2	S; 4ft., 60g								Yield 15 gpm; gray medium sand overlain by 66 ft blue clay.
26E1	Indiana State Highway Department	Brighton Engineering Co.	11-22-56	631 B	30	2 1/2	-----do-----								L.
27A1	R. E. Helm	Beach Plumbing and Well Co.	7-27-59	640 J	93	2	S; 4ft., 60g, dia 1								L.
27U1	U. S. Government	U. S. Corps of Engineers	4-19-56	679 D	30	-----do-----	-----do-----								L.
27H2	-----do-----	Working Well Works	11- 8-56	680 Dr	115	4	S; 8ft., 250l								Dd 9 ft after 5 hr pumping 50 gpm; Ca, L.
27L1	Goodfellow Youth Camp	Layno-Northern Co., Inc.	3-10-54	678 Dr	104	3 1/2	Gp; S; dia 18								See log well 27L2; C.
27L2	-----do-----	-----do-----	9-18-57	675 Dr	110	3 1/2	-----do-----								Ca, L.
28N1	-----do-----	-----do-----	012 Dr	612 Dr	8	-----do-----	-----do-----								Oil test; flows 15 gpm; Ca.
31R1	Sauk Trail Scout Camp	Shooby Well and Pump Co.	7- 1-54	632 Dr	225	6	Oh								Dd 80 ft pumping about 25 gpm; water has hydrogen sulfide gas; L.

37/8W-32R1	Indiana State Highway Department	Brighton Engineering Co.	12-18-58	638 D	50	2 1/2	22	28	SU	P1	U	22	T	L, S.
3282	do	do	12-19-58	635 D	30	2 1/2	---	---	Sd	P1	U	---	T	See log well 3281.
3283	do	do	12-19-58	631 B	30	2 1/2	---	---	Sd	P1	U	---	T	See log well 3281.
3284	do	do	12-58	635 A	30	2 1/2	---	---	Sd	P1	U	18	T	See log well 3281.
3285	do	do	12-58	631 B	30	2 1/2	---	---	Sd	P1	U	34	T	Do.
3286	do	do	12-58	636 B	50	2 1/2	---	---	Sd	P1	U	25	T	See log well 3281.
3287	do	do	12-58	632 B	30	2 1/2	---	---	Sd	P1	U	25	T	Do.
3288	do	do	12-58	630 J	30	2 1/2	---	---	Sd	P1	U	9	D	Do.
3289	do	do	7-20-59	630 J	48	2 1/2	---	---	Sd	P1	C	8	T	See log well 35D1.
3290	do	do	2-59	611 B	45	2 1/2	---	---	Sd	P1	C	2	T	Flowed; see log well 35D7.
3291	do	do	7-17-59	608 B	32	2 1/2	---	---	Sd	P1	C	---	T	Do.
3292	do	do	7-17-59	608 B	32	2 1/2	---	---	Sd	P1	C	---	T	Do.
3293	do	do	7-17-59	607 B	32	2 1/2	---	---	Sd	P1	C	---	T	Do.
3294	do	do	7-17-59	610 B	32	2 1/2	---	---	Sd, G	P1	C	---	T	Flowed; see log well 35B1.
3295	do	do	7-17-59	607 B	32	2 1/2	---	---	Sd, G	P1	C	---	T	Flowed; L.
3296	do	do	7-17-59	610 B	52	2 1/2	---	---	Sd	P1	C	---	T	Do.
3297	do	do	2-59	611 B	50	2 1/2	---	---	Sd	P1	C	---	T	Do.
3298	do	do	11-25-58	629 B	50	2 1/2	---	---	Sd	P1	U	30	T	See log well 35E1.
3299	do	do	11-25-58	628 B	30	2 1/2	---	---	---	---	---	---	T	Do.
3300	do	do	11-25-58	628 B	30	2 1/2	---	---	---	---	---	---	T	Do.
3301	do	do	12-58	629 B	30	2 1/2	---	---	---	---	---	---	T	Do.
3302	do	do	12-58	629 B	30	2 1/2	---	---	---	---	---	---	T	Do.
3303	do	do	12-58	630 B	30	2 1/2	---	---	---	---	---	---	T	Do.
3304	do	do	12-58	630 B	30	2 1/2	---	---	---	---	---	---	T	Do.
3305	do	do	12-58	629 B	30	2 1/2	---	---	---	---	---	---	T	Do.
3306	do	do	12-58	629 B	30	2 1/2	---	---	---	---	---	---	T	Do.
3307	do	do	7-22-58	640 Dr	60	2 1/2	---	---	Sd, G	P1	C	14	T	Temperature 52°F; see log well 35G3.
3308	do	do	8-30-58	640 Dr	60	2 1/2	---	---	Sd	P1	C	18	T	Do.
3309	do	do	10-10-58	640 Dr	74	6	---	---	Sd	P1	C	20	T	See log well 35G3.
3310	do	do	7-20-58	640 Dr	58	38	---	---	Sd, G	P1	C	---	T	Do.
3311	do	do	10-12-58	640 Dr	65	5	---	---	Sd, G	P1	C	---	T	Do.
3312	do	do	1-11-50	630 J	40	2	---	---	Sd	P1	C	---	T	Yield 12 gpm; sand overlain by 37 ft blue clay.
3313	do	do	10-20-55	635 J	42	2	---	---	Sd, G	P1	C	12	D	Yield 25 gpm; coarse sand with small gravel overlain by 37 ft blue clay; Ca.
3314	do	do	6-21-56	632 J	45	2	---	---	Sd	P1	C	7	D	Yield 15 gpm.
3315	do	do	1931	615 Dr	40	18	---	---	Sd	P1	C	20	P	Do 7 ft pumping 250 gpm.
3316	do	do	1931	630 Dr	50	20	---	---	Sd, G	P1	C	5	P	Do 17 ft pumping 1,400 gpm; L.
3317	do	do	1949	665 J	84	2	---	---	Sd	P1	U	78	D	Yield 15 gpm; yielding coarse yellow sand from 0-84 ft.
3318	do	do	6-1-53	660 J	68	2	---	---	Sd, G	P1	U	56	N	Yield 23 gpm; for lawn sprinkling; brown and gray sand from 0-52 ft; Ca.
3319	do	do	7-15-59	610 J	52	2	---	---	Sd	P1	U	20	---	Water 142 and taste; fine sand from 0-130 ft; Ca.
3320	do	do	5-55	700 J	130	4	---	---	Sd	P1	U	122	N	For fire protection; yellow sand from 0-28 ft; Ca.
3321	do	do	12-53	605 J	28	3	---	---	Sd	P1	U	14	---	Yield 13 gpm; white fine and gravel overlain by 30 ft yellow fine sand; Ca.
3322	do	do	5-29-57	630 J	58	2	---	---	Sd, G	P1	U	38	D	Yield 13 gpm; L.
3323	do	do	5-22-57	610 J	08	2	---	---	Sd	P1	C	20	D	Do.
3324	do	do	5-21-57	625 J	58	2	---	---	Sd, G	P1	U	19	D	Do.
3325	do	do	7-10-55	605 J	67	2	---	---	Sd	P1	C	22	D, S	Yield 8 gpm; Ca, L.
3326	do	do	8-5-59	607 Dr	60	6	---	---	Sd	P1	C	14	P	Ca, L.
3327	do	do	600 J	600 J	---	2	---	---	Sd	P1	C	42	P	Flows about 1 gpm; Ca.
3328	do	do	600 J	600 J	---	2	---	---	Sd	P1	C	42	P	Flows about 1 gpm; Ca.

37/8W-32R1

Table 3.--Selected logs of wells and test holes in Porter County, Indiana

Well 32/5W-1H1

Type of record: Driller's log. Altitude: 665 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Drift-----	35	35	
Devonian system:			
Upper Devonian series:			
Shale-----	89	124	
Middle Devonian series:			
Limestone-----	231	355	

Well 32/5W-10R1

Type of record: Driller's log. Altitude: 663 feet.

Quaternary system:			
Recent and Pleistocene series:			
Drift-----	35	35	
Devonian system:			
Upper Devonian series:			
Shale-----	98	133	
Middle Devonian series:			
Limestone-----	13	146	

Well 33/7W-1G1

Type of record: Driller's log. Altitude: 712 feet.

Quaternary system:			
Recent and Pleistocene series:			
Drift-----	138	138	
Devonian system:			
Upper Devonian series:			
Shale, dark-brown-----	77	215	
Devonian and Silurian system;			
undifferentiated:			
Lime-----	45	260	
Lime-----	510	770	
Ordovician system:			
Upper Ordovician series?:			
Shale, green-----	10	780	
Lime, gray-----	5	785	
Lime, brown-----	10	795	
Lime and shale-----	25	820	
Shale, green-----	73	893	
Shale, dark-----	7	900	
Middle Ordovician series:			
Lime-----	107	1,007	
Lime-----	80	1,087	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 33/7W-15A3

Type of record: Driller's log. Altitude: 718 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay-----	45	45	
Sand, fine-----	8	53	
Sand, coarse-----	20	73	
Sand, fine-----	8	81	
Sand, coarse-----	7	88	
Gravel and sand-----	3	91	
Clay-----	34	125	
Devonian system:			
Upper Devonian series:			
Shale-----	21	146	

Well 34/5W-20D1

Type of record: Driller's log. Altitude: 715 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow, and gravel; mixed-----	9	9	
Gravel and red sand-----	16	25	
Sand, gray-----	9	34	

Well 34/6W-4B1

Type of record: Driller's log. Altitude: 758 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, medium, brown-----	33	33	
Sand, brown, and medium gravel--	24	57	
Sand, medium, gray-----	18	75	

Well 34/6W-4B2

Type of record: Driller's log. Altitude: 760 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, brown and blue-----	31	31	
Clay, blue, and gravel-----	11	42	
Sand, white, and gravel-----	21	63	

Well 34/6W-6B4

Type of record: Driller's log. Altitude: 787 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, hard, yellow-----	16	16	
Clay and sand; hard, gray, mixed	22	38	
Sand, hard, dirty, gray-----	3	41	
Sand, hard, gray-white-----	10	51	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 34/6W-6B4--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, hard, dirty, gray-----	24	75	
Clay, soft, gray-----	2	77	
Sand, hard, gray-white-----	6	83	

Well 34/6W-12N2

Type of record: Driller's log from memory. Altitude: 715 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, blue-----	24	24	
Sand, yellow-----	21	45	
Sand, medium, gray-----	20	65	

Well 34/7W-1B4

Type of record: Driller's log. Altitude: 782 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, brown and blue-----	21	21	
Clay, blue, and gravel-----	10	31	
Gravel and sand; white-----	21	52	
Sand, white-----	16	68	

Well 34/7W-1B7

Type of record: Driller's log. Altitude: 785 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, brown and blue-----	21	21	
Clay, blue, and gravel-----	10	31	
Gravel and sand-----	42	73	
Sand, white-----	17	90	

Well 34/7W-12A1

Type of record: Driller's log from memory. Altitude: 783 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow-----	22	22	
Sand, yellow-----	43	65	
Sand, very fine-----	25	90	
Sand, medium to coarse-----	20	110	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 34/7W-26A1

Type of record: Driller's log.

Altitude: 732 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Loam, sand, and clay-----	12	12	
Clay, blue-----	20	32	
Sand, gray-----	23	55	

Well 34/7W-27M1

Type of record: Driller's log from memory.

Altitude: 753 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, brown-----	21	21	
Clay, blue-----	21	42	
Gravel, hard-----	14	56	
Sand, white-----	14	70	

Well 34/7W-35A1

Type of record: Driller's log from memory.

Altitude: 724 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, brown, and sand-----	21	21	
Sand, brown and white-----	21	42	
Sand, white-----	10	52	

Well 35/5W-2H6

Type of record: Driller's log.

Altitude: 785 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, brown-----	14	14	
Sand, brown, with pea gravel---	9	23	
Pea gravel-----	8	31	Wet at 30 feet.
Sand and pea gravel-----	19	50	

Well 35/5W-6L1

Type of record: Driller's log.

Altitude: 814 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay-----	25	25	
Clay and boulders-----	7	32	
Clay, gritty-----	9	41	
Sand, fine, yellow-----	30	71	
Sand, sharp-----	3	74	
Sand, fine-----	3	77	
Sand, sharp-----	2	79	
Sand, fine-----	9	88	
Sand, medium, gray-----	14	102	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 35/5W-6L1--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, and broken shale-----	12	114	
Sand and broken shale-----	6	120	
Sand, fine, and shale-----	32	152	
Clay, soft, gritty-----	3	155	
Sand, fine-----	11	166	
Clay, tough-----	1	167	

Well 35/5W-6L4

Type of record: Driller's log. Altitude: 810 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil-----	1	1	
Clay, gravel, and sand-----	14	15	
Sand, muddy-----	30	45	
Sand, medium, and broken shale--	48	93	
Sand, medium-----	25	118	
Sand, fine-----	8	126	

Well 35/5W-6L6

Type of record: Driller's log. Altitude: 805 feet.

Quaternary system:			
Recent and Pleistocene series:			
Muck-----	11	11	
Clay with streaks of gravel-----	17	28	
Clay and gravel-----	5	33	
Clay, sandy, with streaks of gravel-----	29	62	
Sand, fine, muddy-----	18	80	
Clay, sandy-----	10	90	
Sand, fine-----	34	124	

Well 35/5W-6L7

Type of record: Driller's log. Altitude: 805 feet.

Quaternary system:			
Recent and Pleistocene series:			
Fill-----	4	4	
Muck-----	3	7	
Clay-----	9	16	
Sand-----	5	21	
Clay-----	37	58	
Sand with small pieces broken shale-----	30	88	
Sand, fine to medium-----	41	129	
Clay, sandy, gray-----	1	130	

Table 3.--Selected logs of wells and test holes in Porter County---Continued

Well 35/5W-6M1

Type of record: Driller's log.

Altitude: 805 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay-----	33	33	
Sand, yellow-----	22	55	
Sand, muddy, gray-----	10	65	
Sand, fine, with shale-----	30	95	

Well 35/5W-6N1

Type of record: Driller's log.

Altitude: 805 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, tough-----	10	10	
Clay, hard, gritty-----	29	39	
Gravel with shale-----	1	40	
Shale, broken-----	6	46	
Sand, medium, and shale-----	26	72	
Sand, fine-----	84	156	
Clay-----	4	160	

Well 35/5W-6P2

Type of record: Driller's log.

Altitude: 808 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Soil and gritty clay-----	19	19	
Clay and boulders-----	2	21	
Gravel and clay-----	5	26	
Clay, sandy-----	20	46	
Sand, yellow-----	4	50	
Sand, coarse, yellow-----	7	57	
Sand, medium, gray-----	15	72	
Sand, coarse, gray-----	19	91	
Sand, fine-----	54	145	
Sand, fine, yellow-----	17	162	
Clay-----	3	165	

Well 35/5W-7E1

Type of record: Driller's log.

Altitude: 822 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Soil and tough clay-----	10	10	
Clay, gritty-----	27	37	
Sand-----	8	45	
Gravel and sand-----	4	49	
Gravel with shale-----	7	56	
Shale-----	6	62	
Sand, fine, with shale-----	6	68	



Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 35/5W-7E1--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine-----	8	76	
Sand, medium-----	19	95	
Sand, fine, with shale-----	15	110	
Clay-----	2	112	
Sand, fine-----	32	144	
Clay-----	2	146	
Sand, fine, muddy-----	54	200	
Clay-----	1	201	

Well 35/5W-16P1

Type of record: Driller's log. Altitude: 773 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil, black-----	1	1	
Clay, sandy, brown-----	7	8	
Clay, sand, and gravel; red-----	6	14	
Sand, fine-----	120	134	
Clay-----	11	145	

Well 35/5W-19D1

Type of record: Driller's log. Altitude: 802 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow-----	20	20	
Clay, sandy-----	30	50	
Gravel with broken shale-----	4	54	
Sand, dirty-----	6	60	
Quicksand-----	90	150	
Clay, blue-----	10	160	

Well 35/5W-19K1

Type of record: Driller's log. Altitude: 811 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, brown-----	40	40	
Clay, blue-----	40	80	
Sand, white-----	14	94	

Well 35/5W-19Q1

Type of record: Driller's log. Altitude: 770 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil-----	2	2	
Clay, sandy-----	5	7	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 35/5W-19Q1--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, sandy, with gravel-----	5	12	Sand with shale frag- ments.
Sand-----	32	44	
Sand with gravel-sized coal-----	40	84	
Sand-----	16	100	
Sand with trace of gravel- sized coal-----	26	126	
Clay, sandy-----	18	144	

Well 35/5W-20B1

Type of record: Driller's log from memory. Altitude: 788 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, brown-----	31	31	
Clay, blue-----	9	40	
Sand, white-----	12	52	

Well 35/5W-20L1

Type of record: Driller's log from memory. Altitude: 792 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, brown-----	21	21	
Sand, brown-----	21	42	
Sand, white-----	21	63	

Well 35/5W-34F1

Type of record: Driller's log. Altitude: 746 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow-----	3	3	
Clay, blue-----	7	10	
Sand, yellow-----	7	17	
Sand and gravel-----	38	55	

Well 35/6W-1H1

Type of record: Driller's log. Altitude: 800 feet.

Quaternary system:			
Recent and Pleistocene series:			
Hardpan, sandy-----	50	50	
Sand, hard-----	6	56	
Hardpan, sandy-----	9	65	
Shale, coarse sand, and hardpan-	5	70	
Sand and hardpan with some shale ---	6	76	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 35/6W-1H1--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Shale, broken, clay, and coarse gravel-----	9	85	
Sand, fine, with shaly clay-----	20	105	
Sand, fine, and clay-----	7	112	
Sand, fine, clay, and shale-----	15	127	
Sand, coarse, gravel, clay, and shale-----	8	135	
Sand, coarse, and gravel-----	14	149	
Sand, fine, and gravel-----	1	150	
Sand, coarse, and gravel-----	10	160	
Sand, fine, and gravel-----	2	162	

Well 35/6W-1L1

Type of record: Driller's log. Altitude: 845 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, soft, brown-----	8	8	
Clay, medium, brown-----	39	47	
Sand and gravel; hard, brown---	30	77	

Well 35/6W-9Q1

Type of record: Driller's log. Altitude: 700 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, medium, gray and brown----	15	15	
Clay, medium, gray-----	5	20	
Sand, fine, soft, gray-----	18	38	
Gravel, gray, and medium sand---	4	42	
Gravel, coarse, hard, gray-----	3	45	

Well 35/6W-12R1

Type of record: Driller's log. Altitude: 820 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, hard, gritty-----	35	35	
Shale-----	7	42	Hard clay?.
Shale, broken-----	13	55	
Sand and shale; mixed-----	6	61	
Sand, medium, muddy-----	21	82	
Sand, fine, muddy-----	2	84	
Sand, medium, muddy-----	11	95	
Sand, fine, muddy-----	5	100	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 35/6W-13A2

Type of record: Driller's log.

Altitude: 808 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, brown and blue-----	42	42	
Gravel and sand; white-----	27	69	
Sand, white-----	15	84	

Well 35/6W-21J1

Type of record: Driller's log from memory.

Altitude: 715 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, brown-----	21	21	
Clay, blue-----	21	42	
Sand, white-----	10	52	

Well 35/6W-24B1

Type of record: Driller's log.

Altitude: 803 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Fill-----	5	5	
Clay, sandy-----	10	15	
Clay, blue-----	15	30	
Clay, sandy-----	5	35	
Sand, dirty-----	25	60	
Sand, fine-----	65	125	
Quicksand-----	14	139	
Sand, medium-----	6	145	
Sand, fine-----	5	150	
Sand, coarse-----	20	170	
Quicksand, dirty-----	10	180	

Well 35/6W-26J1

Type of record: Driller's log from memory.

Altitude: 701 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Fill-----	3	3	
Muck and peat-----	10	13	
Clay-----	6	19	
Sand, white-----	16	35	

Well 35/6W-27Q1

Type of record: Driller's log.

Altitude: 733 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, brown-----	21	21	
Clay, blue-----	10	31	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 35/6W-27Q1--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, blue-----	11	42	
Sand, white-----	18	60	

Well 35/6W-29G1

Type of record: Driller's log. Altitude: 760 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow-----	22	22	
Sand and clay; mixed-----	4	26	
Sand, yellow-----	15	41	
Clay, blue, and sand; mixed-----	9	50	
Sand, yellow-----	21	71	
Sand, coarse, white-----	16	87	

Well 35/6W-33L1

Type of record: Driller's log. Altitude: 755 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, brown-----	30	30	
Clay, blue-----	22	52	
Sand, white-----	20	72	

Well 35/7W-1M1

Type of record: Driller's log. Altitude: 672 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, brown and blue-----	42	42	
Clay, blue-----	10	52	
Marl-----	11	63	Silt.
Sand, fine-----	5	68	
Clay, blue-----	3	71	

Well 35/7W-2J2

Type of record: Driller's log. Altitude: 666 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil-----	2	2	
Clay, yellow-----	15	17	
Clay, blue-----	20	37	
Clay, blue, with layers of marl-----	7	44	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 35/7W-2K1

Type of record: Driller's log.

Altitude: 655 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow-----	50	50	Fine to medium.
Sand, buckwheat flour-----	20	70	
Gravel, hardpan-----	25	95	
Clay, hard, blue-----	15	110	
Gravel-----	4	114	

Well 35/7W-24R1

Type of record: Driller's log.

Altitude: 770 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, brown-----	21	21	
Sand, brown-----	19	40	
Clay, blue-----	10	50	
Sand, white-----	23	73	

Well 35/7W-27C1

Type of record: Driller's log.

Altitude: 684 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Marsh muck-----	10	10	
Clay, soft, blue-----	75	85	
Sand and gravel-----	20	105	
Clay, soft, blue-----	45	150	
Sand and gravel-----	5	155	
Clay, blue-----	15	170	
Devonian system:			
Upper Devonian series:			
Shale, brown-----	20	190	
Shale, blue-----	25	215	
Shale, blue, with lime streaks-----	75	290	
Limestone with shale streaks-----	30	320	
Shale, blue-----	20	340	
Middle Devonian series:			
Lime with shale streaks-----	20	360	
Limestone-----	19	379	

Well 36/5W-1R1

Type of record: Driller's log.

Altitude: 714 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Soil and gravel-----	3	3	
Clay, blue-----	60	63	
Sand-----	21	84	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-3H1

Type of record: Driller's log.

Altitude: 682 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Top soil and brown clay-----	22	22	
Clay, blue-----	32	54	
Sand, fine, with clay balls-----	14	68	
Sand, coarse, gray, and gravel---	10	78	

Well 36/5W-6M2

Type of record: Driller's log.

Altitude: 635 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Top soil-----	1	1	
Loam, sandy, brown-----	5	6	
Sand, medium, dark-brown, with trace of silt and clay-----	9	15	
Sand, medium, brown-----	10	25	
Sand, medium, brown, with trace of coarse sand and small gravel	8	33	
Clay, silty, gray, with little sand-----	7	40	
Clay, silty, gray, and sand-----	5	45	
Clay, silty, gray, with little sand-----	5	50	

Well 36/5W-7M1

Type of record: Driller's log.

Altitude: 665 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, hard, yellow-----	12	12	
Sand, hard, yellow-----	9	21	
Clay, firm, gray-----	23	44	
Sand, dirty, and gravel; mixed with gray hard clay-----	3	47	
Sand, fine, hard, gray-----	1	48	
Sand, coarse, hard, gray-----	4	52	

Well 36/5W-9G1

Type of record: Driller's log.

Altitude: 698 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Drift-----	244	244	
Devonian system:			
Middle Devonian series:			
Lime, brown-----	21	265	
Lime, gray-----	5	270	
Lime, brown-----	25	295	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-9G1--Continued			
Material	Thick- ness (feet)	Depth (feet)	Remarks
Devonian system:			
Middle Devonian series:			
Shale, gray-----	35	330	
Lime, brown-----	15	345	
Silurian system:			
Middle Silurian series?:			
Lime, gray-----	227	572	
Lime, soft, gray-----	3	575	
Lime, gray-----	160	735	
Lime, brown-----	18	753	
Lime, gray-----	22	775	
Lime, brown-----	35	810	
Ordovician system:			
Upper Ordovician series?:			
Lime, brown, and shale-----	5	815	
Lime, gray, and blue shale-----	10	825	
Lime, gray-----	5	830	
Lime, brown, and shale-----	20	850	
Lime, gray, and shale-----	20	870	
Shale, gray, with some lime strips	30	900	
Shale, gray-----	150	1,050	
Shale, brown, cavey-----	1	1,051	
Middle Ordovician series:			
Lime, reddish-brown-----	259	1,310	

## Well 36/5W-11R3

Type of record: Driller's log.

Altitude: 766 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, silty-----	4	4	
Clay-----	4	8	
Sand, fine, with clay seams-----	5	13	
Sand, silty, with some pebbles-----	16	29	
Clay, gray-----	5	34	
Sand, fine-medium, pebbly-----	18	52	

## Well 36/5W-11R4

Type of record: Driller's log.

Altitude: 778 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, brown-----	5	5	
Clay, sandy, brown, with few pebbles-----	1	6	
Sand, silty, with pebbles-----	7	13	
Clay with pebbles-----	11	24	
Silt, sandy, with trace of clay-----	5	29	
Sand, silty-----	5	34	
Silt, stratified, with trace of clay-----	9	43	



Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-11R4--Continued

Material	Thick-ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, silty-----	5	48	
Sand, fine-medium-----	4	52	

Well 36/5W-11R5

Type of record: Driller's log. Altitude: 760 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil, sandy, black-----	1	1	
Sand, silty, brown and gray-----	2	3	
Sand, medium, silty, brown, stratified-----	1	4	
Clay, very stiff-----	6	10	
Sand, fine, gray-----	32	42	

Well 36/5W-14B1

Type of record: Driller's log. Altitude: 802 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil, sandy, black-----	1	1	
Sand, fine, brown-----	3	4	
Silt-----	3	7	
Sand, silty-----	11	18	
Sand-----	12	30	

Well 36/5W-14C2

Type of record: Driller's log. Altitude: 797 feet.

Quaternary system:			
Recent and Pleistocene series:			
Peat-----	1	1	
Silt-----	15	16	
Sand, fine-----	15	31	

Well 36/5W-15G2

Type of record: Driller's log. Altitude: 831 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil, black-----	1	1	
Clay, silty, brown-----	1	2	
Silt, brown-----	3	5	
Sand, silty, brown, with trace of clay-----	3	8	
Sand, fine to coarse, tan and brown, stratified-----	32	40	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-15M2

Type of record: Driller's log.

Altitude: 752 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Silt with trace of clay-----	4	4	
Sand, silty, brown-----	2	6	
Clay, silty, with sand seams-----	8	14	
Sand, clayey-----	5	19	
Sand, silty, with gravel and clay-----	17	36	

Well 36/5W-15R1

Type of record: Driller's log.

Altitude: 818 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow-----	38	38	
Sand, yellow-----	36	74	
Sand, gray, and blue clay-----	23	97	
Sand, medium, gray-----	48	145	

Well 36/5W-16E1

Type of record: Driller's log.

Altitude: 750 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, silty, brown-----	3	3	
Clay, medium, silty, brown, and gravel; intermixed-----	5	8	
Sand, fine, clayey, brown-----	1	9	
Silt, slightly clayey, brown-----	4	13	
Clay, medium, silty, gray, with embedded sand and gravel-----	9	22	

Well 36/5W-16E2

Type of record: Driller's log.

Altitude: 764 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, silty, brown-----	2	2	
Clay, medium, sandy, brown-----	3	5	
Sand, fine, brown, with trace of clay-----	15	20	
Sand, fine, brown, with clay seams-----	2	22	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-16J2

Type of record: Driller's log.

Altitude: 754 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Silt with trace of sand-----	4	4	
Clay, stiff, silty-----	3	7	
Sand, fine, silty, brown-----	3	10	
Sand, silty, well graded-----	9	19	
Clay, stiff, gray, with trace of silt-----	4	23	
Sand, very fine, silty-----	2	25	
Sand, fine, with pebbles and trace of clay-----	5	30	
Sand, coarse, gravelly-----	6	36	

Well 36/5W-16J3

Type of record: Driller's log.

Altitude: 757 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Silt with trace of clay-----	2	2	
Clay, silty-----	2	4	
Silt, sandy-----	1	5	
Silt, clayey-----	2	7	
Sand with trace of silt-----	26	33	
Sand, silty-----	6	39	
Clay, gravelly-----	3	42	

Well 36/5W-16K1

Type of record: Driller's log.

Altitude: 757 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Top soil and silt-----	2	2	
Clay, silty-----	6	8	
Sand with trace of silt and clay	5	13	
Sand, pebbly, with seams of silt and clay-----	16	29	
Sand, coarse, with silt and clay	4	33	
Sand, black, with trace of silt and clay seams-----	6	39	
Silt, hard, with pebbles-----	7	46	

Well 36/5W-16L1

Type of record: Driller's log.

Altitude: 758 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, silty, with trace of clay-	4	4	
Clay, sandy, brown-----	2	6	
Clay, silty, sandy, brown-----	8	14	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-16L1--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, silty, stratified, with soft wet clay-----	5	19	
Sand, stratified, with clay and silt seams-----	17	36	
Clay, silty, with traces of coarse sand and pebbles-----	14	50	

Well 36/5W-17E1

Type of record: Driller's log.

Altitude: 661 feet.

Quaternary system:			
Recent and Pleistocene series:			
Road fill-----	6	6	
Silt, marly, black and gray, with some sand-----	2	8	
Silt, soft, marly, and peat-----	14	22	
Silt-----	2	24	
Sand, marly, gray, and gravel; loose-----	7	31	
Clay, silty, gray, with embedded sand and gravel-----	11	42	Till.

Well 36/5W-17E2

Type of record: Driller's log.

Altitude: 668 feet.

Quaternary system:			
Recent and Pleistocene series:			
Silt, sandy, dark-brown-----	4	4	
Clay, soft, gray and brown-----	2	6	
Marl, sandy, gray, with trace of organic clay-----	19	25	
Clay, medium, silty, gray, with embedded sand and gravel-----	10	35	
Sand, fine, silty, gray-----	27	62	

Well 36/5W-17E4

Type of record: Driller's log.

Altitude: 668 feet.

Quaternary system:			
Recent and Pleistocene series:			
Silt, sandy, brown-----	4	4	
Clay, soft, gray, organic-----	2	6	
Marl, soft, sandy, gray, with trace of organic sand-----	14	20	
Sand, fine, gray, with trace of gravel-----	25	45	
Clay, medium, silty, gray, with embedded sand and gravel-----	27	72	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-17E13

Type of record: Driller's log.

Altitude: 667 feet.

Material	Thick-ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, silty, black and gray, with trace of sand-----	3	3	
Peat, marly, with trace of sand---	29	32	
Peat and silt; varved-----	8	40	
Silt, varved, with peat seams---	2	42	
Sand, fine, gray, with some gravel	11	53	
Clay, silty, gray-----	4	57	Till.

Well 36/5W-17F6

Type of record: Driller's log.

Altitude: 668 feet.

Material	Thick-ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Silt, sandy, organic, black-----	3	3	
Clay, soft, brown and gray-----	1	4	
Peat, marly, with gray silt and some sand-----	10	14	
Peat, black-----	16	30	
Peat, black, and varved silt---	10	40	
Peat, black, and varved silt; sandy-----	3	43	
Sand, fine to medium, gray, with trace of gravel-----	7	50	
Clay, silty, gray-----	7	57	Till.

Well 36/5W-17F8

Type of record: Driller's log.

Altitude: 669 feet.

Material	Thick-ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Top soil, sandy, black-----	4	4	
Sand, silty, brown, with trace of marl and gravel-----	2	6	
Marl, sandy, brown-----	3	9	
Peat, marly, sandy, black-----	15	24	
Sand, brown to gray, with marly peat seams-----	14	38	
Peat, black, with some varved silt-----	13	51	
Silt, gray-----	1	52	

Well 36/5W-17F9

Type of record: Driller's log.

Altitude: 671 feet.

Material	Thick-ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Silt, sandy, brown-----	2	2	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-17F9--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, soft, gray, with seams of organic material-----	4	6	
Peat, marly, sandy-----	12	18	
Sand, fine, gray, with trace of gravel-----	10	28	
Peat with trace of sand-----	12	40	
Peat, clayey-----	5	45	
Sand, fine, gray, with trace of clay and gravel-----	5	50	
Silt, gray, with sand and gravel	6	56	

Well 36/5W-17F10

Type of record: Driller's log. Altitude: 670 feet.

Quaternary system:			
Recent and Pleistocene series:			
Silt, sandy, brown-----	1	1	
Peat, marly, brown and black, with some sand-----	7	8	
Peat, black-----	17	25	
Peat, sandy, black-----	13	38	
Silt, gray, with sand and gravel	18	56	Till.

Well 36/5W-17F11

Type of record: Driller's log. Altitude: 672 feet.

Quaternary system:			
Recent and Pleistocene series:			
Silt, brown-----	2	2	
Clay, soft, gray, with organic seams-----	10	12	
Peat, soft, marly, gray, with gray sand seams-----	26	38	
Peat, soft, very organic-----	12	50	
Peat, soft, silty-----	4	54	
Sand, fine, gray, with trace of organic matter-----	2	56	

Well 36/5W-17F12

Type of record: Driller's log. Altitude: 678 feet.

Quaternary system:			
Recent and Pleistocene series:			
Soil, sandy, dark-----	3	3	
Sand, brown, with trace of clay-	3	6	
Peat, black-----	3	9	
Sand, gray, with some gravel and shells-----	7	16	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-17F12--Continued

Material	Thick-ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Peat, black-----	4	20	
Peat, sandy, black-----	5	25	
Peat, marly, black-----	25	50	
Silt, soft, sandy, gray, varved-	3	53	
Silt, gray, with embedded sand and gravel-----	3	56	

Well 36/5W-17F14

Type of record: Driller's log. Altitude: 674 feet.

Quaternary system:			
Recent and Pleistocene series:			
Silt, sandy, brown-----	4	4	
Clay, very soft, gray and brown, with organic matter----	2	6	
Sand, silty, gray, with trace of soft clay-----	8	14	
Clay, gray and brown, with em- bedded sand and gravel-----	12	26	

Well 36/5W-17F17

Type of record: Driller's log. Altitude: 675 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil, sandy, brown-----	3	3	
Peat, soft, black-----	5	8	
Peat and medium sand; gray, stratified-----	7	15	
Clay, stiff, gray, with some gray sand seams-----	10	25	
Silt, medium, gray, with some pebbles-----	7	32	

Well 36/5W-17F18

Type of record: Driller's log. Altitude: 675 feet.

Quaternary system:			
Recent and Pleistocene series:			
Silt, sandy, black-----	2	2	
Clay, silty, brown and gray-----	2	4	
Peat, medium, silty, gray-----	1	5	
Silt, brown and gray, with trace of clay-----	5	10	
Silt, gray-----	14	24	
Clay, silty, gray, with gray sand seams-----	2	26	Till.

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-17F21

Type of record: Driller's log.

Altitude: 681 feet.

Material	Thick-ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Silt, sandy, organic, brown-----	2	2	
Clay, soft, silty, organic, gray	3	5	
Sand, fine, gray, with trace of clay-----	5	10	
Clay, soft, silty, gray, with embedded sand and gravel-----	25	35	
Sand, fine, gray, with trace of clay seams and gravel-----	24	59	
Clay, soft, silty, gray, with embedded sand and gravel-----	6	65	
Sand, fine, gray, with trace of clay and gravel-----	17	82	

Well 36/5W-17F22

Type of record: Driller's log.

Altitude: 682 feet.

Material	Thick-ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, silty, brown, with trace of gravel-----	2	2	
Silt, dark-brown-----	2	4	
Clay, silty, dark-brown-----	2	6	
Clay, silty, gray-----	4	10	
Silt, sandy, gray-----	5	15	
Sand, fine to coarse, gray, with trace of silt-----	11	26	

Well 36/5W-17G2

Type of record: Driller's log.

Altitude: 679 feet.

Material	Thick-ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Silt, organic, black-----	2	2	
Clay, soft, black-----	2	4	
Clay, soft, sandy, gray and brown-----	1	5	
Clay, soft, silty, gray, with embedded sand and gravel-----	15	20	
Sand, clayey, gray, with soft clay seams and trace of gravel	22	42	

Well 36/5W-17G3

Type of record: Driller's log.

Altitude: 679 feet.

Material	Thick-ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, soft, sandy, brown-----	2	2	



Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-17G3--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, soft, sandy, tan and gray-	1	3	
Clay, gray, with sand and gravel seams-----	4	7	
Clay, soft, dark-gray-----	5	12	
Clay, soft, dark-gray, with embedded sand and gravel-----	3	15	
Clay, silty, soft, dark-gray----	9	24	
Sand, clayey, tan and gray-----	3	27	
Clay, silty, gray, with em- bedded sand and gravel-----	26	53	
Sand, fine, gray, with silt seams-----	8	61	
Clay, silty, gray, with silt seams and embedded sand and gravel-----	11	72	

Well 36/5W-17L1

Type of record: Driller's log.

Altitude: 675 feet.

Quaternary system:			
Recent and Pleistocene series:			
Fill and brown sand-----	2	2	
Fill and brown and gray silty clay-----	8	10	
Silt, medium, sandy, and clay, with trace of gravel-----	4	14	
Peat, hard, black-----	2	16	
Peat, hard, silty, gray-----	29	45	
Silt, gray, with trace of sand--	6	51	
Sand, fine, dense, gray-----	1	52	

Well 36/5W-17L3

Type of record: Driller's log.

Altitude: 674 feet.

Quaternary system:			
Recent and Pleistocene series:			
Fill, sandy, brown, with peat seams-----	16	16	
Peat, sandy, marly-----	4	20	
Peat, silty, black-----	23	43	
Silt, gray, with some sand-----	2	45	
Sand, fine, gray-----	7	52	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-17L4

Type of record: Driller's log.

Altitude: 671 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Fill, sandy-----	1	1	
Silt, sandy, black and brown, with trace of clay-----	8	9	
Silt, gray, to gray silty clay--	13	22	

Well 36/5W-17L6

Type of record: Driller's log.

Altitude: 677 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Fill, sandy-----	8	8	
Peat and silt; black-----	20	28	
Silt, medium, gray, with trace of sand and some pebbles-----	14	42	
Clay, silty, hard-----	4	46	Till.

Well 36/5W-17L7

Type of record: Driller's log.

Altitude: 675 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Fill; brown, sandy, stiff clay with trace of silt and peat-----	7	7	
Top soil, black-----	3	10	
Sand, fine, gray, and gravel; with peat seams-----	8	18	
Peat, soft, gray, and silt-----	13	31	
Silt, hard, gray-----	5	36	

Well 36/5W-17L8

Type of record: Driller's log.

Altitude: 673 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary systems:			
Recent and Pleistocene series:			
Fill; brown sand-----	3	3	
Clay, sandy, brown and black, with some silt-----	2	5	
Peat, marly, sandy-----	9	14	
Clay, silty, gray, with peat seams-----	3	17	
Clay, silty, gray-----	15	32	Till.

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-17L9

Type of record: Driller's log.

Altitude: 713 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Fill; brown sand with trace of clay and gravel-----	40	40	
Sand, brown and black, and peat-	8	48	
Sand, coarse, dark-gray, with some peat-----	3	51	
Sand, coarse, gray, with some silt-----	9	60	
Silt, clayey, gray, with some embedded sand-----	6	66	
Sand, gray, and gravel-----	1	67	

Well 36/5W-17L10

Type of record: Driller's log.

Altitude: 677 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Fill; sand and clay-----	6	6	
Top soil, sandy, black, with peat-----	2	8	
Sand, fine, gray, with some clay	1	9	
Clay, black and brown, with some silt-----	5	14	
Clay, sandy, black and brown----	3	17	
Sand, coarse, gray-----	4	21	
Silt, black, and marl; with some sand-----	12	33	
Silt, gray, with embedded sand and gravel-----	9	42	

Well 36/5W-17L11

Type of record: Driller's log.

Altitude: 674 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Silt, sandy, brown-----	1	1	
Sand, fine, brown-----	2	3	
Clay, brown and black, desiccated	1	4	
Silt, soft, sandy, with peat seams-----	2	6	
Peat, sandy-----	13	19	
Clay, silty, gray, with some sand and gravel-----	4	23	Till.

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-17L12

Type of record: Driller's log.

Altitude: 709 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, loose, brown-----	10	10	
Sand, medium, brown-----	38	48	
Sand, clayey, gray, and peat; stratified-----	2	50	
Sand, silty, gray, and peat; stratified-----	10	60	
Silt, hard, gray, and gravel; sandy-----	10	70	
Silt, hard, clayey, gray, with embedded sand and gravel-----	6	76	Till.

Well 36/5W-17L13

Type of record: Driller's log.

Altitude: 674 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Fill; brown, sandy clay-----	9	9	
Clay, sandy, brown, with trace of gravel-----	15	24	
Peat, black, with some silt-----	12	36	
Silt, organic, gray, and marl---	7	43	
Silt, hard, with embedded sand and gravel-----	19	62	

Well 36/5W-17M1

Type of record: Driller's log.

Altitude: 667 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, brown-----	3	3	
Clay and gravel-----	1	4	
Clay, silty, brown and gray-----	3	7	
Silt, gray, with trace of marl---	7	14	
Clay, silty, gray, with em- bedded sand and gravel-----	8	22	Till.

Well 36/5W-17M4

Type of record: Driller's log.

Altitude: 673 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Fill; brown sand-----	3	3	
Clay, sandy, brown and gray, with some gravel-----	2	5	
Sand, brown-----	1	6	
Clay, silty, brown and gray, and gray silt-----	3	9	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-17M4--Continued

Material	Thick-ness (feet)	Depth (feet)	Remarks
Quaternary system: Recent and Pleistocene series: Silt, gray, with embedded sand and gravel-----	13	22	

Well 36/5W-17M6

Type of record: Driller's log. Altitude: 667 feet.

Quaternary system: Recent and Pleistocene series: Top soil, black-----	3	3	
Silt, soft, marly, gray-----	3	6	
Sand, dark-gray, stratified, with silt and gravel-----	2	8	
Silt, gray, with trace of fine sand-----	5	13	
Clay, silty, gray, with embedded sand and gravel-----	9	22	Till.

Well 36/5W-17M7

Type of record: Driller's log. Altitude: 673 feet.

Quaternary system: Recent and Pleistocene series: Fill; brown sand with trace of clay-----	5	5	
Silt, sandy, gray-----	2	7	
Sand, gray, and gravel-----	3	10	
Silt, sandy, gray, with sand layers-----	10	20	
Sand, gray-----	2	22	

Well 36/5W-17M8

Type of record: Driller's log. Altitude: 666 feet.

Quaternary system: Recent and Pleistocene series: Fill; brown sand-----	2	2	
Silt, sandy, black, and top soil	1	3	
Peat, marly, gray-----	4	7	
Sand, silty, loose, gray, with some gravel-----	7	14	
Silt, medium hard, sandy, gray, with some pebbles-----	5	19	
Sand, dense, gray, and gravel---	3	22	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-17M10

Type of record: Driller's log. Altitude: 669 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, brown, and clay fill-----	7	7	
Sand, silt, and peat; black-----	4	11	
Silt, gray, and marl-----	3	14	
Peat, black-----	6	20	
Silt, soft, gray, and marl-----	9	29	
Silt, stiff, gray, with em- bedded sand and gravel-----	7	36	

Well 36/5W-17M14

Type of record: Driller's log. Altitude: 674 feet.

Quaternary system:			
Recent and Pleistocene series:			
Fill; brown sand with trace of clay-----	8	8	
Silt, sandy, black-----	2	10	
Silt, soft, marly, gray-----	4	14	
Silt, gray, with some sand and few marly peat seams-----	12	26	
Sand, dense, brown, with trace of gravel-----	6	32	

Well 36/5W-17M17

Type of record: Driller's log. Altitude: 668 feet.

Quaternary system:			
Recent and Pleistocene series:			
Silt, sandy, brown-----	3	3	
Silt, soft, gray and yellow-----	1	4	
Clay, silty, organic, gray, with trace of marl-----	12	16	
Sand, brown, and gravel-----	10	26	
Clay, silty, gray, with sand and gravel-----	1	27	Till.

Well 36/5W-17M18

Type of record: Driller's log. Altitude: 706 feet.

Quaternary system:			
Recent and Pleistocene series:			
Fill; sandy silt and sand-----	2	2	
Sand, clayey, brown, with trace of gravel-----	32	34	
Clay, sandy, gray and brown, with trace of silt-----	6	40	
Sand, brown, with trace of clay and some hard streaks of peat-----	10	50	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-17M18--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Peat, hard, black, with streaks of gray marly silt and some sand seams-----	32	82	
Clay, hard, silty, gray-----	4	86	Till.
Sand, brown and gray, and gravel	1	87	

Well 36/5W-17M19

Type of record: Driller's log. Altitude: 670 feet.

Quaternary system:			
Recent and Pleistocene series:			
Fill; sand-----	3	3	
Fill; brown and gray sandy clay with some stones-----	4	7	
Peat, silty, black, with trace of sand-----	13	20	
Marl, gray, and peat-----	22	42	
Silt, gray, and clay-----	7	49	
Sand, silty, brown, with trace of gravel-----	3	52	

Well 36/5W-18D1

Type of record: Driller's log. Altitude: 680 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, brown-----	8	8	
Clay, gray, and gravel-----	36	44	
Sand, fine, muddy-----	6	50	
Sand, fine to medium-----	3	53	
Clay, sandy, gray, and gravel-----	19	72	
Sand, fine-----	18	90	

Well 36/5W-18D2

Type of record: Driller's log. Altitude: 702 feet.

Quaternary system:			
Recent and Pleistocene series:			
Fill-----	1	1	
Silt, sandy, slightly clayey, brown-----	2	3	
Clay, medium to hard, silty, with gravel-----	12	15	
Clay, medium, silty, gray, with embedded sand and gravel-----	27	42	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-18E2

Type of record: Driller's log. Altitude: 702 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, silty, brown-----	2	2	
Clay, medium, sandy, brown, silty with depth-----	5	7	
Silt, brown-----	7	14	
Sand, coarse, brown-----	2	16	
Clay, medium, silty, gray, with embedded sand, gravel, and shale fragments-----	39	55	
Sand, fine, gray, with silt seams and trace of gravel----	5	60	

Well 36/5W-18E3

Type of record: Driller's log. Altitude: 702 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, stiff, silty, brown, calcareous-----	8	8	
Silty, brown and gray-----	6	14	
Clay, stiff, silty, gray, with embedded sand and gravel-----	28	42	

Well 36/5W-18E4

Type of record: Driller's log. Altitude: 704 feet.

Quaternary system:			
Recent and Pleistocene series:			
Fill; brown clayey sand-----	2	2	
Clay, silty, medium, brown, with trace of reddish sand and gravel-----	4	6	
Sand, silty, tan, with trace of gravel-----	9	15	
Sand, fine, gray-----	5	20	
Clay, hard, silty, gray, with embedded gravel, coarse sand, and shale fragments-----	32	52	

Well 36/5W-18G1

Type of record: Driller's log. Altitude: 664 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, soft, sandy, gray-----	7	7	Organic matter at bottom of deposit.
Silt, gray-----	3	10	



Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-18G1--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, coarse, gray-----	10	20	
Clay, soft, silty, gray, with embedded sand and gravel-----	12	32	

Well 36/5W-18H2

Type of record: Driller's log. Altitude: 666 feet.

Quaternary system:			
Recent and Pleistocene series:			
Fill; brown sand-----	5	5	
Peat, black-----	1	6	
Sand, gray, with peat-----	2	8	
Marl, very soft, and silt; sandy-----	13	21	
Sand, black, silt, and gravel; with peat-----	1	22	
Silt, gray, with trace of sand--	6	28	
Clay, silty, gray-----	4	32	Till.

Well 36/5W-18H3

Type of record: Driller's log. Altitude: 665 feet.

Quaternary system:			
Recent and Pleistocene series:			
Silt, sandy, brown-----	3	3	
Peat, silty, black, and marl; with trace of gravel-----	4	7	
Clay, silty, gray, with em- bedded sand and gravel-----	6	13	Till.
Sand, fine to coarse, gray, and gravel-----	3	16	
Sand with silty clay layers-----	6	22	
Sand, gray, and gravel-----	4	26	

Well 36/5W-18H4

Type of record: Driller's log. Altitude: 664 feet.

Quaternary system:			
Recent and Pleistocene series:			
Silt, sandy, brown-----	3	3	
Silt, brown and black, and clay; with organic matter-----	2	5	
Silt, marly, gray, with sand and gravel-----	4	9	
Silt, gray and brown, with some sand in layers-----	4	13	
Clay, silty, gray-----	13	26	Till.

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-18H5

Type of record: Driller's log.

Altitude: 668 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Silt, sandy, dark-brown-----	4	4	
Sand, fine, dark-gray, with trace of organic matter, gravel, and marl-----	11	15	
Sand, fine, gray, with trace of gravel-----	5	20	
Clay, medium, silty, gray, with embedded sand and gravel-----	10	30	
Sand, coarse, gray, and gravel--	10	40	
Clay, stiff, silty, gray, with embedded sand and gravel-----	2	42	

Well 36/5W-22D1

Type of record: Driller's log.

Altitude: 822 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, medium, brown-----	20	20	
Sand, medium, brown-----	88	108	
Sand, medium, white-----	8	116	
Clay, medium, gray-----	4	120	
Sand, medium, white-----	9	129	

Well 36/5W-25A1

Type of record: Driller's log.

Altitude: 780 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, mixed; yellow-----	18	18	
Clay, blue-----	6	24	
Hardpan-----	12	36	Hard clay?.
Sand, red-----	22	58	
Sand, gray-----	17	75	

Well 36/5W-28Q1

Type of record: Driller's log.

Altitude: 725 feet.

Quaternary system:			
Recent and Pleistocene series:			
Gravel, sand, and clay-----	80	80	
Devonian system:			
Upper Devonian series:			
Shale, calcareous, black-----	100	180	
Limestone, black-----	10	190	
Shale, sandy, black-----	3	193	
Shale, calcareous, black-----	86	279	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/5W-28Q1--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Devonian system:			
Middle Devonian series:			
Lime, sandy-----	5	284	Has oil.

Well 36/5W-30N1

Type of record: Driller's log. Altitude: 850 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, hard, yellow-----	30	30	
Clay, blue-----	18	48	
Gravel and shale-----	20	68	
Sand, light-----	50	118	
Sand, coarse, gray-----	18	136	

Well 36/5W-31B1

Type of record: Driller's log. Altitude: 860 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, light-gray-----	45	45	
Sand-----	235	280	
Devonian system:			
Upper Devonian series:			
Shale, blue-----	36	316	
Shale, brown-----	120	436	
Middle Devonian series:			
Lime, gray-----	4	440	

Well 36/6W-1H1

Type of record: Driller's log. Altitude: 645 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, medium, brown-----	8	8	
Sand, medium, brown-----	67	75	
Sand, medium, gray-----	14	89	

Well 36/6W-2E2

Type of record: Driller's log. Altitude: 639 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow, and brown sand----	21	21	
Sand and gravel; brown-----	3	24	
Sand, gray, with thin blue clay layers-----	7	31	
Sand, medium, gray-----	5	36	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/6W-5N1

Type of record: Driller's log.

Altitude: 625 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, firm, yellow-----	16	16	
Sand, firm, yellow-----	3	19	
Sand, firm, orange-----	10	29	
Clay, soft, light-gray-----	2	31	
Sand, hard, reddish-orange-----	30	61	
Sand, hard, gray-----	6	67	

Well 36/6W-6H1

Type of record: Driller's log.

Altitude: 598 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, silty, black, and organic matter-----	10	10	
Sand, fine to medium, brown, with little silt-----	30	40	
Sand, fine to medium, light- brown, with some silt-----	10	50	

Well 36/6W-7F1

Type of record: Driller's log from memory.

Altitude: 658 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, yellow-----	18	18	
Clay, blue-----	39	57	
Silt-----	13	70	
Sand-----	15	85	

Well 36/6W-8L2

Type of record: Driller's log.

Altitude: 605 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil-----	7	7	Muck.
Marl-----	1	8	
Sand-----	1	9	
Sand, muddy-----	13	22	
Clay, gray-----	9	31	

Well 36/6W-8M1

Type of record: Driller's log.

Altitude: 633 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, sandy-----	2	2	
Sand, muddy, yellow-----	14	16	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/6W-8M1--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, brown-----	6	22	
Sand, brown-----	6	28	
Silt, sandy, muddy-----	2	30	
Sand, dirty-----	8	38	
Silt, sandy-----	1	39	
Sand, little muddy-----	6	45	
Sand-----	15	60	
Sand, brown, with chunks of clay	1	61	
Sand, brown-----	15	76	
Sand-----	2	78	Almost silt.
Sand, brown-----	2	80	
Clay, silty-----	7	87	

Well 36/6W-8N1

Type of record: Driller's log.

Altitude: 633 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil-----	2	2	
Clay, sandy-----	4	6	
Sand, fine-----	16	22	
Sand-----	13	35	
Sand and gravel-----	6	41	
Clay-----	14	55	
Sand-----	10	65	Clay at 65 feet.

Well 36/6W-8N2

Type of record: Driller's log.

Altitude: 633 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay-----	4	4	
Sand-----	27	31	
Sand, fine-----	4	35	
Clay-----	1	36	
Sand, fine-----	4	40	
Clay-----	30	70	

Well 36/6W-9E2

Type of record: Driller's log.

Altitude: 635 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil-----	15	15	
Clay and sand-----	5	20	
Sand, yellow-----	15	35	
Gravel and sand-----	5	40	
Clay-----	35	75	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/6W-9E2--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine-----	5	80	
Sand-----	1	81	
Sand, dirty-----	7	88	
Sand, fine, dirty-----	10	98	
Clay-----	17	115	
Devonian system:			
Upper Devonian series:			
Shale-----	3	118	

Well 36/6W-9E3

Type of record: Driller's log.

Altitude: 633 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil-----	13	13	
Quicksand-----	5	18	
Sand-----	17	35	Suitable for 25-slot screen.
Clay, blue-----	30	65	
Sand-----	8	73	Suitable for 18-slot screen.
Clay, soft, and sand-----	2	75	
Sand-----	5	80	Suitable for 18-slot screen.
Clay, soft-----	4	84	

Well 36/6W-11P5

Type of record: Driller's log.

Altitude: 642 feet.

Quaternary system:			
Recent and Pleistocene series:			
Fill; black clayey silt-----	2	2	
Clay, soft, silty, tan and gray-----	8	10	
Silt, gray, with trace of clay-----	5	15	
Sand, fine, gray-----	5	20	
Clay, stiff, silty, gray-----	5	25	
Sand, fine to medium, tan-----	10	35	
Silt, clayey, gray, with trace of sand-----	5	40	
Sand, fine, silty, tan-----	8	48	
Clay, medium, gray-----	12	60	
Sand, fine, clayey, gray-----	5	65	
Clay, stiff, gray, with trace of silt-----	7	72	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/6W-11P6

Type of record: Driller's log.

Altitude: 642 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, soft, organic, black-----	2	2	
Clay, soft, sandy, gray-----	8	10	
Clay, stiff, sandy, gray-----	5	15	
Sand, fine, gray, with trace of gravel-----	5	20	
Sand, fine, silty, gray, with trace of gravel and clay-----	15	35	
Sand, fine, gray-----	5	40	
Sand, fine, gray, with silt seams-----	6	46	

Well 36/6W-11Q1

Type of record: Driller's log.

Altitude: 642 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Fill-----	1	1	
Clay, hard, brown and black-----	14	15	
Sand, fine, gray-----	10	25	
Sand, fine, clayey, gray-----	1	26	
Sand, coarse, gray-----	14	40	
Silt, soft, gray, with clay seams-----	6	46	

Well 36/6W-11Q2

Type of record: Driller's log.

Altitude: 642 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, soft, black and brown-----	4	4	
Clay, gray-----	1	5	
Clay, soft, gray, with em- bedded gravel-----	5	10	
Sand, fine, gray-----	10	20	Soft clay seam.
Clay, medium, silty, gray, with embedded sand and gravel-----	20	40	
Sand, fine, gray-----	5	45	
Silt, slightly clayey, gray-----	1	46	

Well 36/6W-13D1

Type of record: Driller's log.

Altitude: 648 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Fill-----	1	1	
Sand, fine, silty, brown-----	3	4	
Silt, sandy, gray and brown-----	2	6	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/6W-13D1---Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, medium, sandy, gray and brown-----	14	20	
Silt, sandy, gray, with clay seams and trace of gravel-----	16	36	

Well 36/6W-13H2

Type of record: Driller's log.

Altitude: 667 feet.

Quaternary system:			
Recent and Pleistocene series:			
Silt, sandy, mottled brown and gray, calcareous-----	10	10	
Clay, soft, silty, gray-----	5	15	
Silt, sandy, gray-----	25	40	
Clay, stiff, silty, gray, with embedded sand and gravel-----	10	50	
Sand, coarse, gray-----	5	55	
Clay, hard, gray, with embedded sand and gravel-----	1	56	

Well 36/6W-13H5

Type of record: Driller's log.

Altitude: 662 feet.

Quaternary system:			
Recent and Pleistocene series:			
Silt, clayey, brown-----	2	2	
Clay, silty, medium-gray and brown, calcareous-----	2	4	
Sand, coarse, brown-----	1	5	
Clay, stiff, silty, gray-----	3	8	
Sand, coarse, brown-----	6	14	
Silt, slightly clayey, gray-----	21	35	
Sand, coarse, gray with gravel--	20	55	
Clay, stiff, silty, gray, with embedded sand and gravel-----	1	56	

Well 36/6W-13N1

Type of record: Driller's log from memory.

Altitude: 661 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay-----	14	14	
Sand-----	5	19	
Clay, blue-----	22	41	
Sand and clay; mixed-----	9	50	
Marl-----	12	62	
Gravel and clay-----	12	74	
Hardpan-----	2	76	



Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/6W-13N1--Continued

Material	Thick-ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Gravel and sand-----	8	84	
Sand, coarse-----	6	90	

Well 36/6W-14A2

Type of record: Driller's log. Altitude: 650 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, sandy, tan, with some fine to medium gravel-----	3	3	
Silt, medium, mottled tan, with trace of clay-----	3	6	
Silt, clayey, tan, with fine gravel-----	4	10	
Clay, silty, gray-----	10	20	
Silt, dense, sandy, gray, with trace of clay and gravel-----	15	35	
Silt, gray, with fine to medium gravel and trace of clay-----	5	40	
Silt, dense, gray, with trace of clay and sand-----	15	55	
Clay, silty, gray, with em-bedded sand and gravel-----	17	72	

Well 36/6W-14N1

Type of record: Driller's log. Altitude: 648 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, hard, brown-----	12	12	
Clay, medium, gray-----	27	39	
Sand and gravel; medium, gray-----	11	50	

Well 36/6W-15B1

Type of record: Driller's log. Altitude: 640 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, stiff, sandy, mottled light-gray and brown-----	15	15	
Sand, fine, gray-----	10	25	
Clay, stiff, sandy, gray, with shale fragments-----	10	35	
Sand, fine, gray, with some gravel-----	10	45	
Sand, fine, silty, gray, with gravel-----	5	50	
Sand, fine, hard, silty, gray---	2	52	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/6W-15C3

Type of record: Driller's log.

Altitude: 640 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Fill and gravel-----	1	1	
Clay, silty, mottled gray and brown, with calcareous nodules	7	8	
Sand, fine, silty, gray-----	15	23	
Clay, medium, gray-----	4	27	
Sand, fine, gray, with some fine gravel and trace of silt-	17	44	
Sand, fine to medium, gray-----	6	50	
Silt, sandy, gray, with trace of fine gravel-----	7	57	
Sand, fine to coarse, gray-----	8	65	
Sand, fine to coarse, silty, gray-----	20	85	
Sand, fine, gray-----	11	96	

Well 36/6W-15D2

Type of record: Driller's log.

Altitude: 639 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil, silty, gray to black--	2	2	
Sand, fine, tan and brown, with trace of clay and silt-----	13	15	
Silt, sandy, gray-----	7	22	
Sand, fine, tan, with some silt-	8	30	
Silt, dense, gray-----	15	45	
Sand, fine, silty, gray-----	5	50	
Silt, sandy, gray-----	5	55	
Sand, fine, silty, gray, with trace of clay-----	17	72	

Well 36/6W-16A4

Type of record: Driller's log.

Altitude: 632 feet.

Quaternary system:			
Recent and Pleistocene series:			
Fill; gray sand, gravel and clay	2	2	
Clay, soft, sandy, mottled gray and brown-----	4	6	
Sand, fine, gray-----	4	10	
Sand, fine, silty, gray, with trace of gravel-----	10	20	
Silt, dense, gray, with em- bedded sand and trace of clay-	30	50	
Clay, hard, sandy, with em- bedded gravel-----	10	60	
Sand, clayey-----	6	66	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/6W-16D2

Type of record: Driller's log.

Altitude: 638 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Top soil, black, with organic matter-----	1	1	
Clay, silty, mottled gray and brown-----	12	13	
Sand, fine, tan, with trace of silt-----	22	35	
Sand, fine to medium, gray-----	15	50	
Clay, medium, gray-----	7	57	
Silt, dense, clayey, gray, with trace of sand-----	8	65	
Silt, medium, gray, with trace of clay-----	7	72	

Well 36/6W-16E1

Type of record: Driller's log.

Altitude: 636 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, medium, silty, brown-----	1	1	
Sand, fine, brown-----	14	15	
Sand, fine, silty, brown-----	20	35	
Sand, fine, gray-----	9	44	
Silt, gray, with embedded sand and gravel-----	16	60	Clayey below 50 feet.
Silt, sandy, gray-----	11	71	

Well 36/6W-16E4

Type of record: Driller's log.

Altitude: 640 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, tan-----	2	2	
Sand, fine to coarse, dark-brown, with some mixed gravel-----	2	4	
Silt, clayey, gray and tan, with sand and gravel-----	3	7	
Silt, clayey, dense, gray and tan-----	1	8	
Sand, fine, tan, and gravel; with trace of silt-----	2	10	
Clay, stiff, gray, with trace of sand and silt-----	4	14	
Sand, fine, tan-----	26	40	
Sand, medium, gray-----	14	54	
Silt, dense, clayey, gray-----	8	62	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/6W-16E5

Type of record: Driller's log.

Altitude: 641 feet.

Material	Thick-ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, tan-----	4	4	
Silt, clayey, gray, with some sand-----	2	6	
Sand, fine, brown, with trace of silt and few seams of gray clay-----	10	16	
Sand, fine to medium, brown, with trace of silt-----	19	35	
Sand, fine to medium, gray-----	25	60	
Silt, dense, gray-----	2	62	
Clay, stiff, gray, with some silt-----	4	66	

Well 36/6W-17E1

Type of record: Driller's log.

Altitude: 634 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil, black, and sand-----	1	1	
Sand, fine, silty, tan-----	39	40	
Sand, fine, gray-----	5	45	
Silt, gray-----	5	50	
Sand, fine, silty, gray-----	16	66	

Well 36/6W-17G1

Type of record: Driller's log.

Altitude: 616 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, silty, dark-brown-----	2	2	
Clay, soft, organic, gray-----	14	16	Silty near top.
Marl, soft, clayey, organic, gray-----	12	28	Silty near bottom.
Sand, fine, gray-----	5	33	
Clay, medium, silty, gray, with embedded sand and gravel-----	11	44	

Well 36/6W-17H1

Type of record: Driller's log.

Altitude: 638 feet.

Quaternary system:			
Recent and Pleistocene series:			
Silt, clayey, brown-----	2	2	
Sand, fine, brown-----	33	35	
Sand, fine, gray-----	15	50	
Silt, stiff, gray, with embedded sand and gravel-----	6	56	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/6W-17K3

Type of record: Driller's log.

Altitude: 611 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary systems:			
Recent and Pleistocene series:			
Silt, sandy, organic-----	6	6	
Sand, fine, brown, with trace of silt-----	9	15	
Silt, tan and gray, with trace of fine sand, fine gravel, and clay-----	3	18	
Clay, soft, silty, blue-----	5	23	
Sand, fine, tan, with trace of silt and fine gravel-----	17	40	
Clay, stiff, gray, with trace of silt-----	2	42	

Well 36/6W-17K7

Type of record: Driller's log.

Altitude: 611 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, silty, dark-brown-----	2	2	
Silt, organic, brown-----	3	5	
Sand, fine, silty, organic, brown-----	8	13	
Marl, soft, clayey, organic-----	9	22	
Sand, silty, gray-----	6	28	
Clay, very soft, marly, sandy, gray-----	10	38	
Sand, silty, gray-----	7	45	
Clay, medium, silty, gray, with embedded sand and gravel-----	11	56	

Well 36/6W-17K9

Type of record: Driller's log.

Altitude: 610 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Silt, gray and brown-----	2	2	
Clay, soft, gray and brown-----	3	5	
Sand, fine, silty, gray, with organic clay seams-----	5	10	
Marl, soft, sandy, clayey, organic-----	20	30	
Sand, fine, gray, with shell fragments and lignite-----	15	45	
Clay, stiff, silty, gray, with embedded sand and gravel-----	7	52	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/6W-17K10

Type of record: Driller's log.

Altitude: 610 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Silt, sandy, dark-brown-----	3	3	
Clay, soft, organic, dark-brown-	1	4	
Clay, soft, gray, stratified with sand seams-----	2	6	
Marl, very soft, sandy, clayey, dark-gray-----	30	36	
Clay, stiff, silty, gray, with embedded sand and gravel-----	26	62	

Well 36/6W-17K11

Type of record: Driller's log.

Altitude: 612 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, silty, dark-brown-----	4	4	
Clay, stiff, gray-----	1	5	
Sand, soft, clayey, gray-----	2	7	
Clay, very soft, sandy, gray----	1	8	
Sand, fine, gray-----	12	20	
Marl, soft, clayey, organic, gray-----	8	28	Sandy near bottom.
Sand, fine, gray-----	6	34	
Clay, medium, silty, tan and gray, with embedded sand and gravel-----	11	45	

Well 36/6W-17L1

Type of record: Driller's log.

Altitude: 636 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Silt, clayey, black-----	2	2	
Sand, medium, tan, with trace of silt-----	2	4	
Sand, fine, silty, tan-----	2	6	
Clay, medium, sandy, with em- bedded gravel-----	2	8	
Sand, fine, tan, with trace of silt-----	14	22	
Sand, medium, gray-----	4	26	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/6W-17L3

Type of record: Driller's log.

Altitude: 634 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Top soil, silty, dark-brown-----	2	2	
Silt, stiff, tan, with some clay	2	4	
Sand, fine, silty, tan-----	21	25	
Clay, medium, tan-----	5	30	
Sand, fine, silty, tan-----	2	32	

Well 36/6W-17M1

Type of record: Driller's log.

Altitude: 636 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Silt, brown and gray-----	2	2	
Sand, fine, brown-----	3	5	
Sand, fine, brown, with soft clay seams-----	1	6	
Sand, fine, brown-----	9	15	
Sand, fine, silty, brown-----	20	35	
Sand, fine, silty, gray-----	25	60	
Silt, gray-----	6	66	

Well 36/6W-17M3

Type of record: Driller's log.

Altitude: 635 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, soft, silty, brown-----	4	4	
Sand, clayey, brown-----	1	5	
Sand, fine, brown-----	10	15	
Sand, fine, silty, brown-----	10	25	
Sand, fine, silty, brown, with clay seams-----	5	30	
Sand, fine, silty, gray-----	20	50	
Sand, fine, silty, gray, with clay seams-----	16	66	

Well 36/6W-18C2

Type of record: Driller's log.

Altitude: 635 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, brown, with trace of clay-----	4	4	
Clay, soft, silty-----	1	5	
Sand, fine, brown-----	15	20	
Sand, fine, gray-----	20	40	
Sand, fine, gray, with trace of soft clay-----	20	60	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/6W-18C2--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Silt, clayey, gray-----	1	61	
Clay, soft, gray, with silt seams and trace of sand-----	11	72	

Well 36/6W-18C4

Type of record: Driller's log.

Altitude: 635 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil-----	1	1	
Sand, fine, brown, with trace of silt-----	1	2	
Clay, silty, tan and gray, with some sand-----	3	5	
Sand, fine, tan and brown-----	10	15	
Sand, fine, gray-----	4	19	
Silt, sandy, gray-----	16	35	
Sand, medium to coarse, gray, and fine gravel; with trace of silt-----	27	62	
Silt, clayey, gray-----	6	68	
Sand, fine, gray, with some silt	4	72	

Well 36/6W-18D1

Type of record: Driller's log.

Altitude: 628 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, soft, sandy, gray-----	6	6	
Sand, fine, brown-----	29	35	
Clay, soft, gray, with silt seams-----	7	42	

Well 36/6W-18E1

Type of record: Driller's log from memory.

Altitude: 632 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, blue-----	34	34	
Sand, very fine-----	8	42	
Clay, blue-----	8	50	
Gravel, fine-----	7	57	



Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/6W-18F2

Type of record: Driller's log.

Altitude: 636 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, brown-----	2	2	
Clay, soft, silty, mottled gray and brown-----	3	5	
Sand, fine, brown, with gray silt seams-----	5	10	
Sand, fine, brown, with trace of clay-----	5	15	
Sand, fine, gray, with trace of gravel-----	15	30	
Sand, fine, gray, with silty clay seams-----	5	35	
Sand, coarse, gray, with gravel-	35	70	
Clay, soft, silty, gray, with silt seams-----	6	76	

Well 36/6W-18F5

Type of record: Driller's log.

Altitude: 638 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, silty, tan-----	6	6	
Sand, fine, brown-----	19	25	
Clay, medium, gray-----	2	27	
Sand, fine, gray-----	12	39	
Sand, fine, silty, gray-----	3	42	
Clay, medium, silty, gray-----	7	49	
Sand, fine, gray-----	6	55	
Sand, coarse, gray-----	14	69	
Clay, medium, gray, with silt seams-----	7	76	

Well 36/6W-18F8

Type of record: Driller's log.

Altitude: 636 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, tan-----	2	2	
Clay, soft, sandy, brown-----	2	4	
Sand, fine, brown-----	15	19	
Silt, clayey, gray-----	4	23	
Sand, fine, silty, gray-----	22	45	
Sand, coarse, gray-----	15	60	
Clay, soft, gray, with silt seams-----	6	66	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/6W-18F9

Type of record: Driller's log.

Altitude: 629 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Silt, mottled gray and tan, with trace of clay-----	2	2	
Clay, silty, gray and tan-----	2	4	
Sand, fine, silty, tan, with trace of clay-----	1	5	
Silt, sandy, tan, with trace of clay-----	5	10	
Sand, fine, tan-----	15	25	
Silt, gray, with some fine sand-----	15	40	
Sand, fine, silty, gray-----	6	46	
Silt, gray, with some clay-----	1	47	
Sand, fine, gray, with trace of silt-----	5	52	

Well 36/6W-18F10

Type of record: Driller's log.

Altitude: 635 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil, black, and gray sand--	2	2	
Sand, silty, gray to brown-----	6	8	
Sand, brown, with trace of silt-	8	16	
Silt, gray, with trace of sand--	40	56	

Well 36/6W-18G1

Type of record: Driller's log.

Altitude: 634 feet.

Quaternary system:			
Recent and Pleistocene series:			
Soil, black-----	1	1	
Sand, brown and gray-----	3	4	
Sand, gray, with trace of clay--	2	6	
Clay with brown sand-----	4	10	
Sand, brown-----	15	25	
Sand, gray, with trace of silt and clay-----	21	46	

Well 36/6W-18H1

Type of record: Driller's log.

Altitude: 633 feet.

Quaternary system:			
Recent and Pleistocene series:			
Road fill-----	1	1	
Clay, stiff, silty, brown-----	1	2	
Sand, fine, brown, with soft clay seams-----	8	10	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/6W-18H1--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, silty, brown-----	20	30	
Sand, fine, silty, gray-----	3	33	
Clay, medium, silty, gray, with embedded sand and gravel-----	4	37	
Sand, fine, gray-----	18	55	
Sand, fine, silty, gray-----	17	72	

Well 36/6W-20A2

Type of record: Driller's log.

Altitude: 618 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil, black, and concrete fill-----	4	4	
Sand, fine, medium dense, brown, with silt-----	1	5	
Sand, fine, medium dense, brown, with some silt and trace of gravel-----	2	7	
Sand, fine, loose, brown, with some silt-----	3	10	
Silt, organic, dark-gray, with trace of sand-----	22	32	
Silt, and fine to coarse sand; very loose-----	4	36	
Sand, fine to coarse, loose, gray, with some silt-----	6	42	
Silt, medium dense, with some fine to medium gravel and trace of clay-----	4	46	
Silt and fine to medium gravel; dense, gray-----	4	50	
Sand, fine, dense, gray, with some silt-----	3	53	

Well 36/6W-21C1

Type of record: Driller's log.

Altitude: 642 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow and blue-----	21	21	
Sand, fine, soft, brown-----	6	27	
Clay, medium hard, blue-----	4	31	
Sand, fine, hard, gray-----	9	40	
Sand and gravel-----	6	46	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/6W-32A1

Type of record: Driller's log.

Altitude: 621 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Silt, loose, dark-brown, with trace of sand-----	2	2	
Silt, loose, brown, with trace of sand-----	2	4	
Silt, and fine sand; very loose, dark-brown-----	2	6	
Silt and clay; very loose, dark- brown and gray, with trace of sand-----	8	14	
Silt, very loose, dark-brown and gray, with some fine sand-	4	18	
Sand-----	2	20	
Silt, medium dense, gray, with some clay and trace of sand and gravel-----	4	24	
Clay and silt; very tough, blue, with trace of sand-----	10	34	
Silt, dense, gray, with some clay and trace of sand-----	2	36	

Well 36/6W-32C2

Type of record: Driller's log.

Altitude: 652 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow-----	42	42	
Clay, blue-----	36	78	
Gravel and sand-----	24	102	
Clay, blue, and gravel-----	38	140	Shale at 140 feet.

Well 36/6W-32C3

Type of record: Driller's log.

Altitude: 652 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow-----	37	37	
Sand, silty-----	1	38	
Clay, blue-----	22	60	
Clay and gravel-----	5	65	
Sand, silty-----	5	70	
Clay, blue-----	5	75	
Clay and gravel-----	5	80	
Sand, silty-----	5	85	
Gravel, light-----	30	115	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/6W-32D1

Type of record: Driller's log. Altitude: 662 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow-----	35	35	
Clay, blue-----	15	50	
Clay and gravel-----	5	55	
Gravel, fine-----	10	65	
Clay, blue-----	30	95	
Gravel, coarse-----	10	105	
Sand-----	10	115	Shale at 115 feet.

Well 36/6W-32H1

Type of record: Driller's log. Altitude: 642 feet.

Quaternary system:			
Recent and Pleistocene series:			
Muck-----	21	21	
Clay, soft, blue-----	9	30	
Clay, blue, and hard gravel-----	5	35	
Gravel, small-----	3	38	
Sand, fine, soft, gray-----	7	45	
Clay, soft, blue-----	3	48	
Sand, fine, gray-----	1	49	
Gravel, black-----	2	51	
Gravel, black, and gray coarse sand-----	3	54	
Sand, fine, gray-----	2	56	
Sand, fine, with mud and gravel-----	3	59	
Mud, black-----	3	62	
Sand, salt and pepper, with gravel-----	6	68	
Sand, fine, gray, and gravel-----	9	77	
Sand, coarse to medium, gray and white-----	10	87	

Well 36/6W-33D1

Type of record: Driller's log. Altitude: 621 feet.

Quaternary system:			
Recent and Pleistocene series:			
Silt, loose, dark-brown, with trace of sand-----	7	7	
Silt, very loose, organic, dark-gray and brown, with some sand-----	2	9	
Sand, fine to medium, and organic silt; very loose, dark-gray and brown-----	5	14	
Silt, very loose, organic, gray and brown, with trace of sand--	4	18	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/6W-33D1--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine to coarse, medium dense, gray and brown, with some organic silt and gravel--	6	24	
Silt, medium dense, gray, with some fine sand-----	10	34	
Clay, very tough, with some silt and trace of sand-----	4	38	
Silt, dense, gray, with some fine sand-----	4	42	

Well 36/6W-36D1

Type of record: Driller's log. Altitude: 765 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow-----	30	30	Clay. Do.
Shale, blue-----	73	103	
Shale-----	67	170	
Mud, blue-----	3	173	
Sand-----	7	180	
Mud-----	19	199	
Devonian system:			
Upper Devonian series:			
Lime-----	15	214	
Shale-----	11	225	

Well 36/7W-1R1

Type of record: Driller's log. Altitude: 640 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, medium, brown-----	5	5	
Clay, medium, brown-----	15	20	
Sand, medium, brown-----	16	36	
Silt, medium, gray-----	2	38	
Gravel, medium, gray-----	3	41	
Silt, medium, gray-----	1	42	
Sand, medium, gray-----	17	59	

Well 36/7W-10C5

Type of record: Driller's log. Altitudes: 591 feet.

Quaternary system:			
Recent and Pleistocene series:			
Loam and sand-----	5	5	
Muck, soft-----	9	14	
Sand, fine, gray-----	16	30	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/7W-10D1

Type of record: Driller's log.

Altitude: 594 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Loam and sand-----	4	4	
Sand, brown-----	13	17	
Sand, fine, gray-----	33	50	

Well 36/7W-10E1

Type of record: Driller's log.

Altitude: 596 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, organic, black-----	1	1	
Sand, fine, gray-----	14	15	
Clay, soft, gray-----	5	20	
Silt, gray-----	3	23	
Sand, silty, gray-----	32	55	
Silt, clayey, gray-----	1	56	
Clay, soft, silty, gray-----	2	58	

Well 36/7W-10E2

Type of record: Driller's log.

Altitude: 596 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, silty, organic, black-----	3	3	
Sand, silty, gray-----	17	20	
Clay, soft, gray to black-----	6	26	
Silt, sandy, gray-----	28	54	
Clay, medium, gray, with trace of gravel-----	12	66	

Well 36/7W-10E5

Type of record: Driller's log.

Altitude: 596 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, organic, black-----	2	2	
Sand, fine, silty, gray-----	8	10	
Sand, fine, gray-----	10	20	
Silt, sandy, gray-----	10	30	
Sand, silty, gray-----	10	40	
Sand, fine, gray-----	8	48	
Sand, silty, gray-----	4	52	
Clay, soft, gray-----	10	62	
Silt, clayey, gray-----	5	67	
Sand, silty, gray-----	8	75	
Clay, gray-----	27	102	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/7W-10F1

Type of record: Driller's log.

Altitude: 612 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, organic, black-----	2	2	
Sand, fine, brown-----	13	15	
Sand, fine, gray, with trace of clay-----	15	30	
Sand, fine, silty, gray, with trace of clay-----	32	62	

Well 36/7W-10L2

Type of record: Driller's log.

Altitude: 611 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, organic, black-----	2	2	
Sand, fine, brown-----	18	20	
Sand, fine, gray-----	15	35	
Sand, fine, silty, gray-----	25	60	
Silt, sandy, gray, with clay seams-----	15	75	
Clay, soft, gray, with silt and sand seams-----	40	115	
Silt, gray, with embedded shale and sand-----	7	122	

Well 36/7W-11M2

Type of record: Driller's log.

Altitude: 616 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, brown-----	6	6	
Sand, fine, silty, brown-----	14	20	
Sand, fine, silty, gray-----	5	25	
Sand, fine, gray-----	9	34	
Clay, soft, gray, with silt seams-----	5	39	
Sand, fine, gray-----	10	49	Clay seam at 45 feet.
Clay, soft, gray-----	13	62	
Sand, fine, gray-----	22	84	
Silt, gray, and silty clay; stratified-----	14	98	
Sand, fine, gray-----	3	101	
Clay, stiff, silty, gray, with embedded coarse sand-----	3	104	



Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/7W-11M4

Type of record: Driller's log.

Altitude: 617 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, brown-----	15	15	
Sand, fine, silty-----	2	17	
Sand, fine-----	3	20	
Sand, fine, silty, gray-----	5	25	
Sand, fine, gray-----	14	39	
Clay, soft, gray-----	3	42	
Sand, fine, gray-----	4	46	
Silt, clayey, gray-----	11	57	
Clay, medium, gray-----	13	70	
Sand, fine, gray-----	6	76	

Well 36/7W-11M8

Type of record: Driller's log.

Altitude: 611 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, organic, gray and brown---	2	2	
Sand, gray-----	8	10	
Sand, silty, gray-----	10	20	
Sand, gray-----	10	30	
Sand, silty, gray-----	5	35	
Clay, silty, gray-----	35	70	
Sand, fine, gray-----	10	80	
Sand, silty, gray-----	15	95	
Silt, stiff, slightly clayey, gray, with embedded coarse sand and gravel-----	11	106	

Well 36/7W-11N5

Type of record: Driller's log.

Altitude: 626 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, brown, with trace of organic matter-----	4	4	
Clay, sandy, mottled brown and gray-----	3	7	
Sand, fine, silty, brown, with trace of organic matter-----	18	25	
Sand, fine, with trace of silt--	20	45	
Sand, fine, with clay and silt seams-----	5	50	
Clay, gray, with silt seams-----	36	86	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/7W-11P1

Type of record: Driller's log. Altitude: 632 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, yellow-----	12	12	
Clay, blue-----	6	18	
Sand and clay, mixed-----	17	35	
Sand, coarse, gray-----	15	50	

Well 36/7W-11P2

Type of record: Driller's log. Altitude: 626 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, brown-----	5	5	
Clay, mottled brown and gray----	3	8	
Sand, fine, silty, brown-----	7	15	
Sand, fine, gray-----	35	50	
Clay, gray, with sand seams-----	5	55	

Well 36/7W-11R3

Type of record: Driller's log. Altitude: 633 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, brown-----	2	2	
Sand, fine, silty, brown, with organic matter-----	5	7	
Sand, fine, gray, with trace of clay-----	3	10	
Sand, fine, silty, gray-----	25	35	
Sand, fine-----	15	50	
Clay, soft, gray-----	5	55	
Silt, gray-----	5	60	
Silt, sandy, gray-----	15	75	Fine sand seam at 65 feet.
Clay, medium, gray-----	11	86	Silt seam at 85 feet.

Well 36/7W-12N1

Type of record: Driller's log. Altitude: 633 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, brown, with de- cayed organic matter-----	3	3	
Sand, fine, gray-----	42	45	
Sand, fine, silty, gray-----	5	50	
Clay, medium, silty, gray-----	6	56	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/7W-12Q5

Type of record: Driller's log.

Altitude: 637 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, silty, brown-----	4	4	
Clay, stiff, mottled gray and brown-----	4	8	
Sand, fine, brown-----	7	15	
Sand, fine, silty, brown-----	3	18	
Sand, fine, brown-----	12	30	
Sand, coarse, brown-----	10	40	
Sand, coarse, gray-----	10	50	
Sand, fine, silty, gray-----	10	60	
Sand, fine, gray, with trace of gravel-----	10	70	
Silt, gray-----	15	85	
Clay, slightly silty, gray-----	11	96	

Well 36/7W-12R3

Type of record: Driller's log.

Altitude: 637 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, silty, brown-----	4	4	
Clay, soft, silty, mottled gray and brown-----	4	8	
Sand, fine, silty, brown-----	22	30	
Silt, gray-----	5	35	
Sand, fine, gray-----	10	45	
Sand, fine, silty, gray-----	5	50	
Sand, fine, silty, tan-----	10	60	
Sand, fine, tan, with trace of brown and gray clay-----	12	72	
Clay, gray-----	3	75	
Clay, gray, with silt seams-----	11	86	

Well 36/7W-12R4

Type of record: Driller's log.

Altitude: 638 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, silty, brown-----	5	5	
Clay, mottled brown and gray----	5	10	
Sand, fine, silty, brown-----	10	20	
Sand, fine, brown, with trace of gravel-----	5	25	
Sand, fine, brown, with trace of clay-----	12	37	
Sand, fine, gray-----	25	62	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/7W-13D1

Type of record: Driller's log.

Altitude: 634 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, medium, brown-----	27	27	
Clay, medium, blue-----	6	33	
Sand, medium, black and white---	6	39	

Well 36/7W-13M1

Type of record: Driller's log.

Altitude: 635 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, yellow-----	24	24	
Clay, blue-----	6	30	
Sand, very coarse, gray-----	14	44	

Well 36/7W-15J2

Type of record: Driller's log.

Altitude: 633 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand and brown and blue clay----	18	18	
Sand, fine, brown-----	6	24	
Clay, soft, blue-----	1	25	
Sand, fine, gray-----	14	39	
Sand, medium, gray-----	6	45	

Well 36/7W-15K1

Type of record: Driller's log.

Altitude: 633 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, medium, yellow-----	38	38	
Clay, blue-----	6	44	
Sand, medium, gray-----	22	66	
Marl-----	10	76	

Well 36/7W-15Q1

Type of record: Driller's log.

Altitude: 633 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine-----	18	18	
Clay, brown-----	3	21	
Sand, fine-----	4	25	
Sand, very fine, brown and white	5	30	
Sand, medium, gray-----	22	52	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/7W-15R1

Type of record: Driller's log from memory.

Altitude: 632 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow-----	12	12	
Sand, yellow-----	10	22	
Clay, blue-----	16	38	
Sand, coarse, gray-----	12	50	

Well 36/7W-34P1

Type of record: Driller's log.

Altitude: 635 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, medium, brown-----	15	15	
Clay, medium, gray-----	59	74	
Sand, gray, and medium gravel--	6	80	
Clay, medium, gray-----	34	114	
Sand, gray, and medium gravel--	23	137	

Well 36/7W-36A2

Type of record: Driller's log.

Altitude: 670 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow-----	5	5	
Clay, blue-----	49	54	
Sand, dirty, and clay-----	4	58	
Silt to fine sand-----	11	69	
Sand, fine, dirty-----	5	74	
Silt-----	9	83	
Clay, blue-----	7	90	
Clay, hard, blue-----	10	100	Boulder at 93 feet.
Sand-----	5	105	
Gravel and shale-----	5	110	
Gravel, dirty-----	7	117	
Sand-----	5	122	
Clay-----	5	127	
Clay, gravel, and boulders-----	11	138	
Sand-----	5	143	
Gravel with clay-----	2	145	
Clay-----	3	148	

Well 36/7W-36A3

Type of record: Driller's log.

Altitude: 670 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, red-----	13	13	
Clay, blue-----	42	55	
Sand, silty, with clay streak---	15	70	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 36/7W-36A3--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, blue-----	32	102	
Silt-----	3	105	
Clay-----	5	110	
Gravel-----	5	115	
Sand-----	5	120	
Gravel-----	18	138	
Sand, fine-----	12	150	Clay at 150 feet.

Well 36/7W-36P2

Type of record: Driller's log. Altitude: 660 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil-----	5	5	
Clay, yellow-----	45	50	
Clay, sandy-----	25	75	
Gravel-----	10	85	
Sand and gravel-----	25	110	
Devonian system:			
Upper Devonian series:			
Slate, gray-----	15	125	Shale.
Lime, broken, with pyrite-----	3	128	
Lime, solid, with pyrite-----	7	135	
Slate, gray-----	50	185	Shale.
Shale, blue-----	15	200	
Middle Devonian series:			
Lime, broken-----	4	204	
Lime, solid, dark-gray-----	10	214	
Lime, solid, dark-gray-----	26	240	
Lime, solid, gray-----	8	248	

Well 36/7W-36P3

Type of record: Driller's log. Altitude: 670 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow-----	16	16	
Clay, blue-----	62	78	
Clay, hard, blue-----	3	81	Boulder at 78 feet.
Sand-----	7	88	Boulder at 86 feet.
Sand, fine, dirty-----	12	100	
Sand, fine-----	27	127	
Sand, fine, dirty-----	6	133	Boulder at 132 feet.
Devonian system:			
Upper Devonian series:			
Shale-----	3	136	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 37/5W-1A1

Type of record: Driller's log.

Altitude: 617 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, with peaty beds near bottom-----	30	30	
Clay, blue, with thin sand beds	55	85	
Gravel and sand-----	9	94	
Clay, blue-----	110	204	
Gravel-----	6	210	
Clay, blue-----	35	245	
Devonian system:			
Upper Devonian series:			
Shale-----	1	246	
Devonian and Silurian system; undifferentiated:			
Limestone, hard, gray-----	180	426	
Rock, soft-----	66	492	
Limestone, hard-----	372	864	

Well 37/5W-1B1

Type of record: Driller's log.

Altitude: 620 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand-----	20	20	
Clay-----	60	80	
Sand-----	7	87	
Sand-----	14	101	

Well 37/5W-13A1

Type of record: Driller's log.

Altitude: 662 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, gray-----	72	72	
Clay, blue-----	23	95	
Gravel and sand-----	5	100	

Well 37/5W-13B1

Type of record: Driller's log.

Altitude: 659 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil-----	1	1	
Clay, silty, brown, with some sand	4	5	
Clay, silty, light-brown, and coarse sand-----	5	10	
Clay, silty, gray, with some sand	5	15	
Clay, silty, gray, and sand-----	15	30	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 37/5W-14M3

Type of record: Driller's log.

Altitude: 655 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Top soil-----	1	1	
Clay, silty, mottled, with trace of sand and organic matter-----	5	6	
Clay, silty, gray, with little sand-----	19	25	
Clay, silty, gray, with trace of coarse sand-----	10	35	
Clay, silty, gray, and coarse sand-----	10	45	
Sand, coarse, silty, gray, and clay-----	5	50	

Well 37/5W-16J1

Type of record: Driller's log from memory.

Altitude: 670 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, yellow-----	15	15	
Clay, yellow-----	5	20	
Sand, yellow-----	20	40	
Clay, blue-----	57	97	

Well 37/5W-16K1

Type of record: Driller's log.

Altitude: 650 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, yellow-----	9	9	
Clay, blue-----	10	19	
Clay, sandy, gravel, and stone--	16	35	
Sand, dirty-----	22	57	
Clay, blue, with stones-----	30	87	
Hardpan-----	1	88	
Clay, sand, and stone; mixed-----	37	125	
Sand, white-----	5	130	

Well 37/5W-19B1

Type of record: Driller's log.

Altitude: 630 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, loose, yellow-----	5	5	
Clay, firm, yellow-----	3	8	
Sand, soft, orange-----	12	20	
Clay, soft, light-gray and yellow-----	1	21	
Sand, hard, light-gray-----	4	25	



Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 37/5W-28D1

Type of record: Driller's log.

Altitude: 645 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, silty, gray, with trace of clay-----	1	1	
Sand, silty, brown, with little clay-----	5	6	
Sand, fine, silty, gray, with some clay-----	4	10	
Clay, silty, gray, with sand-----	5	15	
Clay, silty, gray, with little sand-----	11	26	
Sand, fine to medium, brown, with little silt-----	10	36	
Silt, very stiff, clayey, and coarse sand-----	14	50	

Well 37/5W-28D3

Type of record: Driller's log.

Altitude: 644 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, silty, with little clay-----	1	1	
Sand, brown, and clay; with little silt-----	6	7	
Clay, silty, gray, and sand-----	3	10	
Sand, silty, gray, with little clay-----	6	16	
Sand, silty, brown, and clay-----	4	20	
Sand, brown, with little silt and clay-----	5	25	
Sand, medium to coarse, light- brown, with little clay-----	5	30	

Well 37/5W-28P1

Type of record: Driller's log.

Altitude: 642 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, firm, yellow-----	29	29	
Clay and gravel, hard, gray-----	10	39	
Sand, hard, gray-----	4	43	

Well 37/5W-28R1

Type of record: Driller's log.

Altitude: 643 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, sandy-----	60	60	
Sand-----	30	90	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 37/5W-28R1--Continued			
Material	Thick- ness (feet)	Depth (feet)	Remarks
Devonian system:			
Upper Devonian series:			
Shale, hard, blue-black-----	58	148	
Lime, with pyrite-----	1	149	
Shale-----	11	160	
Shale, hard, slaty, blue-black--	7	167	
Shale, hard, brown-----	18	185	
Shale, hard, brown, calcareous--	5	190	
Slate, soft, black and white----	5	195	Shale.
Shale, hard, bituminous-----	5	200	
Shale, with sand stringers-----	15	215	
Middle Devonian series:			
Lime, sandy, black-----	10	225	
Lime-----	3	228	
Lime, sandy, reddish-brown-----	12	240	
Lime, hard, sandy-----	10	250	
Lime, gray-black, with gray and brown shells-----	10	260	
Shale, black, and black lime----	5	265	
Record missing-----	10	275	
Shale, black, and black lime----	5	280	
Shale, gray, calcareous, with light and dark shells-----	15	295	
Lime, gray, dove-colored-----	5	300	
Lime, reddish-brown-----	10	310	
Silurian system:			
Middle Silurian series:			
Lime, gray-----	10	320	
Limestone, dolomitic-----	20	340	Hydrogen sulfide water.
Lime, dolomitic, siliceous, blue	10	350	
Lime, hard, gray-blue-----	15	365	
Lime, dolomitic, hard, white----	5	370	
Lime, hard, gray-----	5	375	
Lime, dolomitic, white-gray-----	5	380	Hydrogen sulfide water.
Lime, sandy, white-----	5	385	
Record missing-----	5	390	
Sand, gray-----	10	400	
Lime, hard, gray-----	10	410	
Lime, sandy, gray, with very fine sand-----	20	430	
Lime, gray, with shells-----	5	435	
Lime, hard, sandy, gray-----	45	480	
Lime, whitish-gray-----	5	485	
Lime, hard, blue-gray-----	5	490	
Lime, sandy, gray, with very fine sand-----	15	505	
Lime, sandy, grayish-white-----	10	515	
Limestone, medium-hard, grayish-white-----	10	525	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 37/5W-28R1--Continued			
Material	Thick- ness (feet)	Depth (feet)	Remarks
Silurian system:			
Middle Silurian series:			
Lime, white-----	15	540	
Lime, siliceous, white-----	5	545	
Lime, hard, black-----	10	555	
Lime, soft, white-----	5	560	
Lime, white-----	5	565	
Lime, soft, blue-gray-----	20	585	
Lime, sandy, gray and white-----	35	620	
Lime, hard, sandy, brownish-----	30	650	
Lime, hard, sandy, white and gray-----	25	675	
Lime, white-gray-----	35	710	
Lime, hard, brown-----	10	720	
Sand, calcareous, and blue hard shale-----	5	725	
Lime, hard, white-----	5	730	
Lime, hard, light-----	5	735	
Lime, hard, white-gray-----	15	750	
Lime, hard, white-----	5	755	
Lime, very hard, gray-----	5	760	
Lime, softer, brown-----	5	765	
Lime, very hard, grayish-brown-----	5	770	
Lime, somewhat softer, gray-----	10	780	
Lime, hard, gray to black-----	5	785	
Lime, gray, with calcareous very fine sand-----	5	790	
Lime, hard, sandy-----	15	805	
Limestone-----	15	820	
Sandstone, hard, calcareous-----	10	830	
Ordovician system:			
Upper Ordovician series?:			
Shale, hard, blue, calcareous-----	20	850	
Sandstone, blue-black, calcareous-----	5	855	
Shale, hard, blue-black, calcareous-----	5	860	
Shale, soft, light-blue-----	85	945	
Shale, bituminous, brownish- black-----	10	955	
Shale, soft, blue-black-----	5	960	
Shale, soft, blue gumbo-----	5	965	
Shale, hard, blue-black-----	5	970	
Shale, soft, blue gumbo-----	5	975	
Shale, blue, calcareous-----	5	980	
Shale, blue gumbo-----	15	995	
Shale, soft, blue gumbo-----	5	1,000	
Shale, soft, black, calcareous-----	10	1,010	
Shale, very hard, blue calcareous-----	10	1,020	
Shale, hard, black, calcareous-----	10	1,030	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 37/5W-28R1--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Ordovician system:			
Middle Ordovician series:			
Lime, hard, buff-----	65	1,095	
Lime and shale, buff-----	5	1,100	
Lime, hard, buff-----	5	1,105	

Well 37/5W-29J1

Type of record: Driller's log.		Altitude: 644 feet.	
Quaternary system:			
Recent and Pleistocene series:			
Clay, medium, gray-----	15	15	
Sand, gray and brown, and medium gravel-----	10	25	
Silt, medium, gray-----	17	42	
Gravel, medium, gray-----	3	45	

Well 37/5W-30N2

Type of record: Driller's log.		Altitude: 646 feet.	
Quaternary system:			
Recent and Pleistocene series:			
Top soil-----	1	1	
Clay, sandy, brown, with little silt-----	7	8	
Clay, silty, brown, with little sand-----	9	17	
Sand, medium, brown, with little clay-----	9	26	
Sand, medium, brown, with trace of silt and clay-----	5	31	
Sand, medium, brown-----	19	50	

Well 37/5W-30N3

Type of record: Driller's log.		Altitude: 646 feet.	
Quaternary system:			
Recent and Pleistocene series:			
Sand, brown, clay, and silt-----	5	5	
Clay, silty, brown, and sand-----	5	10	
Sand, medium, brown-----	20	30	

Well 37/5W-30R2

Type of record: Driller's log.		Altitude: 649 feet.	
Quaternary system:			
Recent and Pleistocene series:			
Clay, silty, gray, and sand-----	1	1	
Sand, brown, and clay; with little silt-----	9	10	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

## Well 37/5W-30R2--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine to medium, brown, with little silt and clay-----	6	16	
Sand, fine, silty, gray, with little clay-----	4	20	
Sand, fine, silty, gray, and clay-----	5	25	
Sand, fine, silty, brown, with little clay-----	1	26	
Clay, silty, gray, with little sand-----	4	30	

## Well 37/5W-30R4

Type of record: Driller's log.

Altitude: 653 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, silty, dark-brown, and clay-----	1	1	
Sand, medium, brown, with little silt and clay-----	11	12	
Clay, silty, gray, and sand-----	8	20	
Sand, medium, brown, with little silt and clay-----	11	31	
Clay, silty, gray, and sand-----	4	35	
Sand, silty, gray, with little clay-----	5	40	
Clay, silty, gray, and fine sand	10	50	

## Well 37/5W-31C1

Type of record: Driller's log.

Altitude: 638 feet.

Quaternary system:			
Recent and Pleistocene series:			
Loam; black silty sand-----	1	1	
Clay, silty, brown, with little sand-----	4	5	
Sand, fine, silty, brown, with little clay-----	5	10	
Sand, silty, gray, with little clay-----	2	12	
Sand, medium, brown, with trace of silt-----	6	18	
Clay, silty, gray, and fine sand	5	23	
Sand, fine, silty, gray, with little clay-----	7	30	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 37/5W-31C4

Type of record: Driller's log.

Altitude: 638 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary systems:			
Recent and Pleistocene series:			
Top soil-----	1	1	
Clay, silty, brown, and sand----	4	5	
Sand, medium, brown-----	3	8	
Sand, fine, silty, brown, with little clay-----	4	12	
Sand, fine, silty, gray, and clay-----	25	37	
Clay, silty, gray, and sand----	4	41	
Clay, silty, gray, with much coarse sand-----	4	45	
Clay, silty, gray, and sand----	5	50	

Well 37/5W-31C5

Type of record: Driller's log.

Altitude: 640 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, medium to coarse, dark- brown-----	1	1	
Clay, silty, brown, and sand----	7	8	
Clay, silty, brown, with some sand-----	4	12	
Clay, silty, brown, with sand seams-----	3	15	
Sand, fine, silty, gray, and clay-----	5	20	
Clay, silty, gray, and fine sand	10	30	

Well 37/5W-31L1

Type of record: Driller's log.

Altitude: 642 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Fill; black cinders and sand with large stones-----	5	5	
Sand, dark-brown, and clay-----	4	9	
Sand, medium, brown, with trace of silt-----	5	14	
Sand, medium, brown-----	5	19	
Sand, coarse, brown, with trace of small gravel-----	5	24	
Sand, medium, brown, with trace of small gravel-----	11	35	
Sand, medium, gray-----	10	45	
Sand, medium, brown, with trace of small gravel-----	5	50	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 37/5W-31M2

Type of record: Driller's log.

Altitude: 645 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Fill-----	3	3	
Sand, fine-----	40	43	
Sand, coarse, gravel, and stone-----	11	54	
Sand, coarse-----	7	61	
Clay and fine sand-----	7	68	

Well 37/5W-31P4

Type of record: Driller's log.

Altitude: 644 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Fill; black cinders, sand, and large stones-----	5	5	
Sand, brown, and clay-----	5	10	
Sand, medium, brown, with trace of silt and clay-----	5	15	
Sand, medium, brown-----	5	20	
Sand, coarse, brown, with some small gravel-----	5	25	
Sand, medium, brown-----	20	45	
Sand, fine to medium, gray-----	5	50	

Well 37/5W-32E1

Type of record: Driller's log.

Altitude: 639 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand and medium gravel; brown and gray-----	30	30	
Clay, medium, gray-----	8	38	
Sand and medium gravel; brown-----	12	50	
Sand, medium, gray-----	16	66	

Well 37/5W-32E2

Type of record: Driller's log.

Altitude: 635 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, soft, brown-----	5	5	
Clay, medium, brown and gray-----	25	30	
Sand, medium, brown-----	12	42	
Sand, medium, gray-----	3	45	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 37/5W-32G1

Type of record: Driller's log.

Altitude: 640 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow-----	16	16	
Clay, blue-----	2	18	
Gravel, light-----	7	25	
Sand, gray-----	8	33	

Well 37/5W-36E1

Type of record: Driller's log.

Altitude: 662 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, sand, and gravel-----	5	5	
Sand and gravel-----	15	20	
Gravel and sand-----	7	27	Clay at 27 feet.

Well 37/5W-36H1

Type of record: Driller's log.

Altitude: 690 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Soil-----	3	3	
Clay, sandy-----	25	28	
Clay-----	25	53	
Clay, sandy-----	38	91	
Gravel and sand-----	24	115	Shale at 115 feet.

Well 37/5W-36N1

Type of record: Driller's log.

Altitude: 678 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, yellow-----	7	7	
Sand, gray-----	20	27	Suitable for 15-slot screen.
Clay, blue-----	53	80	
Sand, dirty, gray-----	18	98	
Clay, blue-----	2	100	
Sand, fine-----	28	128	Suitable for 10-slot screen.
Sand and gravel-----	3	131	

Well 37/5W-36N2

Type of record: Driller's log.

Altitude: 678 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Top soil-----	7	7	
Clay, yellow, and sand-----	15	22	



Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 37/5W-36N2--Continued

Material	Thick-ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, blue, and sand-----	44	66	
Sand, fine-----	4	70	
Clay and sand-----	43	113	
Sand-----	11	124	
Clay and gravel; hard-----	11	135	
Devonian system:			
Upper Devonian series:			
Shale, brown-----	13	148	

Well 37/5W-36N3

Type of record: Driller's log.

Altitude: 668 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil-----	5	5	
Clay and sand-----	78	83	
Sand, dirty-----	7	90	
Sand-----	3	93	
Clay and sand-----	7	100	
Sand-----	3	103	
Clay-----	1	104	
Sand-----	2	106	
Clay, hard-----	3	109	
Clay and gravel-----	2	111	
Gravel-----	7	118	Clay at 118 feet.

Well 37/6W-14L1

Type of record: Driller's log.

Altitude: 600 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, round-----	12	12	
Sand, coarse-----	2	14	
Sand, medium-----	1	15	
Gravel, large-----	3	18	
Sand, coarse, and large gravel--	3	21	
Clay-----	1	22	

Well 37/6W-14N2

Type of record: Driller's log.

Altitude: 625 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil-----	1	1	
Sand, fine-----	10	11	
Sand and gravel-----	6	17	
Clay, blue-----	55	72	
Sand-----	12	84	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 37/6W-14N2--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system: Recent and Pleistocene series: Gravel and sand; with shale fragments-----	10	94	

Well 37/6W-23R1

Type of record: Driller's log. Altitude: 650 feet.

Quaternary system: Recent and Pleistocene series: Sand, yellow-----	35	35	
Clay, blue-----	39	74	
Sand, very coarse-----	30	104	

Well 37/6W-24A1

Type of record: Driller's log. Altitude: 608 feet.

Quaternary system: Recent and Pleistocene series: Sand, yellow-----	22	22	
Clay, blue-----	24	46	
Sand, very coarse, and fine gravel-----	8	54	

Well 37/6W-25J2

Type of record: Driller's log. Altitude: 657 feet.

Quaternary system: Recent and Pleistocene series: Loam, silty, black, with sand and cinders-----	1	1	
Sand, medium, dark, with some silt and clay-----	4	5	
Sand, medium, brown, with trace of silt and clay-----	10	15	
Sand, medium, brown-----	15	30	
Sand, fine to medium, brown-----	20	50	

Well 37/6W-25M1

Type of record: Driller's log. Altitude: 682 feet.

Quaternary system: Recent and Pleistocene series: Clay, medium, brown-----	48	48	
Clay, gray, and medium gravel-----	6	54	
Sand, medium, gray-----	4	58	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 37/6W-25N1

Type of record: Driller's log.

Altitude: 631 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, silty, black and brown, and clay-----	1	1	
Sand, fine, silty, brown, and clay-----	15	16	
Sand, fine, silty, brown-----	5	21	
Silt, clayey, gray, with little sand-----	11	32	
Clay, silty, brown, with little sand-----	3	35	
Silt, clayey, gray, with little sand-----	5	40	
Clay, silty, gray, with little sand-----	10	50	

Well 37/6W-25Q1

Type of record: Driller's log.

Altitude: 630 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, silty, mottled, and clay--	1	1	
Clay, silty, brown, with little sand-----	19	20	
Sand, fine, silty, gray, and clay-----	5	25	
Clay, silty, brown, with little sand and trace of gravel-----	5	30	

Well 37/6W-25Q4

Type of record: Driller's log.

Altitude: 625 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Top soil-----	1	1	
Sand, fine, silty, brown, with trace of clay-----	4	5	
Clay, silty, brown, and sand----	6	11	
Sand, fine, silty, mottled, with little clay-----	4	15	
Sand, fine, silty, mottled, with some clay-----	5	20	
Sand, fine, silty, gray, with little clay-----	15	35	
Sand, fine, silty, gray, with clay-----	6	41	
Clay, silty, mottled, and sand--	9	50	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 37/6W-26B1

Type of record: Driller's log. Altitude: 680 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, sandy, brown, with gravel	11	11	
Clay, sandy, silty, brown, with gravel and small stones	6	17	
Clay, sandy, mottled gray-brown, with gravel	7	24	
Clay, sandy, gray, with gravel and small stones	26	50	

Well 37/6W-26G1

Type of record: Driller's log. Altitude: 685 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow	25	25	
Clay, gray	25	50	
Till, gray	25	75	
Till, gray, and gravel	19	94	
Gravel grading to sand	10	104	
Sand, fine	6	110	
Sand, medium	10	120	
Sand, fine, muddy	5	125	

Well 37/6W-26R1

Type of record: Driller's log. Altitude: 631 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, silty, gray and brown, and clay	1	1	
Sand, fine, silty, brown, and clay	9	10	
Clay, silty, gray and brown, with little sand	15	25	
Clay, silty, gray and brown, with seams of fine sand	5	30	

Well 37/6W-27A1

Type of record: Driller's log. Altitude: 640 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow	30	30	
Clay, blue	6	36	
Sand, red	50	86	
Sand, gray	7	93	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 37/6W-27H1

Type of record: Driller's log.

Altitude: 679 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, sandy, silty, brown, with gravel-----	12	12	
Silt, firm, sandy, brown-----	2	14	
Clay, sandy, brown, with gravel-	2	16	
Silt, clayey, brown, with gravel	2	18	
Clay, silty, brown, with gravel-	3	21	
Clay, firm, sandy, gray, with gravel-----	9	30	

Well 37/6W-27H2

Type of record: Driller's log.

Altitude: 680 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow-----	15	15	
Clay, yellow, with sand-----	7	22	
Clay, light-brown-----	5	27	
Clay, gray-----	10	37	
Till, gray-----	43	80	
Till, gray, with fine gravel----	7	87	
Gravel, fine, grading to sand----	25	112	
Sand, fine to medium-----	13	125	

Well 37/6W-27L2

Type of record: Driller's log.

Altitude: 675 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, yellow-----	18	18	
Sand and clay-----	47	65	
Clay, blue-----	11	76	
Sand, medium, clean-----	14	90	
Sand, fine, gray-----	12	102	
Sand, fine, with some clay-----	8	110	Blue clay at 110 feet.

Well 37/6W-31R1

Type of record: Driller's log.

Altitude: 632 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay-----	12	12	
Sand, coarse, and gravel-----	31	43	
Sand, fine-----	7	50	
Sand-----	6	56	
Clay-----	127	183	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 37/6W-31R1--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Devonian system: Middle Devonian series: Limestone-----	42	225	

Well 37/6W-32R1

Type of record: Driller's log. Altitude: 636 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, silty, black and dark-brown-----	1	1	
Sand, silty, brown, and clay----	4	5	
Sand, fine to medium, brown, and little silt-----	10	15	
Sand, fine to medium, light- brown-----	11	26	
Sand, medium, brown, with some silt and clay-----	4	30	
Sand, medium, brown, with little silt and clay-----	10	40	
Sand, medium, light-brown, with some silt-----	5	45	
Sand, medium, gray to brown, with little silt and clay-----	5	50	

Well 37/6W-33N1

Type of record: Driller's log. Altitude: 634 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, silty, dark-brown, and clay-----	1	1	
Clay, silty, brown, and sand----	4	5	
Sand, fine to medium, brown, with little silt-----	20	25	
Sand, medium to coarse, light- brown-----	5	30	

Well 37/6W-33R3

Type of record: Driller's log. Altitude: 636 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil-----	1	1	
Sand, silty, mottled, with trace of clay-----	4	5	
Sand, fine to medium, brown-----	45	50	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 37/6W-34A1

Type of record: Driller's log.

Altitude: 630 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, medium, brown-----	33	33	
Clay, medium, gray-----	8	41	
Sand, medium, gray-----	7	48	

Well 37/6W-35B1

Type of record: Driller's log.

Altitude: 611 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, silty, brown, and clay-----	1	1	
Clay, silty, brown, and sand----	9	10	
Sand, silty, dark-gray, and clay with trace of organic matter-----	5	15	
Sand, silty, gray, with some clay-----	5	20	
Sand, fine, silty, gray, with little clay-----	15	35	
Sand, silty, gray, with some clay-----	10	45	

Well 37/6W-35B7

Type of record: Driller's log.

Altitude: 610 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, soft to very soft, silty, organic, brown-----	8	8	
Clay, very soft, silty, gray, with trace of organic matter----	9	17	
Clay, very soft, silty, gray----	4	21	
Clay, very soft, silty, sandy, gray-----	9	30	
Gravel, medium, sandy, gray, with trace of silt-----	4	34	
Clay, stiff, silty, gray, with trace of sand and gravel-----	6	40	
Clay, stiff, silty, gray-----	9	49	
Sand, very dense, gray-----	3	52	

Well 37/6W-35C1

Type of record: Driller's log.

Altitude: 613 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, silty, mottled, and sand--	1	1	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 37/6W-35C1--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, silty, brown, with little sand and trace of small gravel	4	5	
Clay, silty, mottled gray and brown, with trace of organic matter-----	6	11	
Clay, very soft, silty, and fine sand; with trace of organic matter-----	9	20	
Clay, silty, mottled, with little sand-----	6	26	
Sand, silty, dark-gray, and clay	4	30	
Sand, silty, brown and gray, and clay-----	5	35	
Sand, medium, gray, with little silt and clay-----	5	40	
Sand, medium, gray, with some silt and clay-----	5	45	
Sand, medium, gray, with trace of silt and clay-----	5	50	

Well 37/6W-35E1

Type of record: Driller's log.

Altitude: 639 feet.

Quaternary system:			
Recent and Pleistocene series:			
Top soil-----	1	1	
Sand, silty, brown, with little clay-----	14	15	
Sand, fine, brown, with little silt-----	6	21	
Sand, coarse, brown-----	14	35	
Sand, medium to coarse, brown---	15	50	

Well 37/6W-35E7

Type of records: Driller's log.

Altitude: 639 feet.

Quaternary systems:			
Recent and Pleistocene series:			
Top soil-----	1	1	
Clay, silty, brown, and sand---	10	11	
Sand, fine to medium, brown----	4	15	
Sand, medium, brown-----	5	20	
Sand, medium to coarse, brown---	10	30	
Sand, fine to medium, brown----	10	40	
Sand, medium to coarse, brown---	5	45	
Sand, fine to medium, brown----	5	50	



Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 37/6W-35G2

Type of record: Driller's log.

Altitude: 640 feet.

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series:			
Clay, red-----	17	17	
Clay, blue-gray-----	10	27	
Sand, coarse, brown-----	1	28	
Sand, coarse, gray, and fine gravel-----	4	32	
Sand, medium, and little gravel-	7	39	
Sand, medium, gray, and medium gravel-----	3	42	
Gravel, fine to medium, gray, and broken shale-----	4	46	
Gravel, fine, gray, and sand----	12	58	
Gravel, coarse, and sand-----	2	60	
Gravel, fine, and coarse sand---	1	61	Gray clay and quick- sand at 61 feet.

Well 37/6W-35G3

Type of record: Driller's log.

Altitude: 640 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay-----	20	20	
Sand, fine, and gravel-----	15	35	
Clay-----	5	40	
Gravel and sand-----	20	60	
Sand, fine, muddy-----	14	74	Clay at 74 feet.

Well 37/6W-36R1

Type of record: Driller's log.

Altitude: 630 feet.

Quaternary system:			
Recent and Pleistocene series:			
Clay, sand, and gravel-----	10	10	
Sand, brown-----	8	18	
Sand, gray-----	12	30	
Sand, gray, and gravel-----	10	40	
Sand, gray-----	3	43	
Sand, gray, and gravel-----	17	60	
Clay, sand, and gravel-----	11	71	
Clay, blue-----	4	75	
Quicksand-----	15	90	

Well 37/7W-35B3

Type of record: Driller's log.

Altitude: 610 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, brown-----	30	30	

Table 3.--Selected logs of wells and test holes in Porter County--Continued

Well 37/7W-35B3--Continued

Material	Thick- ness (feet)	Depth (feet)	Remarks
Quaternary system:			
Recent and Pleistocene series			
Clay, blue-----	32	62	
Sand, coarse, white-----	6	68	

Well 37/7W-35B4

Type of record: Driller's log. Altitude: 625 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, fine, brown-----	36	36	
Sand, fine, white-----	14	50	
Sand, white, and gravel-----	8	58	

Well 37/7W-35J1

Type of record: Driller's log from memory. Altitude: 605 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand, yellow-----	12	12	
Clay, blue-----	28	40	
Sand, very fine, gray-----	27	67	
Clay, blue-----	5	72	
Sand and little gravel; mixed-----	23	95	

Well 37/7W-36B1

Type of record: Driller's log. Altitude: 607 feet.

Quaternary system:			
Recent and Pleistocene series:			
Sand-----	15	15	
Sand, dark-gray-----	4	19	
Sand, fine, gray-----	9	28	
Clay-----	2	30	
Peat and clay, in layers-----	4	34	
Clay-----	4	38	
Clay, sandy-----	4	42	
Sand, fine-----	42	84	
Clay, gray-----	1	85	

Table 4.--Records of springs in Porter County, Indiana

Spring: See text for description of well-numbering system.  
 Altitude: Altitude of land-surface datum from topographic map.  
 Material: D, drift; G, gravel; M, muck; Sd, sand.  
 Geologic age: Pl, Pleistocene; R, Recent.  
 Use: D, domestic; N, none; P, public supply; S, stock.

Flow: E, estimated; M, measured.  
 Field chemical analyses: In parts per million; water samples collected on date of measurement, except where otherwise noted in remarks.  
 Remarks: GPM, gallons per minute.

Spring	Owner	Altitude (feet)	Material	Geologic age	Use	Flow (gpm)	Date of measurement	Field chemical analyses					Remarks		
								Temperature (°F)	Iron (Fe)	Carbonate (CO <sub>2</sub> )	Bicarbonate (HCO <sub>3</sub> )	Chloride (Cl)		Hardness as CaCO <sub>3</sub> (calcium, magnesium)	
35/8W-1511	State of Indiana	700	D	Pl	P	25 M	10-11-56	54	---	0	329	---	---	350	Seven scoops in area; water sample collected 6-18-58. Spring zone at contact of clayey, silty, medium to coarse sand and gray-blue clay till; spring zone consists of many scoops; iron encrustation. Spring zone at base of knoll at contact of sandy muck with underlying sandy clay till; iron encrustation. Used for cooling; iron deposit on spillway. Used for cooling and sprinkling; spring zone consists of six scoops; iron deposits on spillway.
25D1	Doubling Paint Store	700	Sd, G	Pl	N	15 M	10-10-58	53	2.0	0	429	---	---	416	
33P1	P. Hubbal	705	Sd	Pl	D, S	27 M	10-27-56	---	---	---	---	---	---	---	
35H1	C. McGill	700	M	R	N	11 M	10-10-56	---	---	---	---	---	---	---	Spring zone consists of series of scoops near top of strona bank. Spring zone at base of till bluff; iron deposits along channel. Iron deposit on discharge pipe and fountain. Do. Series of scoops in marsh. Spring from sandy zone in till. Spring from sandy zone in till; iron deposits on spillway. Spring zone at contact of sand zone with overlying till. About 40 springs in area; yields range from less than 1 to 40 GPM. Water sample collected 6-19-59.
36E1	-----do-----	715	D	Pl	---	4 M	10-10-50	53	---	---	---	---	---	---	
36M1	-----do-----	715	D	Pl	---	16 M	10-10-56	52	---	0	381	---	---	370	
38/5W-10J1	State of Indiana	720	D	Pl	N	1 E	10-31-56	---	---	---	---	---	---	---	
21K1	E. Graiger	720	D	Pl	N	35 E	10-30-56	---	---	---	---	---	---	---	
21N1	-----do-----	720	D	Pl	N	20 M	10-30-56	---	---	---	---	---	---	---	
21N2	State of Indiana	720	D	Pl	P	30 M	10-30-56	52	---	0	273	---	---	276	
36/6W-23P2	-----do-----	640	D	Pl	P	15 M	10-30-56	54	---	0	400	---	---	330	
20A1	-----do-----	675	D	Pl	N	---	-----	---	---	---	---	---	---	---	
20H2	H. L. Borg	710	D	Pl	S	1 E	10-30-56	---	---	---	---	---	---	---	
20R1	Mr. Shenck	715	D	Pl	N	1.5M	10-30-56	53	---	0	379	---	---	420	
33J1	Girl Scouts of Chicago	675	Sd	Pl	---	30 E	10-30-56	54	---	---	---	---	---	---	
34E2	-----do-----	695	Sd	Pl	D	0 M	10-30-56	52	---	0	338	---	---	360	
								52	1.3	0	388	---	---	380	

Table 5.--Field chemical analyses of water from wells in Porter County, Indiana (Results in parts per million. Analyses by U. S. Geological Survey, except where otherwise noted.)

Well	Material	Geologic Age	Date of Collection	Temperature (°F)	Iron (Fe)	Carbonate (CO <sub>3</sub> )	Bicarbonate (HCO <sub>3</sub> )	Sulfate (SO <sub>4</sub> )	Chloride (Cl)	Hardness as CaCO <sub>3</sub> (calcium, magnesium)	Remarks
33/5W-3Q1	G, Sd	Pl	11-19-59	---	0.3	10	176	150	20	268	
33/6W-19P3	Sd, G	Pl	11-19-59	---	1.0	34	405	10	12	152	
19P4	Sd, G	Pl	11-19-59	---	>7.5	19	215	545	56	744	
33/7W-15A2	Sd, G	Pl	3-21-57	53	---	7	281	---	4	332	
34/5W-20D1	Sd	Pl	11-19-59	---	.5	29	220	60	12	244	
34/6W-4B2	Sd, G	Pl	11-19-59	---	.5	29	405	95	20	436	
6B2	Sd	Pl	11-19-59	---	3.0	19	478	145	32	524	
24N1	Sd, G	Pl	11-19-59	53	1.0	24	278	25	16	224	
24N2	Sd	Pl	1957	---	---	0	405	---	16	296	
33Q1	Sd	Pl	5-21-57	---	.1	0	229	---	8	340	
34/7W-1B7	Sd, G	Pl	11-19-59	---	3.0	10	522	295	16	668	
1C2	Sd	Pl	5-21-57	53	4.0	0	368	---	4	692	
1D1	Sd	Pl	7-17-56	54	1.0	0	449	---	6	468	
1E2	Sd	Pl	5-21-57	55	>7.5	0	300	---	0	248	
1L1	Sd	Pl	5-21-57	52	2.0	0	490	---	10	632	
12A1	Sd	Pl	11-19-59	52	3.0	14	317	85	12	326	

Well: See text for description of well-numbering system.

Material: G, gravel; Ls, limestone; Sd, sand.

Geologic age: D, Devonian; Pl, Pleistocene; S, Silurian.

Iron (Fe): U. S. Public Health Service drinking-water standards - 0.3 parts per million for iron and manganese together.

Sulfate (SO<sub>4</sub>): U. S. Public Health Service drinking-water standards - 250 parts per million.

Chloride (Cl): U. S. Public Health Service drinking-water standards - 250 parts per million.

Remarks: DCC, analysis by Dearborn Chemical Co.; ICI, analysis by Industrial Chemicals, Inc.; So, analysis of softened water; TDS, total dissolved solids.

Table 5.--Field chemical analyses of water from wells in Porter County, Indiana--Continued

Well	Material	Geologic Age	Date of Collection	Temperature (°F)	Iron (Fe)	Carbonate (CO <sub>3</sub> )	Bicarbonate (HCO <sub>3</sub> )	Sulfate (SO <sub>4</sub> )	Chloride (Cl)	Hardness as CaCO <sub>3</sub> (calcium, magnesium)	Remarks
34/7W-26A1	Sd	Pl	11-19-59	---	2.0	19	200	115	16	292	
	G, Sd	Pl	11-19-59	---	.3	14	395	22	12	300	
35/5W-16P2	Sd	Pl	12-10-59	---	.1	19	283	50	4	276	
	Sd	Pl	11-18-59	---	1.0	14	429	155	20	512	
	Sd	Pl	5-17-57	57	.1	17	183	---	6	252	
	Sd	Pl	11-18-59	---	.1	29	224	55	16	260	
	Sd	Pl	11-18-59	---	.5	0	83	35	20	72	
	Sd	Pl	11-18-59	---	.5	14	146	45	16	144	
	Sd	Pl	11-18-59	---	.5	24	176	5	16	200	
	Sd, G	Pl	11-19-59	---	<.1	12	117	95	16	184	
35/6W-5Q1	Sd	Pl	11-18-59	---	1.5	41	322	30	4	304	
	Sd, G	Pl	12-10-59	55	1.5	10	381	85	16	372	
	Sd	Pl	11-18-59	---	1.0	29	303	135	16	384	
	Sd	Pl	11-18-59	---	.3	24	239	65	16	272	
	Sd	Pl	5-21-57	57	1.0	0	271	---	4	276	
	Sd	Pl	11-18-59	---	1.0	10	259	90	16	284	
	Sd	Pl	11-14-56	53	---	0	361	---	6	338	
	Sd	Pl	11-18-59	---	2.0	14	264	55	16	260	
	Sd	Pl	11-18-59	---	.5	14	332	40	12	292	
35/7W-1M2	Sd	Pl	11-18-59	---	2.0	34	346	90	16	348	
	Sd	Pl	5-16-57	---	.5	0	373	---	4	248	
	G	Pl	11-18-59	---	.1	24	312	5	16	176	
36/5W-1R1	Sd	Pl	5-16-57	52	2.5	14	334	---	4	372	
	Sd	Pl	10-30-59	---	3.0	19	298	58	12	312	
	Sd, G	Pl	5-14-57	58	1.5	10	224	---	6	284	
	Sd	Pl	5-14-57	54	1.5	29	185	---	4	280	
	Sd	Pl	4-14-57	55	2.5	0	466	---	6	544	
	Sd	Pl	10-30-59	---	3.0	14	366	140	8	404	

36/5W-15R1	Sd	Pl	5-14-57	55	0.5	24	268	---	---	---	368	ICI.
15R1	Sd	Pl	10-30-59	---	.1	24	307	95	8	8	312	So.
18D1	Sd	Pl	6-9-55	53	2.3	0	144	210	8	8	327	
18D1	Sd	Pl	11-17-59	---	.1	58	381	50	20	20	12	
19N1	Sd	Pl	11-17-59	---	1.0	24	371	120	24	24	432	
22D1	Sd	Pl	10-30-59	---	1.0	24	317	95	12	12	372	
30N1	Sd	Pl	11-17-59	---	2.5	38	381	70	12	12	416	
31M1	Sd	Pl	11-17-59	---	1.5	19	307	130	10	10	384	
36/6W-5N1	Sd	Pl	11-17-59	---	1.0	29	273	35	12	12	252	
9E4	Sd	Pl	11-17-59	---	.3	24	200	55	16	16	216	
13N1	G,Sd	Pl	11-17-59	---	.5	29	390	60	28	28	400	
13N2	Sd	Pl	11-17-59	---	2.0	19	381	45	16	16	344	
18E1	G	Pl	11-17-59	---	.5	24	161	15	12	12	160	
19L1	Sd	Pl	11-17-59	---	1.0	38	312	15	8	8	280	
21C1	Sd,G	Pl	11-17-59	---	.5	24	224	12	16	16	200	
23P1	Sd	Pl	10-30-56	52	.2	0	405	---	0	0	400	
23R1	Sd,G	Pl	5-15-57	55	2.5	31	310	---	14	14	424	
23R1	Sd,G	Pl	11-17-59	---	1.0	34	293	80	16	16	268	
32D1	Sd,G	Pl	11-17-59	---	2.0	46	386	5	28	28	272	
34E1	Sd	Pl	10-30-56	52	.5	0	305	---	4	4	307	
34E1	Sd	Pl	11-17-59	---	1.0	24	210	70	12	12	264	
36E1	Sd,G	Pl	11-17-59	---	1.5	19	407	155	12	12	456	
36/7W-3E1	Sd	Pl	11-12-56	56	2.0	0	127	---	0	0	142	
11P1	Sd	Pl	10-29-59	---	.1	19	88	50	8	8	122	
12Q1	Sd,G	Pl	10-29-59	---	.3	19	98	85	16	16	172	
13M2	Sd	Pl	10-29-59	---	.3	24	117	70	10	10	168	
23N2	Sd	Pl	10-29-59	---	.5	0	293	180	18	18	376	
25F1	Sd	Pl	10-29-59	---	.1	53	376	10	8	8	296	DCC.
36A2	G,Sd	Pl	11-10-56	---	.7	22	352	---	7	7	324	DCC.
36A3	G,Sd	Pl	1-7-57	---	.4	0	402	---	7	7	204	TDS 497; DCC.
36P5	Sd,G	Pl	11-13-56	---	1.2	---	340	12	5	5	270	
36Q1	G	Pl	5-16-57	50	1.1	0	449	---	8	8	320	
37/5W-1A1	Ls	D,S	3-12-57	56	---	0	351	---	3,600	3,600	3,850	
1A1	Ls	D,S	10-28-59	56	.1	0	317	2,000	3,300	3,300	2,700	
2Q1	Sd	Pl	10-28-59	---	.1	14	112	75	20	20	164	
3A1	Sd	Pl	10-28-59	---	1.0	0	78	45	16	16	8	So.

Table 5.--Field chemical analyses of water from wells in Porter County, Indiana--Continued

Well	Material	Geologic Age	Date of Collection	Temperature (°F)	Iron (Fe)	Carbonate (CO <sub>3</sub> )	Bicarbonate (HCO <sub>3</sub> )	Sulfate (SO <sub>4</sub> )	Chloride (Cl)	Hardness as CaCO <sub>3</sub> (calcium, magnesium)	Remarks
37/5W-3L1	Sd	P1	5-9-57	55	2.7	5	95	---	2	152	
16K1	Sd	P1	10-28-59	---	1.5	53	483	8	16	416	
16K1	Sd	P1	5-10-57	55	2.0	17	498	---	6	448	
21M1	Sd	P1	5-14-57	60	2.0	10	537	---	10	518	
21M1	Sd	P1	10-28-59	---	1.5	14	493	38	12	380	
24H2	G	P1	10-28-59	---	.3	0	288	30	8	224	
28P1	Sd	P1	10-28-59	---	1.5	29	254	15	10	200	
29J1	G	P1	10-28-59	---	.3	43	283	20	12	272	
31H2	Sd	P1	5-15-57	54	2.5	0	337	---	26	340	
31H2	Sd	P1	10-28-59	---	1.5	34	303	50	12	312	
32G1	Sd	P1	10-28-59	---	1.0	24	259	45	28	264	
36E1	G,Sd	P1	3-14-57	53	2.5	0	285	---	10	232	
36H1	G,Sd	P1	5-57	---	---	12	178	---	4	148	
36H1	G,Sd	P1	10-28-59	---	.1	29	322	35	16	---	So.
37/6W-14J1	Sd	P1	5-14-57	56	.2	0	37	---	0	76	
14J2	Sd	P1	10-29-59	---	1.5	0	78	45	12	84	
23R1	Sd	P1	5-14-57	54	1.0	12	364	---	12	344	
24D1	G	P1	10-29-59	---	.5	34	283	20	92	176	
24H1	G,Sd	P1	12-9-59	---	1.5	14	400	25	8	296	
25E1	Sd	P1	3-14-57	56	1.0	0	322	---	8	364	
25E1	Sd	P1	10-29-59	---	.5	0	303	85	10	300	
25K1	Sd	P1	5-14-57	53	.8	14	181	---	10	300	
26G1	Sd,G	P1	11-14-56	---	1.4	0	415	110	8	460	TDS 697; DCC.
27H2	G,Sd	P1	11-5-56	---	.7	---	415	92	10	440	TDS 667; DCC.
27L1	Sd	P1	5-22-57	52	.1	0	427	---	14	460	
27L2	Sd	P1	10-29-59	52	.1	0	346	100	16	348	
29H1	Ls	S?	11-1-56	54	---	0	395	---	16	1,170	
36B1	Sd,G	P1	5-15-57	57	.8	0	273	---	2,400	336	

37/7W-26M1	Sd	PI	10-29-59	---	3.0	38	273	45	24	296
35B1	Sd	PI	11-1-56	54	1.0	7	166	---	6	200
35B1	Sd	PI	4-12-57	50	.4	14	124	---	4	228
35B2	Sd,G	PI	10-29-59	---	.1	34	220	28	8	---
35J1	Sd	PI	5-16-57	55	2.0	0	205	---	4	224
36B1	Sd	PI	10-29-59	---	.1	19	137	60	16	176
38/5W-36Q1	Sd	PI	4-57	53	.2	12	220	---	54	76

So.



Table 6.--Water levels in observation wells in Porter County, Indiana  
(In feet below land-surface datum. Water level: e, estimated; h, tape measurement)

Porter 1. (35/5W-6L5). City of Valparaiso. Valparaiso Water Dept.  
NE $\frac{1}{4}$ SW $\frac{1}{4}$  sec. 6, T. 35 N., R. 5 W. Drilled unused water-table well in sand, di-  
ameter 2 inches, depth 89 feet. Land-surface datum is 803 feet above msl.  
Highest water level is 48.28 below lsd, July 8, 1952; lowest 70.31 below lsd,  
Oct. 29, 1957. Records available: 1935-58. Affected by nearby pumping.

Date	Water level	Date	Water level	Date	Water level	Date	Water level
1935		June 15	52.64	Mar. 2	51.62	1941	
		July 1	52.58	16	52.08	Jan. 2	52.69
Oct. 16	51.58	15	52.60	Apr. 2	52.17	13	53.14
Dec. 2	52.34	Aug. 1	52.57	15	51.96	Feb. 2	54.21
17	51.50	15	52.68	May 15	51.68	15	54.76
1936		Sept. 2	52.80	June 1	51.66	Mar. 2	54.96
		16	52.95	16	51.20	16	54.82
Jan. 2	51.32	Oct. 1	56.22	July 1	51.55	31	55.93
15	51.65	16	57.54	15	51.46	Apr. 16	56.47
Feb. 2	51.58	Nov. 16	55.05	Aug. 1	51.42	1	55.85
15	51.83	Dec. 15	53.45	15	51.32	16	56.40
Mar. 1	51.62	1938		27	51.40	June 15	55.72
16	51.76	Jan. 2	52.99	Sept. 1	51.34	July 1	54.39
Apr. 16	51.72	Feb. 1	52.53	Oct. 2	51.54	16	54.20
May 1	51.75	15	52.96	16	52.41	Aug. 1	55.12
15	51.22	Mar. 1	53.05	Nov. 2	51.18	15	55.52
June 1	51.60	16	53.19	16	51.30	Sept. 1	55.58
15	51.81	Apr. 1	52.74	Dec. 2	51.57	16	56.34
July 3	52.62	15	52.83	15	51.32	Oct. 2	56.80
16	52.82	May 1	52.97	1940		16	55.50
Aug. 7	57.20	16	52.73	Jan. 2	51.29	Nov. 1	55.28
15	57.35	June 1	52.65	Feb. 1	51.16	15	53.94
Sept. 1	54.79	15	52.56	15	51.64	Dec. 2	53.62
15	53.77	July 1	52.58	Mar. 1	51.92	15	53.55
Oct. 1	53.04	15	52.40	15	51.82	1942	
16	52.99	Aug. 1	52.34	Apr. 1	51.74	Jan. 1	53.56
Nov. 1	52.85	15	52.15	16	51.64	30	52.94
16	52.91	Sept. 2	52.20	May 2	51.69	Feb. 15	52.70
20	52.29	16	52.18	15	52.05	Mar. 2	52.70
Dec. 1	52.97	Oct. 2	52.02	June 1	51.18	15	53.00
15	52.65	15	51.97	15	51.84	Apr. 1	52.40
1937		Nov. 1	52.05	July 1	51.74	15	52.30
		16	52.08	15	51.78	May 1	52.60
Jan. 1	52.68	Dec. 2	52.35	Aug. 1	52.36	16	52.30
16	52.26	16	52.06	15	51.80	June 1	51.90
Feb. 1	52.21	1939		Sept. 2	51.79	16	52.20
15	52.81	Jan. 1	52.00	15	51.86	July 2	52.12
Mar. 16	52.70	16	51.83	Oct. 1	51.93	15	52.12
Apr. 15	52.97	Feb. 1	51.91	15	52.06	Aug. 3	52.18
May 1	52.74	15	51.74	Nov. 2	52.12	15	52.20
15	52.69	1940		16	51.85	Sept. 1	52.00
June 1	52.65	Jan. 2	51.29	Dec. 15	51.82		
		Feb. 1	51.16				
		15	51.64				
		Mar. 1	51.92				
		15	51.82				
		Apr. 1	51.74				
		16	51.64				
		May 2	51.69				
		15	52.05				
		June 1	51.18				
		15	51.84				
		July 1	51.74				
		15	51.78				
		Aug. 1	52.36				
		15	51.80				
		Sept. 2	51.79				
		15	51.86				
		Oct. 1	51.93				
		15	52.06				
		Nov. 2	52.12				
		16	51.85				
		Dec. 15	51.82				

Table 6.--Water levels in observation wells in Porter County, Indiana--Continued

## Porter 1--Continued

Date	Water level	Date	Water level	Date	Water level	Date	Water level
1942		July 15	50.96	1947		May 16	51.30
		30	50.87			24	51.25
Sept. 15	52.08	Aug. 15	52.03	Jan. 1	51.10	31	51.34
Oct. 1	51.88	31	52.22	15	50.80	June 6	52.14
16	51.93	Sept. 15	51.44	Feb. 1	51.15	13	51.69
Nov. 2	52.08	30	53.67	28	51.45	20	53.78
15	52.02	Oct. 15	52.74	Mar. 16	51.70	July 4	51.50
Dec. 1	52.20	31	53.86	30	51.80	11	51.75
15	52.62	Nov. 15	54.46	Apr. 16	51.50	18	51.48
		30	54.70	30	51.25	25	51.83
1943		Dec. 15	55.25	May 15	51.30	Aug. 1	51.60
		31	56.65	31	51.75	8	51.85
Jan. 1	51.62			June 15	51.50	15	51.70
15	51.94	1945		July 1	51.30	22	52.45
Feb. 1	51.28			16	51.45	29	53.05
15	51.68	Jan. 31	57.35	Aug. 15	52.55	Sept. 5	52.95
Mar. 1	51.96	Feb. 15	56.85	31	51.40	12	52.85
15	52.08	28	57.05	Sept. 15	51.25	19	53.25
Apr. 1	51.92	Mar. 16	57.65	30	51.25	26	52.75
15	51.80	31	58.05	Oct. 7	51.10	Oct. 3	53.20
May 3	51.92	Apr. 15	54.80	15	51.05	10	53.60
17	51.73	30	53.75	23	51.10	17	53.40
June 1	51.75	May 15	53.60	30	51.15	24	53.50
15	51.20	31	55.70	Nov. 12	51.20	31	53.90
July 2	51.17	June 15	57.15	19	51.40	Nov. 7	53.85
15	51.14	30	57.10	26	51.55	14	53.65
Aug. 3	50.63	July 15	57.00	Dec. 9	52.00	21	53.45
17	51.08	30	57.60	17	51.80	28	53.25
Sept. 2	51.14	Sept. 15	54.50	23	51.68	Dec. 12	53.30
16	51.21	30	54.00	31	51.81	26	53.35
Oct. 1	50.88	Oct. 15	53.94				
31	51.00			1948		1949	
Nov. 16	50.82	1946		Jan. 11	52.80	Jan. 2	54.80
Dec. 1	50.91			18	52.25	9	55.45
		Mar. 17	52.40	25	52.10	16	56.23
1944		31	52.35	Feb. 1	51.95	24	56.25
Jan. 1	50.95	May 31	51.95	8	52.20	31	56.25
16	51.10	July 1	51.80	15	51.95	Feb. 13	56.85
Feb. 15	51.40	16	51.95	23	51.87	20	55.45
29	51.55	Aug. 2	52.00	Mar. 14	51.82	27	54.75
Mar. 15	51.28	15	52.00	21	51.68	Mar. 6	54.85
31	51.34	31	51.65	28	51.36	13	55.45
Apr. 15	50.90	Sept. 15	51.60	Apr. 4	51.60	20	55.70
30	51.19	Oct. 1	51.25	11	51.76	28	56.90
May 15	51.06	15	51.50	18	51.45	Apr. 3	57.20
31	50.93	31	51.40	25	51.40	10	57.05
June 15	50.96	Nov. 15	51.63	May 3	51.30	17	56.15
30	50.98	30	51.45	9	51.30	24	57.90
		Dec. 15	51.05				

Table 6.--Water levels in observation wells in Porter County, Indiana--Continued

Porter 1--Continued

Date	Water level	Date	Water level	Date	Water level	Date	Water level
1949		Mar. 26	57.87	Mar. 18	56.73	Apr. 1	49.80
		Apr. 2	57.20		25	8	49.86
May 1	58.20		9	Apr. 1	56.76	15	49.86
8	58.15		16		8	22	49.62
15	58.17		23	15	56.23	30	49.60
22	58.55		30	22	56.80	May 6	49.53
29	58.73	May 7	55.47	29	55.17	13	49.50
June 5	58.40	14	55.26	May 6	54.94	21	49.50
12	58.52	21	55.20	13	54.67	27	49.25
19	58.83	28	54.56	20	54.09	June 3	49.29
26	58.95	June 4	54.40	28	53.94	11	49.22
July 3	59.03	11	54.27	June 3	53.57	17	49.15
10	58.87	18	53.98	10	53.34	24	48.03
17	59.53	25	53.88	17	53.10	July 1	49.13
24	59.88	July 2	53.80	24	52.91	8	48.28
31	60.42	9	53.57	July 1	52.77	15	48.70
Aug. 7	66.32	16	53.35	8	52.57	22	48.84
21	61.30	23	53.21	15	52.64	29	48.85
28	61.16	30	53.08	22	52.50	Aug. 5	49.59
Sept. 3	61.38	Aug. 6	53.05	29	52.35	12	50.60
11	61.64	13	52.94	Aug. 5	52.24	19	51.69
18	62.90	20	52.84	12	52.14	26	52.34
25	61.54	27	52.70	19	52.04	Sept. 2	50.70
Oct. 2	60.40	Sept. 3	52.67	26	52.02	16	50.21
9	58.65	10	52.53	Oct. 30	51.48	23	53.59
16	59.18	17	52.58	Nov. 6	51.01	30	53.88
30	59.22	24	52.60	13	51.47	Oct. 13	53.44
Nov. 6	59.55	Oct. 1	52.39	20	50.43	21	53.59
13	59.03	8	52.28	27	50.91	28	53.22
20	59.00	15	52.37	Dec. 4	50.02	Nov. 4	53.97
27	59.08	22	52.17	11	50.02	11	54.49
Dec. 4	58.86	29	52.18	18	50.57	18	54.34
11	58.90	Nov. 5	52.65	27	50.78	Dec. 9	53.85
18	58.02	12	53.79			16	54.78
25	58.86	19	54.30	1952		23	55.42
		Dec. 3	55.20	Jan. 1	50.79	30	56.29
1950		10	55.68	8	50.68		
Jan. 1	59.08	24	55.91	15	50.64	1953	
8	59.05	31	55.96	22	50.30	Jan. 13	56.59
16	59.03			29	50.57	20	57.77
22	60.08	1951		Feb. 5	50.26	27	58.06
30	60.58	Jan. 7	56.09	12	50.41	Feb. 3	58.30
Feb. 5	60.94	14	55.98	17	50.27	10	58.51
19	59.90	21	56.02	26	50.38	17	58.75
26	59.54	28	56.19	Mar. 4	50.38	24	58.95
Mar. 5	59.58	Feb. 4	56.07	11	49.98	Mar. 3	59.10
12	59.92	11	56.02	18	49.07	10	59.26
19	58.53	18	56.03	25	49.95	17	59.38

Table 6.--Water levels in observation wells in Porter County, Indiana--Continued

Porter 1--Continued

Date	Water level	Date	Water level	Date	Water level	Date	Water level
1953		Feb. 16	61.60	Jan. 25	54.80	1956	
		23	61.60	Feb. 1	54.80		
Mar. 24	59.40	Mar. 2	61.68	8	54.69	Jan. 3	62.67
31	58.19	9	61.72	15	54.53	10	61.33
Apr. 8	56.98	16	61.84	21	54.37	17	60.23
14	56.93	23	61.89	Mar. 1	54.32	24	59.05
21	57.01	30	61.94	8	54.15	31	58.56
28	57.05	Apr. 6	61.99	15	54.07	Feb. 7	58.78
May 5	56.98	13	61.35	22	53.98	14	59.42
19	56.63	20	61.54	29	53.88	21	59.94
26	56.47	27	61.37	Apr. 5	53.75	28	60.70
June 2	56.00	May 11	58.75	12	53.65	Mar. 6	60.90
9	55.70	17	59.52	19	53.57	13	60.64
17	55.55	24	60.30	26	53.49	27	60.01
24	55.02	June 1	61.90	May 3	53.42	Apr. 3	59.55
30	55.20	8	61.24	10	54.36	10	59.14
July 7	56.03	15	61.59	17	53.25	17	58.76
14	56.74	22	61.75	24	53.16	24	58.48
21	57.40	29	61.90	31	53.12	May 1	58.50
29	57.97	July 6	61.98	June 7	54.02	8	58.92
Aug. 4	58.20	13	62.07	14	54.82	15	59.43
11	58.57	20	62.22	21	55.62	22	59.17
18	58.91	27	62.32	30	56.04	29	59.00
25	59.17	Aug. 3	62.36	July 5	56.27	June 5	57.72
Sept. 3	58.87	10	62.41	12	56.15	12	57.68
9	58.94	17	62.46	19	55.90	19	57.56
15	59.09	25	61.80	26	55.95	26	58.33
22	59.40	31	61.03	Aug. 2	56.32	July 10	59.57
29	59.49	Sept. 14	60.73	9	56.49	17	62.12
Oct. 13	60.06	22	60.90	16	57.60	31	64.06
20	60.21	28	61.00	23	58.25	Aug. 7	64.75
27	60.40	Oct. 5	61.64	30	58.91	14	65.29
Nov. 3	60.50	12	61.80	Sept. 6	60.01	22	66.00
10	60.60	22	60.69	13	60.02	28	66.25
17	60.70	27	59.76	20	60.20	Sept. 4	66.75
24	60.77	Nov. 2	58.80	29	60.38	11	66.87
Dec. 1	60.89	9	59.17	Oct. 4	60.58	18	67.09
8	60.98	16	57.60	11	61.10	25	66.59
22	60.81	23	57.25	18	61.55	Oct. 2	65.62
31	60.93	30	56.80	25	61.00	9	65.97
		Dec. 7	56.45	Nov. 1	62.04	16	66.49
		14	56.15	8	62.26	23	67.05
1954		31	55.57	15	62.36	30	67.41
Jan. 5	60.98			22	62.50	Nov. 6	67.76
12	61.06	1955		29	62.61	16	67.82
19	61.13			Dec. 6	62.79	20	68.10
26	61.35	Jan. 4	55.37	14	62.83	27	68.55
Feb. 2	61.55	11	55.17	20	62.92	Dec. 4	68.66
9	61.58	18	55.00	27	62.87	12	66.70

Table 6.--Water levels in observation wells in Porter County, Indiana--Continued

Porter 1--Continued

Date	Water level	Date	Water level	Date	Water level	Date	Water level
1956		May 29	68.76	1958		July 3	65.69
		June 11	69.82			10	65.93
Dec. 18	65.30	18	69.62	Jan. 2	59.41	16	66.28
26	64.84	25	69.32	8	59.31	23	66.71
1957		July 2	69.41	14	59.22	30	67.00
		9	69.48	21	58.96	Aug. 6	67.25
		17	69.53	29	58.81	14	67.52
Jan. 2	64.60	24	69.76	Feb. 5	58.46	20	67.65
9	64.61	30	69.99	12	58.13	27	67.82
15	64.62	Aug. 6	69.69	19	57.80	Sept. 3	67.96
22	64.48	13	69.98	28	57.65	10	68.11
29	64.42	28	65.46	Mar. 6	58.50	17	68.24
Feb. 6	64.60	Sept. 3	67.36	13	57.41	24	68.48
13	65.26	10	68.39	20	57.29	Oct. 1	68.81
19	66.93	18	68.98	27	57.11	8	68.87
27	67.93	27	69.37	Apr. 3	56.98	15	68.90
Mar. 6	68.44	Oct. 3	69.50	10	56.82	22	68.91
13	68.94	9	69.57	17	56.70	29	68.91
20	69.18	17	69.98	24	56.70	Nov. 5	68.94
27	67.60	22	70.14	May 1	56.64	12	68.98
Apr. 3	69.27	29	70.31	8	57.00	19	69.00
10	69.22	Nov. 5	67.01	15	59.50	26	69.02
17	69.30	19	63.50	22	61.45	Dec. 3	69.05
24	69.33	27	62.60	29	62.82	10	69.06
May 1	69.19	Dec. 3	61.50	June 5	63.69	17	69.08
7	67.31	10	61.00	12	64.29	24	69.11
15	66.43	18	60.44	18	64.99	31	69.17
22	67.99	26	59.81	25	65.42		

Porter 2. (37/6W-13C1). State of Indiana. Dunes State Park. NE $\frac{1}{4}$ NW $\frac{1}{4}$  sec. 13, T. 37 N., R. 6 W. Dug unused water-table well in sand, diameter 24 inches, reported depth 22 feet. Land-surface datum is 615 feet above msl. Highest water level is 9.83 below lsd, Oct. 1, 1945; lowest 13.89 below lsd, Oct. 18, 1935. Records available: 1935-46.

1935		Feb. 29	12.70	1937		Dec. 2	12.10
		Mar. 15	13.00			1938	
Oct. 18	13.89	31	13.30	Jan. 15	13.10		
Nov. 15	13.50	Apr. 15	13.10	Feb. 1	13.30		
Dec. 2	12.30	May 1	12.80	Mar. 1	13.20	Jan. 1	12.80
16	12.40	15	13.10	Apr. 15	13.00	Feb. 1	13.00
1936		31	13.00	May 1	12.90	Mar. 1	13.30
		June 15	13.00	15	12.90	Apr. 1	13.00
Jan. 2	12.40	July 1	13.00	June 15	12.70	May 1	12.60
15	12.70	15	13.20	July 1	12.80	June 1	12.60
Feb. 3	13.10	Nov. 30	13.03	Aug. 2	12.70	July 1	12.00
15	13.20	Dec. 16	12.04	Oct. 1	12.70	Aug. 6	12.30
				Nov. 2	12.60	Sept. 1	11.70

Table 6.--Water levels in observation wells in Porter County, Indiana--Continued

Porter 2--Continued

Date	Water level	Date	Water level	Date	Water level	Date	Water level
1938		June 24	12.40	July 10	10.50	Mar. 19	12.10
		July 20	12.40	Aug. 9	12.10	Apr. 4	11.00
Oct. 1	11.40	Sept. 12	11.50	Nov. 1	10.50	16	11.25
18	11.17	Oct. 5	11.80	16	10.10	May 1	11.50
Nov. 1	11.30	Nov. 1	12.10	30	10.80	21	10.96
Dec. 30	12.20	Dec. 23	12.30			June 2	10.67
				1944		19	10.87
1939		1941		Jan. 5	10.60	July 2	10.50
Feb. 1	11.90	Jan. 24	12.30	18	11.50	18	10.71
Apr. 1	12.30	Mar. 3	12.60	Feb. 4	11.30	Aug. 1	10.00
May 1	12.20	Sept. 30	12.56	15	11.10	17	10.71
June 1	12.20			Mar. 3	11.60	Sept. 4	10.71
July 1	12.00	1942		20	11.70	17	10.08
Aug. 1	11.80	Apr. 21	13.60	Apr. 1	11.20	Oct. 1	9.83
27	11.70	June 20	13.50	15	11.50	16	10.50
Sept. 1	11.65	Aug. 5	13.40	June 5	10.80	Nov. 2	10.83
15	11.20	Nov. 3	13.40	15	11.50	16	12.92
Nov. 15	11.00			July 19	10.10	Dec. 4	10.96
Dec. 2	11.20	1943		Aug. 2	10.92		
1940		Jan. 8	11.80	Oct. 24	11.00	1946	
Jan. 3	12.00	Mar. 24	12.20	Nov. 30	11.00	Jan. 2	11.13
Feb. 1	12.30	Apr. 5	12.30	Dec. 15	11.10	15	11.38
Mar. 15	12.60	30	11.20			Feb. 2	11.67
Apr. 5	12.30	May 15	10.90	1945		16	12.63
May 4	11.30	June 20	10.70	Feb. 13	12.19	Mar. 2	12.58
				Mar. 1	12.25	18	10.50
						Apr. 15	11.02

Porter 3. (37/6W-13F1). State of Indiana. Dunes State Park. SE $\frac{1}{4}$ NW $\frac{1}{4}$  sec. 13, T. 37 N., R. 6 W. Driven unused water-table well in sand, diameter 1 $\frac{1}{4}$  inches, depth 18 feet. Land-surface datum is 614 feet above msl. Highest water level is 11.10 below lsd, June 20, 1943; lowest, dry, Sept. 18, 25, 1953. Records available: 1935-46, 1948-56.

1935		Feb. 29	15.80	1937		Nov. 2	15.20
		Mar. 15	15.80			Dec. 2	15.30
Oct. 18	15.50	31	15.80	Jan. 15	15.90		
Nov. 15	15.70	Apr. 15	15.50	Feb. 1	15.80	1938	
Dec. 2	15.80	May 1	15.00	Mar. 1	15.70		
16	16.00	15	15.10	Apr. 15	15.30	Jan. 1	15.60
1936		31	15.20	May 1	15.10	Feb. 1	16.00
Jan. 2	16.00	June 15	15.60	15	15.10	Mar. 1	15.00
15	16.00	July 1	15.80	June 15	14.60	Apr. 1	14.10
Feb. 3	16.20	15	16.20	July 1	15.10	May 1	14.30
15	16.30	Nov. 30	16.00	Aug. 2	15.40	June 1	14.10
		Dec. 16	15.60	Sept. 1	15.70	July 1	13.70
				Oct. 1	15.10	Aug. 6	14.00

Table 6.--Water levels in observation wells in Porter County, Indiana--Continued

Porter 3--Continued

Date	Water level	Date	Water level	Date	Water level	Date	Water level
1938		1943		Oct. 1	12.83	Apr. 16	15.55
				16	12.67	May 4	15.20
Sept. 1	14.70	Jan. 8	13.90	Nov. 2	13.10	11	15.38
Oct. 1	15.10	Feb. 2	13.10	16	13.23	20	13.94
Nov. 1	15.50	Mar. 4	12.80	Dec. 4	13.29	27	15.00
Dec. 30	16.40	Apr. 5	12.80			June 2	15.39
		30	12.80	1946		8	15.06
1939		May 15	11.80	Jan. 2	13.42	15	15.10
		June 20	11.10	15	12.92	22	15.25
Feb. 1	15.70	July 10	11.30	Feb. 2	12.92	29	15.45
Apr. 1	14.90	Aug. 9	12.70	16	13.08	July 6	15.57
May 1	14.80	Nov. 1	13.60	Mar. 2	13.06	27	15.88
June 1	14.70	16	13.90	18	12.75	Aug. 3	15.94
July 1	15.10	30	13.90	Apr. 15	12.67	10	16.08
Aug. 1	15.30					17	16.15
27	15.84	1944				24	16.28
Sept. 1	15.90	Jan. 5	13.60	1948		31	16.38
15	14.90	18	14.30	July 2	14.62	Sept. 7	16.47
Nov. 15	15.00	Feb. 4	14.60	14	14.99	14	16.58
Dec. 2	15.30	15	14.10	Aug. 6	15.30	21	16.63
		Mar. 3	14.50	13	15.47	28	16.69
1940		20	14.30	20	15.67	Oct. 5	16.66
Jan. 3	15.10	Apr. 1	13.80	27	15.80	12	16.72
Feb. 1	15.30	June 5	12.50	Sept. 3	15.97	19	16.77
Mar. 15	15.00	15	12.70	10	16.05	26	16.80
Apr. 5	14.90	July 19	13.60	24	16.18	Nov. 2	16.85
May 4	14.30	Aug. 2	13.70	Oct. 9	16.35	9	16.87
June 24	13.60	Oct. 24	14.80	16	16.45	16	16.89
July 20	14.20	Nov. 30	14.80	22	16.52	23	16.90
Sept. 12	14.90	Dec. 15	14.90	29	16.59	Dec. 21	16.39
Oct. 5	15.20			Nov. 12	16.67	28	16.00
Nov. 1	15.10	1945		19	16.97		
Dec. 23	15.30	Feb. 13	15.40	Dec. 3	16.80	1950	
		Mar. 1	15.04	11	16.85	Jan. 4	15.98
1941		19	14.98			11	15.71
		Apr. 4	14.67	1949		18	15.59
Jan. 24	15.10	16	14.50	Jan. 14	15.99	26	15.45
Mar. 3	14.90	May 1	14.31	28	16.47	Feb. 2	15.33
Sept. 30	14.80	21	12.67	Feb. 4	16.28	9	15.24
Oct. 2	14.80	June 2	12.21	11	16.23	18	15.15
		19	12.12	18	15.94	25	15.13
1942		July 2	11.19	25	15.94	Mar. 4	14.97
		18	11.92	Mar. 4	15.99	11	14.93
Apr. 21	12.40	Aug. 1	11.67	11	15.91	18	14.61
June 20	12.90	17	12.06	18	15.94	25	14.59
Aug. 5	14.20	Sept. 4	12.33	25	15.94	Apr. 1	14.56
Nov. 3	14.50	17	12.92	Apr. 8	15.97	8	14.15
						15	13.97

Table 6.--Water levels in observation wells in Porter County, Indiana--Continued

Porter 3--Continued

Date	Water level	Date	Water level	Date	Water level	Date	Water level
1950		July 2	14.64	July 12	15.20	May 29	13.98
		9	14.68	19	15.48	June 8	14.70
Apr. 22	13.88	16	14.77	26	15.55	10	14.85
29	13.79	23	14.93	Aug. 2	15.73	23	15.01
May 6	13.78	30	14.85	9	15.86	July 3	15.09
13	13.77	Aug. 6	14.83	16	15.96	10	14.89
20	13.87	13	14.81	23	16.10	18	15.41
27	13.95	20	14.77	30	16.20	25	15.51
June 3	13.90	27	14.78	Sept. 6	16.24	Aug. 1	15.62
10	13.85	Sept. 3	14.73	13	16.35	8	15.76
17	13.79	10	14.75	27	16.58	15	15.87
24	13.67	17	15.74	Oct. 18	16.70	22	15.85
July 1	13.68	24	15.83			29	15.82
8	14.13	Oct. 1	15.48	1953		Sept. 5	16.98
15	14.40	8	15.61	Mar. 13	16.54	13	16.18
22	14.32	15	15.66	20	16.50	20	16.30
Aug. 5	14.44	22	15.64	27	16.39		
12	14.65	Nov. 9	15.67	Apr. 3	16.28	1955	
19	14.74	26	15.04	10	16.26	Mar. 1	14.80
26	14.95	Dec. 3	15.03	17	16.23	19	14.70
Sept. 9	15.15	8	15.01	24	16.19	Apr. 24	14.50
30	15.51	15	14.98	May 1	16.17	May 8	14.47
Oct. 14	15.61	22	14.98	8	16.14	28	14.78
21	15.68			15	16.10	June 27	15.20
28	15.74	1952		22	16.00	July 5	15.20
Nov. 18	15.74	Jan. 5	14.94	29	15.00	Aug. 10	15.53
Dec. 2	15.96	19	14.85	June 5	14.00	15	15.60
9	15.99	Feb. 2	14.79	12	14.40	24	15.77
1951		16	14.26	19	15.20	29	15.87
Jan. 6	15.71	23	14.84	26	15.97	Sept. 5	15.35
27	15.51	Mar. 15	14.94	July 3	16.10	Nov. 30	15.80
Feb. 24	15.40	22	14.92	10	16.25	Dec. 7	15.90
Mar. 10	15.49	29	14.89	17	16.36	14	15.90
17	15.45	Apr. 5	14.82	24	16.37	21	15.70
Apr. 2	15.37	12	14.76	31	16.50		
9	15.33	19	14.65	Aug. 7	16.40	1956	
16	15.06	26	14.56	14	16.54	Jan. 3	15.88
23	14.99	May 3	14.53	21	16.56	10	16.06
30	14.79	10	14.58	28	16.70	18	16.12
May 7	14.54	17	14.63	Sept. 4	16.80	25	16.16
14	14.00	20	14.63	11	16.90	Feb. 2	16.18
21	13.89	24	14.64	18	(f)	10	16.24
28	13.88	31	14.62	25	(f)	17	16.23
June 4	14.04	June 7	14.74	1954		28	15.66
11	14.20	14	14.67	Mar. 17	16.90	Mar. 15	15.48
18	14.39	21	14.75	Apr. 5	15.90	21	15.41
25	14.45	28	14.93	Apr. 15		Apr. 15	15.60
		July 5	15.04				

f Dry.



Table 6.--Water levels in observation wells in Porter County, Indiana--Continued

Porter 3--Continued

Date	Water level	Date	Water level	Date	Water level	Date	Water level
1956		June 11	15.42	June 26	15.00	July 11	15.42
		18	14.86	July 4	15.20	19	15.60
May 10	15.04						

Porter 4. (35/6W-26H1). Farmers State Bank. SE $\frac{1}{4}$ NE $\frac{1}{4}$  sec. 26, T. 35 N., R. 6 W. Drilled unused well in gravel, diameter 6 inches, reported depth 86 feet. Land-surface datum is 692 feet above msl. Highest water level is 0.04 below lsd, May 2, 1936; lowest 2.80 below lsd, Oct. 15, 1938. Records available: 1935-39.

1935		Aug. 15	2.20	Aug. 1	1.45	Aug. 15	1.08
		31	1.52	Sept. 3	1.52	Sept. 1	1.27
Oct. 15	1.41	Sept. 15	1.40	17	1.59	15	0.42
31	1.17	30	1.09	Oct. 1	1.40	1	0.96
Nov. 15	0.90	Oct. 15	1.00	16	1.23	15	2.80
30	0.95	Nov. 12	0.65	30	0.94	Nov. 1	1.98
Dec. 14	0.97	14	0.70	Nov. 13	0.95	15	1.89
31	1.07	Dec. 5	1.10	27	0.90	Dec. 1	1.40
		15	1.20	Dec. 11	1.00	15	1.47
1936		1937		1938		1939	
Jan. 15	0.55	Jan. 2	1.02	Jan. 5	1.00	Jan. 1	1.71
Feb. 1	1.16	15	0.60	15	1.10	14	1.49
15	0.52	30	0.97	29	0.90	1	1.66
29	0.70	Feb. 17	1.03	Feb. 14	0.67	15	1.30
Mar. 14	0.86	Mar. 1	0.98	28	0.73	Mar. 1	1.20
Apr. 2	0.89	15	0.97	Mar. 15	0.71	15	0.99
16	1.04	Apr. 2	0.86	Apr. 1	0.47	Apr. 1	1.34
May 2	0.04	17	0.69	15	0.55	15	0.90
19	0.92	May 1	0.56	30	0.82	May 5	1.41
June 4	1.06	15	0.80	June 1	0.51	15	1.50
20	1.45	June 1	0.91	16	0.55	31	1.57
30	1.60	16	1.00	July 1	0.41	June 15	1.35
July 4	1.20	29	0.87	15	1.03	July 3	1.23
15	1.95	July 18	0.87	Aug. 1	0.78	15	1.45
31	2.20						

Porter 5. (36/6W-36D1). A. A. Hanrakean at residence. NW $\frac{1}{4}$ NW $\frac{1}{4}$  sec. 36, T. 36 N., R. 6 W. Drilled unused artesian well in limestone, diameter 10 inches, reported depth 202 feet. Land-surface datum is 765 feet above msl. Highest water level is 40.30 below lsd, Apr. 1, 1938; lowest 43.10 below lsd, Aug. 1, 1937. Records available: 1935-42.

1935		Nov. 15	42.07	1936		Feb. 15	42.00
		30	41.90			29	42.06
Oct. 15	42.17	Dec. 14	41.95	Jan. 15	41.92	Mar. 14	41.91
31	42.07	31	41.95	Feb. 1	42.01	Apr. 2	41.90

Table 6.--Water levels in observation wells in Porter County, Indiana--Continued

## Porter 5--Continued

Date	Water level	Date	Water level	Date	Water level	Date	Water level
1936		Oct. 16	42.10	Apr. 15	41.28	Nov. 15	42.19
		30	42.00	May 5	41.15	Dec. 16	42.08
Apr. 16	41.92	Nov. 13	41.90	15	41.30		
May 2	42.00	27	42.10	31	41.50	1941	
19	42.08	Dec. 11	42.30	June 15	41.35	Jan. 3	42.20
June 4	41.75			July 3	41.60	Feb. 3	42.12
20	42.05	1938		15	41.25	15	42.34
30	41.55	Jan. 5	42.00	Aug. 1	41.25	Mar. 3	42.40
July 4	41.90	15	42.20	15	41.30	18	42.34
15	42.00	29	42.20	27	41.42	Apr. 1	42.38
31	42.20	Feb. 14	42.30	Sept. 15	41.53	16	42.31
Aug. 15	42.00	28	42.10	Oct. 4	41.53	May 15	42.25
31	42.12	Mar. 15	42.00	16	41.62	June 4	42.14
Sept. 15	42.15	Apr. 1	40.30	Nov. 7	41.65	16	42.12
30	42.10	15	41.70	15	41.95	July 3	42.20
Oct. 15	42.12	30	41.70	Dec. 1	41.85	17	42.27
Nov. 2	41.90	June 1	41.40	15	41.92	Aug. 6	42.39
14	41.92	16	41.40	1940		16	42.40
Dec. 1	42.22	July 1	41.35	Jan. 2	42.10	Sept. 4	42.41
15	42.16	15	41.55	15	41.93	17	42.52
1937		Aug. 1	41.50	Feb. 1	42.05	Oct. 1	42.42
		15	41.40	15	42.18	Nov. 3	42.17
Jan. 2	41.96	Sept. 1	41.30	Mar. 7	42.08	18	42.11
15	41.89	15	41.35	16	42.17	Dec. 2	42.08
30	42.05	Oct. 1	41.60	Apr. 2	41.93	16	42.04
Feb. 17	42.12	15	41.65	15	41.78	1942	
Mar. 1	42.14	Nov. 1	41.30	May 2	41.73	Jan. 17	42.06
15	42.13	15	41.37	17	41.81	Feb. 5	41.92
Apr. 2	42.04	Dec. 1	41.40	June 1	41.78	Mar. 5	41.82
17	41.95	15	41.43	15	41.77	17	41.67
May 1	41.81	1939		July 2	41.87	Apr. 1	41.70
15	41.88	Jan. 1	41.70	16	41.96	15	41.62
June 1	41.72	14	41.60	Aug. 2	42.06	May 4	41.67
16	41.90	Feb. 1	41.60	16	42.04	15	41.53
29	41.70	15	41.65	31	42.06	June 3	41.59
July 18	41.77	Mar. 1	41.70	Sept. 17	42.14	17	41.48
Aug. 1	43.10	15	41.35	Oct. 2	42.18		
Sept. 3	41.50	Apr. 1	41.25	15	42.20		
17	42.10			Nov. 2	42.16		
Oct. 1	42.00						

Porter 6. (35/7W-2J2). Indiana Associated Telephone Co. Wheeler. NE $\frac{1}{4}$ SE $\frac{1}{4}$  sec. 2, T. 35 N., R. 7 W. Dug and driven unused artesian well in clay and sand, diameter 60-4 inches, depth unknown. Land-surface datum is 666 feet above msl. Highest water level is 1.68 below lsd, Apr. 24, 1954; lowest 22.03 below lsd, Dec. 11, 1948. Records available: 1948-58.

Table 6.--Water levels in observation wells in Porter County, Indiana--Continued

Porter 6--Continued

Date	Water level	Date	Water level	Date	Water level	Date	Water level
1948		Apr. 16	4.70	Mar. 4	2.46	Jan. 20	4.55
			23	11	2.38	27	5.36
June 11	6.79		30	18	1.69	Feb. 3	6.20
	19	May 7	5.23	25	2.72	10	5.42
	26		14	Apr. 1	2.33	17	4.17
July 3	10.81		21	8	2.32	24	3.64
	10		28	15	2.72	Mar. 3	3.15
	17	June 4	4.92	22	3.36	10	3.83
	24		11	29	2.37	17	2.75
	31		18	May 6	3.36	24	3.70
Aug. 7	16.07		25	13	4.30	31	2.36
	14	July 2	9.73	20	4.68	Apr. 7	2.07
	21		9	27	5.47	14	2.02
	28		16	June 3	3.75	21	3.29
Sept. 4	20.12		23	10	4.09	28	2.90
	11		30	17	3.24	May 5	3.81
	18	Aug. 6	14.30	24	3.70	12	2.66
	26		13	July 1	4.60	19	3.76
Oct. 2	21.10		20	8	5.31	26	4.38
	9		27	15	5.89	June 2	4.48
	16	Sept. 3	17.34	22	5.66	9	5.12
	23		10	29	6.01	16	5.57
	30		17	Aug. 5	6.83	23	4.18
Nov. 6	21.58		24	12	8.11	30	4.49
	13	Oct. 1	18.18	19	9.27	July 7	5.33
	20		8	26	10.40	14	6.09
	27		15	Sept. 2	11.45	21	5.00
Dec. 4	21.37		22	9	12.34	28	5.74
	11		29	16	13.74	Aug. 4	6.76
	18	Nov. 5	17.81	23	14.27	11	7.30
	25		12	30	14.86	18	7.84
			19	Oct. 7	16.05	25	9.23
1949			26	14	16.38	Sept. 1	10.37
		Dec. 3	18.70	21	16.55	8	10.90
Jan. 1	20.81		10	28	16.74	15	11.57
	8		17	Nov. 4	17.25	22	12.37
	15		24	11	17.67	29	8.90
	22		31	18	18.37	Oct. 6	8.59
	29			25	18.09	13	5.80
Feb. 5	17.30	1950		Dec. 2	16.97	20	6.44
	12			9	16.15	27	4.72
	19	Jan. 7	4.09	16	16.39	Nov. 3	5.26
	26		14	23	16.21	10	5.40
Mar. 5	7.56		21	30	15.66	17	2.97
	12		28			24	3.01
	19	Feb. 4	3.17	1951		Dec. 1	3.43
	26		11			8	3.48
Apr. 2	3.23		19	Jan. 6	4.68	15	4.05
	9		25	13	4.74	22	4.55

Table 6.--Water levels in observation wells in Porter County, Indiana--Continued

## Porter 6--Continued

Date	Water level	Date	Water level	Date	Water level	Date	Water level
1951		Oct. 25	19.80	Sept. 12	15.65	July 31	8.70
		Nov. 1	20.59	19	15.94	Aug. 7	9.07
Dec. 29	4.49	6	21.29	26	16.54	14	10.56
		15	21.20	Oct. 3	16.72	21	10.83
1952		22	21.36	10	17.47	28	11.30
		29	21.40	17	17.95	Sept. 4	11.66
Jan. 5	4.50	Dec. 6	21.29	24	19.02	11	11.86
12	3.80	11	21.20	31	19.05	18	12.28
19	2.03	19	20.97	Nov. 7	19.44	25	13.05
26	3.41	27	20.69	14	19.52	Oct. 2	13.28
Feb. 2	3.38			21	19.61	9	6.76
9	3.40	1953		28	19.68	16	2.70
16	3.70	Jan. 3	20.33	Dec. 5	19.68	23	2.99
23	4.21	10	20.25	12	19.70	30	3.49
Mar. 1	4.40	17	20.22	19	19.54	Nov. 6	3.00
8	4.44	24	19.74	26	19.35	13	3.64
15	2.92	31	19.40			20	4.90
22	2.70	Feb. 7	19.05	1954		27	5.05
29	3.53	14	18.96	Jan. 2	19.58	Dec. 4	3.78
Apr. 5	2.66	21	18.31	9	19.69	11	4.18
12	2.02	28	18.29	16	19.95	18	4.41
19	3.32	Mar. 7	16.50	23	19.94	25	4.70
26	3.67	14	8.48	30	19.73		
May 3	4.30	21	4.67	Feb. 6	19.54	1955	
10	4.61	28	4.68	13	19.57	Jan. 1	2.35
17	4.89	Apr. 4	4.91	20	19.05	8	2.26
24	5.00	11	4.66	27	18.15	15	3.03
31	4.64	18	4.69	Mar. 6	17.26	22	3.58
June 7	4.97	25	4.03	13	12.70	29	4.07
14	3.15	May 2	4.04	20	9.05	Feb. 5	4.43
21	4.45	9	4.35	27	3.14	12	4.68
28	4.97	16	4.40	Apr. 3	3.30	19	3.58
July 5	5.85	23	3.48	10	3.25	26	3.67
12	7.04	30	4.03	17	3.30	Mar. 5	2.68
19	7.83	June 6	4.81	24	1.68	12	2.02
26	8.85	13	4.33	May 1	2.84	19	3.48
Aug. 2	9.73	20	4.73	8	3.35	26	3.40
9	10.72	27	5.18	15	4.18	Apr. 2	3.09
16	11.48	July 4	7.63	22	4.64	9	3.64
23	12.75	11	8.92	29	5.18	15	3.85
30	13.85	17	10.22	June 5	5.72	23	3.49
Sept. 6	14.65	25	11.30	12	6.69	30	3.72
9	15.07	Aug. 1	12.05	19	7.78	May 7	4.19
13	15.64	8	12.85	26	8.48	14	4.52
20	16.85	15	13.64	July 3	9.43	21	4.95
27	17.60	22	14.27	10	5.70	28	5.40
Oct. 4	18.36	29	15.10	17	6.30	June 4	6.49
11	18.83	Sept. 5	15.37	24	8.37	11	6.00
18	19.43						

Table 6.--Water levels in observation wells in Porter County, Indiana--Continued

Porter 6--Continued

Date	Water level	Date	Water level	Date	Water level	Date	Water level		
1955		Apr. 21	5.36	Mar. 9	21.12	Jan. 25	4.23		
			2.03		16	21.40	Feb. 1	4.49	
June 18	6.68	May 5	2.28		23	19.79		8	4.70
	25		12		30	19.85		15	4.83
July 2	7.77		19	Apr. 6	13.09		22	5.09	
	9		26		13	13.25	Mar. 1	3.07	
	16	June 2	4.83		20	6.56		8	3.49
	23		9		27	2.59		15	3.81
	30		16	May 4	2.95		22	4.17	
Aug. 6	11.71		23		11	3.28		29	4.46
	13		30		18	3.40	Apr. 5	4.57	
	20	July 7	8.81		25	3.59		12	4.73
	27		14	June 1	3.81		19	4.89	
Sept. 6	13.28		21		8	4.38		26	5.00
	13		28		15	4.78	May 3	5.28	
	20	Aug. 4	11.49		22	5.15		10	5.63
	27		11		26	5.17		17	5.81
Oct. 1	14.76		18	July 6	5.74		24	6.08	
	8		25		13	4.70		31	6.39
	15	Sept. 1	13.92		20	4.97	June 7	6.49	
	22		8		27	5.06		14	4.30
	29		15	Aug. 3	5.18		21	4.47	
Nov. 5	14.80		22		10	5.39		28	4.74
	12		29		17	5.68	July 5	4.88	
	19	Oct. 6	16.73		24	5.92		12	5.29
	26		13		31	6.27		19	5.57
Dec. 3	13.99		20	Sept. 7	7.29		26	5.73	
	10		27		14	8.32	Aug. 2	5.88	
	17	Nov. 3	18.38		21	9.49		9	6.03
	24		10		28	10.60		16	6.19
	31		17	Oct. 5	10.76		23	6.47	
			24		12	10.99		30	6.69
1956		Dec. 1	19.88		19	11.22	Sept. 6	6.83	
			8		26	4.77		13	7.04
Jan. 7	13.79		15	Nov. 2	4.01		20	8.02	
	14		22		9	3.57		27	9.18
	21		29		16	2.79	Oct. 4	9.49	
	28				23	3.22		11	9.88
Feb. 4	13.65	1957			30	3.86		18	10.29
	11			Dec. 7	4.07		25	10.67	
	18	Jan. 5	21.07		14	3.99	Nov. 1	11.07	
	25		12		21	2.67		8	11.33
Mar. 3	4.71		19		28	2.90		15	11.63
	10		26					22	11.99
	17	Feb. 2	21.63	1958				29	12.17
	24		9				Dec. 6	12.96	
	31		16	Jan. 4	3.19			13	13.58
Apr. 7	4.60		23		11	3.50		20	14.09
	14	Mar. 2	20.99		18	3.81		27	14.86

Table 6.--Water levels in observation wells in Porter County, Indiana--Continued

Porter 7. (35/5W-6P3). City of Valparaiso. Valparaiso Water Dept. SE $\frac{1}{4}$ SW $\frac{1}{4}$  sec. 6, T. 35 N., R. 5 W. Driven unused well in drift, diameter 1 $\frac{1}{4}$  inches, depth unknown. Land-surface datum is 800 feet above msl. Highest water level is 54.04 below lsd, Jan. 31, 1956; lowest 66.50 below lsd, Mar. 13, 1957. Records available: 1954, 1956-57. Affected by nearby pumping.

Date	Water level	Date	Water level	Date	Water level	Date	Water level
1954		May 8	59.16	Dec. 4	64.80	May 15	63.72
		15	55.70	11	61.66	22	64.34
Aug. 25	58.05	22	54.35	12	62.80	29	65.06
31	57.69	29	54.50	18	63.93	June 11	64.18
Sept. 14	58.83	June 19	57.09	26	63.60	18	64.08
22	60.30	26	58.79			25	63.78
28	60.95	July 10	59.83	1957		July 2	63.20
Oct. 5	61.21	17	59.57			9	63.50
12	59.00	24	60.00	Jan. 2	63.97	17	63.84
22	55.90	31	59.64	9	64.15	24	64.07
1956		Aug. 7	60.78	15	64.17	30	63.39
		14	60.99	22	64.20	Aug. 6	64.00
		21	61.21	29	64.28	20	65.14
Jan. 24	54.43	29	62.10	Feb. 6	64.43	28	64.41
31	54.04	Sept. 4	61.73	13	64.48	Sept. 3	63.91
Feb. 7	58.42	11	61.83	19	63.38	10	63.91
14	59.43	18	63.35	27	63.50	27	63.92
21	60.38	25	62.79	Mar. 6	63.52	Oct. 2	63.94
28	60.44	Oct. 2	62.80	13	66.50	9	63.96
Mar. 6	57.90	9	61.48	20	63.75	17	65.92
13	56.55	16	62.10	27	65.44	22	65.92
27	56.25	23	62.62	Apr. 3	65.10	29	65.92
Apr. 3	55.68	30	62.51	10	63.82	Nov. 5	60.16
10	55.95	Nov. 6	62.62	17	63.89	19	58.10
17	54.09	16	62.49	24	63.81	27	57.19
24	54.65	20	62.92	May 1	62.93		
May 1	57.81	27	63.20	7	60.74		

Porter 8. (36/6W-9E3). Wabash Railway Co. Crocker. SW $\frac{1}{4}$ NW $\frac{1}{4}$  sec. 9, T. 36 N., R. 6 W. Drilled unused artesian well in sand, diameter 10 inches, reported depth 80 feet. Land-surface datum is 633 feet above msl. Recording gage installed Nov. 27, 1956. Highest water level is 10.91 below lsd, Apr. 5, 1958; lowest 11.87 below lsd, Apr. 3, 21, 1957. Records available: 1956-58. Affected by barometric pressure and by trains.

(Daily highest water level from recorder graph, 1956)

Nov. 29	11.28	Dec. 2	11.25	Dec. 5	11.28	Dec. 30	11.37
30	11.26	3	11.28	28	11.39	31	11.41
Dec. 1	11.27	4	11.31	29	11.43		

Table 6.--Water levels in observation wells in Porter County, Indiana--Continued

Porter 8--Continued

(Daily highest water level from recorder graph, 1957)

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	11.49	11.62	11.70	11.72	11.43	11.30	11.44	11.41	11.40	11.55	-----	-----
2	11.44	11.59	11.71	11.76	11.44	11.35	11.43	11.40	11.37	11.58	-----	-----
3	11.39	11.58	11.73	11.76	11.42	11.33	11.41	11.38	11.39	11.59	-----	-----
4	11.43	11.64	11.74	-----	11.41	11.33	11.39	11.41	11.42	11.59	-----	-----
5	11.47	11.65	11.73	-----	11.40	11.31	11.44	11.45	11.46	11.60	-----	-----
6	11.43	11.65	11.74	-----	11.38	11.30	11.44	11.45	11.45	11.58	-----	-----
7	11.43	11.66	11.74	-----	11.35	11.31	11.44	11.44	11.45	11.59	-----	-----
8	11.42	11.58	11.74	-----	11.34	11.34	11.44	11.43	11.46	11.61	-----	-----
9	11.46	11.55	11.74	-----	11.35	11.33	11.49	11.40	11.47	11.64	-----	-----
10	11.46	11.64	11.73	-----	11.33	11.31	11.49	11.30	11.47	11.66	-----	-----
11	11.49	11.66	11.63	11.77	11.34	11.29	11.48	11.38	11.47	11.66	-----	-----
12	11.47	11.60	11.73	11.83	11.34	11.31	11.29	11.38	11.46	11.66	-----	-----
13	11.50	11.62	11.76	11.83	11.31	11.30	11.29	11.35	11.48	11.65	-----	-----
14	11.52	11.65	11.72	11.83	11.30	11.33	11.40	11.34	11.47	11.65	-----	-----
15	11.51	11.64	11.76	11.79	11.31	11.37	11.37	11.35	11.47	11.63	-----	-----
16	11.52	11.66	11.77	11.79	11.33	11.37	11.36	11.37	11.51	11.61	-----	-----
17	11.54	11.67	11.76	11.80	11.28	11.37	11.37	11.36	11.53	11.64	-----	-----
18	11.57	11.66	11.72	11.82	11.31	11.34	11.36	11.36	11.50	11.68	-----	-----
19	11.54	11.71	11.72	11.80	11.28	11.36	11.36	11.36	11.49	11.69	-----	11.31
20	11.52	11.69	11.80	11.78	11.30	11.36	11.35	11.36	11.50	11.69	-----	11.47
21	11.50	11.68	11.77	11.82	11.27	11.36	11.35	11.38	11.50	11.68	-----	11.43
22	11.55	11.68	11.76	11.77	11.28	11.34	11.35	11.39	11.53	11.62	-----	11.42
23	-----	11.69	11.79	-----	11.30	11.38	11.36	11.35	11.54	11.56	-----	11.43
24	11.55	11.64	11.80	-----	11.34	11.39	11.40	11.32	11.52	-----	-----	11.26
25	11.54	11.65	11.76	11.74	11.25	11.39	11.38	11.37	11.53	-----	-----	11.30
26	11.58	11.67	11.79	11.64	11.26	11.40	11.38	11.40	11.56	-----	-----	11.35
27	11.58	11.71	11.78	11.57	11.33	11.40	11.38	11.41	11.57	-----	-----	11.28
28	11.55	11.69	11.78	11.51	11.33	11.35	11.38	11.39	11.56	-----	-----	11.39
29	11.56	-----	11.77	11.47	11.32	11.40	11.38	11.39	11.55	-----	-----	11.39
30	11.59	-----	11.80	11.45	11.32	11.44	11.40	11.42	11.54	-----	-----	11.27
31	11.59	-----	11.76	-----	11.29	-----	11.41	11.40	-----	-----	-----	-----

(Daily highest water level from recorder graph, 1958)

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	11.25	11.19	11.15	11.00	11.05	11.10	11.06	-----	11.24	11.40	11.55	11.75
2	11.34	11.20	11.10	10.98	11.04	11.23	11.02	11.12	11.23	11.40	11.55	-----
3	11.36	11.22	11.10	10.98	11.03	11.31	-----	11.17	11.23	11.40	11.55	-----
4	11.35	11.18	11.11	10.98	11.07	11.30	-----	11.17	11.26	11.40	11.50	-----
5	11.23	11.17	11.05	10.91	11.09	11.30	-----	11.19	11.24	11.40	11.55	-----
6	11.16	11.21	11.05	10.93	11.08	11.32	-----	11.18	11.24	-----	11.60	11.75
7	11.25	11.22	11.05	11.01	11.07	11.29	11.08	11.09	11.28	-----	11.60	11.70
8	11.25	11.23	11.02	11.06	11.06	11.24	11.08	11.13	11.29	-----	11.55	11.70
9	11.22	11.21	11.01	11.02	11.08	11.23	11.08	11.15	11.25	11.45	11.55	11.70
10	11.23	11.20	11.04	10.99	11.10	11.22	11.06	11.12	11.28	11.50	11.60	11.75
11	11.27	11.20	11.04	10.99	11.10	11.24	11.06	11.13	11.30	11.50	11.60	11.70
12	11.25	11.20	11.01	11.02	11.18	11.20	11.06	11.13	11.30	11.50	11.60	11.70
13	11.22	11.23	10.99	11.02	11.15	11.14	11.08	11.13	11.30	11.50	11.60	11.75

Table 6.--Water levels in observation wells in Porter County, Indiana--Continued

Porter 8--Continued

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
14	11.22	11.21	11.01	11.01	11.11	11.16	11.07	11.13	11.30	11.50	11.60	11.75
15	11.25	11.21	11.01	11.01	11.11	11.15	11.10	11.12	11.30	11.45	11.55	11.70
16	11.23	11.24	11.00	11.02	11.11	11.14	11.12	11.12	11.30	11.45	11.60	11.65
17	11.25	11.25	11.01	11.01	11.10	11.13	11.12	11.11	11.25	11.50	11.60	11.70
18	11.25	11.25	11.02	11.01	11.11	-----	11.10	11.14	11.35	11.50	11.65	11.70
19	11.22	11.27	11.00	11.00	11.15	-----	11.10	11.14	11.35	11.45	11.65	11.70
20	11.21	11.26	10.99	10.99	11.15	-----	11.13	11.13	11.30	11.50	11.65	11.80
21	11.09	11.22	10.99	11.00	11.14	-----	11.12	11.11	11.35	11.50	11.60	11.80
22	11.15	11.24	11.02	10.99	11.11	-----	11.13	11.17	11.35	11.50	11.60	11.75
23	11.24	11.21	11.02	10.97	11.18	-----	11.13	11.14	11.35	11.50	11.70	11.75
24	11.16	11.17	11.00	10.97	11.14	-----	11.13	11.11	11.35	11.50	11.65	11.80
25	11.15	11.17	11.00	11.11	11.14	-----	11.12	11.17	11.35	11.55	11.65	11.80
26	11.17	11.11	11.00	11.06	11.19	11.06	11.17	11.18	11.35	11.55	11.70	11.80
27	11.18	11.07	11.00	11.04	11.17	11.07	11.15	11.16	11.35	11.55	11.70	11.75
28	11.21	11.09	11.00	11.02	11.20	11.05	11.17	11.17	11.40	11.55	11.65	11.80
29	11.20	-----	11.01	11.06	11.20	11.05	-----	11.18	11.40	11.55	11.65	11.80
30	11.19	-----	11.01	11.05	11.18	11.05	-----	11.18	11.40	11.55	11.70	11.85
31	11.18	-----	11.01	-----	11.10	-----	-----	11.20	-----	11.55	-----	11.75

Porter 9. (35/7-27C1). H. Hull. NE $\frac{1}{4}$ NW $\frac{1}{4}$  sec. 27, T. 35 N., R. 7 W.  
 Drilled unused artesian well in limestone, diameter 8 to 6 inches, reported depth 379 feet. Land-surface datum is 684 feet above msl. Recording gage installed Aug. 6, 1957. Highest water level is 23.60 below lsd, Feb. 28, 1958; lowest 24.69 below lsd, Oct. 12, 1957. Records available: 1957-58. Affected by barometric pressure.

(Daily highest water level from recorder graph, 1957)

Date	Water level	Date	Water level	Date	Water level	Date	Water level
Aug. 7	24.03	Aug. 11	23.92	Oct. 10	24.57	Oct. 14	24.55
8	24.00	12	23.93	11	24.63	15	24.43
9	23.95	13	23.93	12	24.64		
10	23.92	Oct. 9	24.53	13	24.60		

(Daily highest water level from recorder graph, 1958)

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1	-----	-----	-----	-----	-----	-----	-----	-----	23.84	24.06	24.13	-----
2	-----	-----	-----	-----	-----	-----	-----	-----	23.81	24.07	24.10	-----
3	-----	-----	-----	-----	-----	-----	-----	-----	23.81	23.96	24.13	-----
4	-----	-----	-----	-----	-----	-----	-----	-----	23.87	23.85	23.97	-----
5	-----	-----	-----	-----	-----	24.20	-----	-----	23.82	24.04	23.94	-----
6	-----	-----	-----	-----	-----	24.28	-----	-----	23.79	23.97	24.14	24.23
7	-----	-----	-----	-----	-----	24.12	-----	-----	23.84	23.87	24.16	24.36
8	-----	-----	-----	23.85	-----	24.06	-----	-----	23.88	23.83	23.94	24.25
9	-----	-----	-----	23.95	-----	23.99	-----	-----	23.74	23.83	23.91	24.28
10	-----	-----	-----	23.95	-----	23.83	-----	-----	23.84	23.95	24.13	24.46



Table 6.--Water levels in observation wells in Porter County, Indiana--Continued

Porter 9--Continued

Day	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
11	-----	-----	-----	23.95	-----	23.83	-----	-----	23.98	24.10	24.23	24.29
12	-----	-----	-----	23.95	-----	23.90	-----	-----	23.95	24.19	24.29	25.26
13	-----	-----	-----	23.99	-----	23.96	-----	23.91	23.95	24.14	24.16	24.32
14	-----	-----	-----	23.97	-----	24.00	-----	23.89	23.87	24.15	24.18	24.38
15	-----	-----	-----	23.95	-----	23.99	-----	23.88	23.88	24.06	24.06	24.35
16	-----	-----	-----	23.97	-----	23.97	-----	23.84	23.90	24.00	24.16	24.18
17	-----	-----	-----	23.94	-----	23.95	-----	23.79	23.77	24.06	24.04	24.17
18	-----	-----	-----	23.92	-----	23.96	-----	23.84	23.88	24.16	24.06	24.17
19	-----	-----	-----	23.87	-----	23.83	-----	23.84	23.91	24.08	24.18	24.10
20	-----	-----	-----	23.83	-----	23.83	-----	23.78	23.81	24.06	24.22	24.40
21	-----	-----	-----	23.78	-----	23.99	-----	23.78	23.81	24.07	24.18	24.41
22	-----	-----	-----	23.75	-----	23.88	-----	23.82	23.92	24.05	24.21	24.23
23	-----	-----	-----	23.64	-----	23.85	-----	23.73	23.85	24.01	24.15	24.20
24	-----	-----	-----	-----	-----	23.85	-----	23.70	23.80	24.07	24.22	24.36
25	-----	h23.99	-----	-----	-----	23.85	-----	23.75	23.82	24.10	24.05	24.45
26	-----	-----	-----	-----	-----	-----	-----	23.76	23.92	24.13	24.19	24.42
27	-----	-----	-----	-----	-----	-----	-----	23.72	23.94	24.17	24.23	24.39
28	-----	h23.60	-----	-----	-----	-----	-----	23.70	23.94	24.21	24.18	24.41
29	-----	-----	-----	-----	-----	-----	-----	23.68	23.79	24.27	-----	24.43
30	-----	-----	-----	-----	-----	-----	-----	23.66	23.78	24.28	-----	24.58
31	-----	-----	-----	-----	-----	-----	-----	23.72	-----	24.17	-----	24.25

PUBLICATIONS OF COOPERATIVE GROUND-WATER PROGRAM

Report

Ground-water resources of the Indianapolis area, Marion County, Ind. C. L. McGuinness. Ind. Dept. Conserv., Div. Geology. 1943.

Bulletins


- No. 1 Memorandum concerning a pumping test at Gas City, Ind. J. G. Ferris. Ind. Dept. Conserv., Div. Water Resources. 1945.
- 2 A preliminary report of the ground-water levels of the State based on records of twenty-six observation wells for which long time records are available. Anonymous. Ind. Dept. Conserv., Div. Water Resources. 1946 (Out of print).
- 3 Ground-water resources of St. Joseph County, Ind. Part 1, South Bend area. F. H. Klaer, Jr., and R. W. Stallman. Ind. Dept. Conserv., Div. Water Resources. 1948.
- 4 Ground-water resources of Boone County, Ind. E. A. Brown. Ind. Dept. Conserv., Div. Water Resources. 1949.
- 5 Ground-water resources of Noble County, Ind. R. W. Stallman and F. H. Klaer, Jr. Ind. Dept. Conserv., Div. Water Resources. 1950.
- 7 Water-level records of Indiana. Anonymous. Ind. Dept. Conserv., Div. Water Resources. 1956.
- 8 Ground-water resources of Tippecanoe County, Ind.: Appendix, Basic Data. J. S. Rosenshein and O. J. Cosner. Ind. Dept. Conserv., Div. Water Resources. 1956.
- 8 Ground-water resources of Tippecanoe County, Ind. J. S. Rosenshein. Ind. Dept. Conserv., Div. Water Resources. 1958.
- 9 Ground-water resources of Adams County, Ind. F. A. Watkins, Jr., and P. E. Ward. Ind. Dept. Conserv., Div. Water Resources. 1962.
- 10 Ground-water resources of Northwestern Ind., Preliminary Report: Lake County. J. S. Rosenshein. Ind. Dept. Conserv., Div. Water Resources. 1961.
- 11 Ground-water resources of West-Central Ind., Preliminary Report: Greene County. F. A. Watkins, Jr., and D. G. Jordan. Ind. Dept. Conserv., Div. Water Resources. 1961.
- 12 Ground-water resources of Northwestern Ind., Preliminary Report: Porter County. J. S. Rosenshein. Ind. Dept. Conserv., Div. Water Resources. 1962.




INDEX

---

	Page
Abstract-----	1
Acknowledgments-----	5
Analysis of ground water-----	5,9
hardness of water-----	9
method of analysis-----	5
U. S. Public Health Service drinking-water standards-----	107
Bibliography, selected-----	10
Conditions, ground-water-----	6,7
Conditions, hydrologic-----	7
confined or artesian-----	7
unconfined or water-table-----	7
Conditions, quality of water-----	7
Data, collection and processing-----	5
observation wells-----	6
water samples-----	5
well records-----	5
Geology, general-----	6
consolidated rocks-----	6
Devonian age-----	6
Ordovician age-----	6
Silurian age-----	6
unconsolidated rocks-----	6
Pleistocene and Recent age-----	6
well logs-----	26
Location-----	2
Publications, cooperative ground-water program-----	129
Records-----	8
field chemical analyses-----	9,107
springs-----	9,106
water levels-----	9,112
wells-----	8,11
well logs-----	8,26
Summary-----	8
Water levels-----	6,9,112
Wells-----	5,7,8
construction of-----	7
drilled-----	7
driven-----	7
jetted-----	7
logs-----	8,26
numbering system-----	4
observation-----	6,9
tests, for oil or gas and foundations-----	7
wash borings-----	7
Well screen, grain-size and equivalent slot and gauze size-----	8






MAP OF PORTER COUNTY, INDIANA, SHOWING LOCATION OF WELLS, SPRINGS, AND TEST HOLES


DIAGRAM OF TOWNSHIP

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36



SECTION LETTER SYMBOLS IN WELL-NUMBERING SYSTEM.


D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R



EXPLANATION




Production from sand and gravel. Well depths generally more than 25 and less than 150 feet. Yields adequate to more than adequate for domestic use. Larger yields possible



Production from glaciofluvial sand and gravel. Depths of domestic wells generally less than 50 feet. Depths of industrial wells generally deeper. Yields adequate to more than adequate for domestic use. Larger yields possible locally




Production from glaciofluvial sand and gravel. Well depths generally more than 50 feet and less than 100 feet. Yields adequate to more than adequate for domestic use. Larger yields possible




Production from glaciofluvial sand with some gravel. Well depths generally more than 65 feet and less than 160 feet. Sand layers discontinuous. Locally very fine-grained and thin. Yields small but generally adequate for domestic use



Production from glaciofluvial sand and gravel. Well depths generally 75 to more than 125 feet. Shallower production possible locally. Yields adequate to more than adequate for domestic use. Large yields possible locally



Boundary approximate




Boundary uncertain

6	5	4	3	2	1
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36

DIAGRAM OF TOWNSHIP


MAP OF PORTER COUNTY, INDIANA, SHOWING  
AVAILABILITY OF GROUND WATER




BY J. S. ROSENSHEIN  
1962


Base from Modified General Highway and Transportation Map revised to July 1953. Drainage and town boundaries in part from U.S. Geological Survey topographic maps







EXPLANATION


 Hardness less than 200 ppm


 Hardness 200 to 300 ppm

 Hardness more than 300 ppm

 Sulfate content more than 250 ppm

 Data not sufficient to show distribution of hardness


 Boundary approximate

 Boundary uncertain

6	5	4	3	2	1
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36

DIAGRAM OF TOWNSHIP

MAP OF PORTER COUNTY, INDIANA, SHOWING HARDNESS OF WATER IN SAND AND GRAVEL OF PLEISTOCENE AGE



BY J. S. ROSENSHEIN  
1962

Base from Modified General Highway and Transportation Map revised to July 1953. Drainage and town boundaries in part from U.S. Geological Survey topographic maps